



UNIVERSITY OF LEEDS

This is a repository copy of *A validated microRNA profile with predictive potential in glioblastoma patients treated with bevacizumab*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/103871/>

Version: Supplemental Material

Article:

Hayes, J, Thygesen, H, Gregory, W et al. (5 more authors) (2016) A validated microRNA profile with predictive potential in glioblastoma patients treated with bevacizumab. *Molecular Oncology*, 10 (8). pp. 1296-1304. ISSN 1574-7891

<https://doi.org/10.1016/j.molonc.2016.06.004>

© 2016, Federation of European Biochemical Societies. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International
<http://creativecommons.org/licenses/by-nc-nd/4.0/>

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Figure S1





Table S1

Characteristic	Number of patients (n=473)
Age (median=60)	
<60 years	224
≥60 years	249
Gender	
Male	290
Female	183
Karnovsky Performance score	
≤70	207
>70	150
Not available	116
Days to death/ last follow-up (median=9.73 months)	
<450 days	331
≥450 days	142
<30 days	26

Table S2

Minimum value on graph	Risk score at minimum	Hazard ratio of log-rank	95% confidence intervals	p value
1	-1.54	NA		
2	-0.87	0.1	CI=0.01-0.77	0.027
3	-0.46	0.15	CI=0.05-0.45	7.40E-04
4	0.00	0.16	CI=0.07-0.36	1.20E-05
5	0.79	0.09	CI=0.01-0.95	0.046

Table S3

Multivariate cox regression for training set

	Number of subjects	HR	95% CI	p-value
miR profile	50	0.118	0.04-0.32	2.40E-05
No information	8	0.95	0.06-15.41	9.70E-01
Adjuvant tmt	8	1.016	0.11-9.11	9.90E-01
Progression tmt	29	1.956	0.25-15.60	5.30E-01
Recurrence tmt	5	1.019	0.08-12.43	9.90E-01

Multivariate cox regression for test set

	Number of subjects	HR	95% CI	p-value
miR profile	37	4.36E-01	0.04-1.31	0.14
No information	11	1.62E-08	0-inf	1
Adjuvant tmt	8	2.20E+00	0.26-18.40	0.47
Progression tmt	16	8.16E-01	0.09-7.23	0.86
Recurrence tmt	2	1.30E-08	0-inf	1

Figure S2





Figure S3



HR=1.12

95% CI 0.51- 2.49

p=0.77