



This is a repository copy of *3D Finite Element Modelling of Cutting Forces in Drilling Fibre Metal Laminates and Experimental Hole Quality Analysis*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/104693/>

Version: Supplemental Material

---

**Article:**

Giasin, K. [orcid.org/0000-0002-3992-8602](https://orcid.org/0000-0002-3992-8602), Ayvar-Soberanis, S., French, T. et al. (1 more author) (2017) 3D Finite Element Modelling of Cutting Forces in Drilling Fibre Metal Laminates and Experimental Hole Quality Analysis. *Applied Composite Materials*, 24 (1). pp. 113-137. ISSN 0929-189X

<https://doi.org/10.1007/s10443-016-9517-0>

---

**Reuse**

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:  
<https://creativecommons.org/licenses/>

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

## Erratum to: 3D Finite Element Modelling of Cutting Forces in Drilling Fibre Metal Laminates and Experimental Hole Quality Analysis

Khaled Giasin<sup>1</sup> · Sabino Ayvar-Soberanis<sup>2</sup> ·  
Toby French<sup>3</sup> · Vaibhav Phadnis<sup>2</sup>

Published online: 26 August 2016  
© Springer Science+Business Media Dordrecht 2016

**Erratum to: Appl Compos Mater**  
**DOI 10.1007/s10443-016-9517-0**

The original version of this article, unfortunately, contained an error. The captured image for Fig. 2 was incorrect. The correct image is given in this article and the original version was updated to reflect the correct figure.

---


The online version of the original article can be found at <http://dx.doi.org/10.1007/s10443-016-9517-0>

✉ Khaled Giasin  
meq11kg@sheffield.ac.uk

<sup>1</sup> Composite Systems Innovation Centre, Department of Mechanical Engineering, The University of Sheffield, Sir Frederick Mappin Building, Mappin Street, Sheffield S1 3JD, UK

<sup>2</sup> Advanced Manufacturing Research Centre with Boeing, The University of Sheffield, Advanced Manufacturing Park, Wallis Way, Catcliffe, Rotherham S60 5TZ, UK

<sup>3</sup> 26 Grenadine Way, Tring, Hertfordshire HP23 5EA, UK



**Fig. 2** Details of GLARE 2B-4/3-0.4 workpiece used for the drilling trials **a** Layup of GLARE 2B laminate **b** Top view of GLARE laminate [19] **c** Side view of GLARE 2B 4/3 laminate