



UNIVERSITY OF LEEDS

This is a repository copy of *Transgender health in India and Pakistan*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/109159/>

Version: Accepted Version

---

**Article:**

Ming, LC, Hadi, MA [orcid.org/0000-0003-0108-7833](http://orcid.org/0000-0003-0108-7833) and Khan, TM (2016) Transgender health in India and Pakistan. *Lancet*, 388 (10060). pp. 2601-2602. ISSN 0140-6736

[https://doi.org/10.1016/S0140-6736\(16\)32222-X](https://doi.org/10.1016/S0140-6736(16)32222-X)

---

© 2016 Elsevier Ltd. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/licenses/by-nc-nd/4.0/>

**Reuse**

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

# **Transgender health in India and Pakistan: Mismatch between equal legal right and access to healthcare**

Authors & Affiliation

Long Chiau Ming, Muhammad Abdul Hadi, Tahir Mehmood Khan <sup>1</sup>

<sup>1</sup>School of Pharmacy, Monash University, Bandar Sunway, Selangor Malaysia.

School of Healthcare, University of Leeds, Leeds, United Kingdom

Winter et al.<sup>1,2</sup> reported a much neglected health issues of transgender people whom have been officially recognised as “third gender” citizen registration category in Nepal, Pakistan, India and Bangladesh, in as early as 2010. Locally known as hijras (hijra), this civil recognition is profound for their social right because it translates into confirmed allocation into government and education quotas. Despite the legal recognition, access to quality healthcare is alarmingly limited compared to their cisgender counterparts. More concerning is their engagement in health promotion and disease prevention activities especially related to sexual health, putting them at a higher risk of sexually transmitted infections (STIs) including HIV. HIV prevalence among transgender people in India is estimated at 14.5%. In Pakistan the HIV incidence among transgender people contributes up to 17.5% of the entire HIV population.<sup>3,4</sup> Moreover, in Pakistan, approximately 71% of the transgender sex worker-cum-injected drug users have sexual relationship with other drug-users and up to 33.7% of them did not use condom in the last coitus with their clients.<sup>5</sup> Similarly in India, the use of condom during anal sex remains low and almost two thirds of transgender people have no access to treatment of STI. Of the interviewed respondents, only 59.2% (n=277) have been referred for HIV testing and up to 67.1% have not been given proper counseling on anti-retroviral therapy (ART) adherence even though the medication has been given.<sup>6</sup>

In addition, due to the social discrimination and stigma most of the transgender people in India and Pakistan have no opportunity for schooling or access for higher education, eventually leading to poor health literacy. Even though the transgender in Pakistan and India have been given their civic identity, they are still vulnerable to verbal and psychological abuse by the medical personnel.<sup>7</sup> Not surprising that in Pakistan, HIV prevalence among transgender sex workers are eight time higher compared to the cisgender counterpart. In addition, there are hardly any anti-discrimination laws in place which voice to safeguard equality in health care access for transgender in Pakistan and India. Albeit with a prominent visibility of hijras in the community such as contesting for local, provisional and national legislative assemblies, there is still a long way to go before they can elicit political support and destigmatize their former identity in order for them to receive proper medical care and prevention measure against STI and HIV.

## **References**

1. Winter S, Diamond M, Green J, et al. Transgender people: health at the margins of society. *The Lancet* 2016.
2. Winter S, Settle E, Wylie K, et al. Synergies in health and human rights: a call to action to improve transgender health. *The Lancet* 2016.
3. Perez-Brumer AG, Oldenburg CE, Reisner SL, Clark JL, Parker RG. Towards 'reflexive epidemiology': Conflation of cisgender male and transgender women sex workers and implications for global understandings of HIV prevalence. *Glob Public Health* 2016; **11**(7-8): 849-65.
4. Singh S, Ambrosio M, Semini I, et al. Revitalizing the HIV response in Pakistan: a systematic review and policy implications. *Int J Drug Policy* 2014; **25**(1): 26-33.
5. Melesse DY, Shafer LA, Shaw SY, et al. Heterogeneity Among Sex Workers in Overlapping HIV Risk Interactions With People Who Inject Drugs: A Cross-Sectional Study From 8 Major Cities in Pakistan. *Medicine (Baltimore)* 2016; **95**(12): e3085.
6. Shaikh S, Mburu G, Arumugam V, et al. Empowering communities and strengthening systems to improve transgender health: outcomes from the Pehchan programme in India. *J Int AIDS Soc* 2016; **19**(3 Suppl 2): 20809.
7. Khaleeli H. Hijra: India's third gender claims its place in law. Available from: <https://www.theguardian.com/society/2014/apr/16/india-third-gender-claims-place-in-law>. Accessed 23 July 2016. 2014.