



Deposited via The University of Leeds.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/110104/>

Version: Accepted Version

Article:

Bradley, D (2017) Deutsch on the epistemic problem in Everettian Quantum Theory. *Studies in History and Philosophy of Science Part B: Studies in History and Philosophy of Modern Physics*, 57. pp. 111-114. ISSN: 1355-2198

<https://doi.org/10.1016/j.shpsb.2016.10.006>

© 2016 Published by Elsevier Ltd. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/licenses/by-nc-nd/4.0/>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Deutsch on the Epistemic Problem in Everettian Quantum Theory

Leeds University

David Deutsch (forthcoming) offers a solution to the Epistemic Problem for Everettian Quantum Theory. In this note I raise some problems for the attempted solution.

Everettian Quantum Theory is deterministic – it says that when a quantum measurement is made, the laboratory, scientists and entire world split into branches, and for each possible result, there is a branch where that result occurs. The big problem for Everettian Quantum Theory is how to make sense of what other versions of quantum theory identify as objective probabilities. These equations match our observations; if quantum mechanics says a result has a probability of $1/3$, then repeated experiments show the result, on average, one time in three.

There are two roles for probability that we have to make sense of:

The Practical Problem: How are we rationally to act, if we interpret quantum mechanics along Everettian lines? Suppose we are faced with a choice between, say, disaster on the spin-up branch and disaster on the spin-down branch. Given only that, whichever choice we make, there will be a disaster branch and a non-disaster branch, how could we ever have grounds for choosing?

The Epistemic Problem: How can we justify believing the theory on the basis of our empirical evidence, if we interpret quantum mechanics along Everettian lines? Given only that the theory predicted that the evidence that we have in fact observed would occur on some branch (and that the same is true of every other 'possible' string of evidence), how can we reasonably take our evidence to confirm the theory? (Greaves 2007 p. 122)

Our focus will be the epistemic problem, but let me first note that Deutsch's proposal for the epistemic problem relies in part on the "decision-theoretic" approach to the practical problem (Deutsch 1999), so if the decision-theoretic approach is invalid, Deutsch's proposal for the epistemic problem presumably can't get off the ground. But let's set this aside – I think that even granting Deutsch's solution to the practical problem, his attempt to solve the epistemic problem fails.

So let's move on to the epistemic problem. The standard Bayesian theory of confirmation says that:

$$F \text{ confirms } H \text{ iff } P(F|H) > P(F)^1$$

What is our evidence according to Everettian Quantum Theory? As all results happen, it seems that all results have a probability of 1 i.e. $P(F|H) = 1$. On minimal assumptions², it follows that $P(F|H) > P(F)$, therefore the evidence is guaranteed to confirm H, whatever evidence is found. And this confirmation seems to be too easy. So the problem is not so much 'how can we reasonably take our evidence to confirm the theory?', but must we *always* take our evidence to confirm the theory? How can we avoid easy confirmation? This is the epistemic problem.

Deutsch (forthcoming) suggests an answer to this problem. Before getting to the details of his account, we should make explicit one of the interesting features of his approach. He rejects probabilistic theories of confirmation in favour of a Popperian theory. Roughly, on Deutsch's theory, scientific theories are explanations, and a theory should be rejected when it fails to explain an explicanda and a competing explanation succeeds in explaining the explicanda.

Popperian theories deny the existence of inductive probabilities, which is both their strength and weakness. It is a strength because attempts to construct inductive probabilities are deemed to

¹ I assume that $0 < P(H) < 1$, which ensures the inequality in the text is equivalent to the more standard $P(H|F) > P(H)$. See Salmon (1975) and Fitelson & Hájek (forthcoming). I've also changed the more standard 'E' to 'F' to avoid conflicting with Deutsch's 'E' for 'Everett/everything'.

² Namely, assuming that $0 < P(H) < 1$ and $0 < P(F) < 1$, and that E confirms H iff $P(H|F) > P(H)$.

have failed. It is a weakness because without inductive probabilities we can say so little about scientific theories – we cannot say that a theory is confirmed, or should be believed to any degree. The Popperian can be thought of as being especially epistemically cautious – even if a theory has survived attempts to refute it, we should still not believe it. Perhaps this is a price worth paying in order to avoid error. But there is something strange about Deutsch’s appeal to Popper’s approach here.

Deutsch suggests that Popperian methodology can solve a problem – the epistemic problem in Everettian Quantum Theory – that Bayesian theories cannot. And I don’t see how any problem could be solved by Popper and not also solved by the Bayesian. For Bayesian theories are naturally thought of as logical *strengthenings* of Popper’s methodology. Popper’s central claim – that theories are rejected when falsifying evidence is found – can be incorporated into Bayesian methodology – as the claim that H is rejected when E is found such that $P(E|H) = 0$.³ Deutsch’s additions concerning understanding scientific theories as explanations can also be incorporated into Bayesian methodology. Bayesian theories add inductive or subjective probabilities, allowing them to make further claims, such as that a hypothesis is confirmed by the evidence in non-extreme cases. And this addition can only add to the power of the theory. So it seems that anything that can be explained by Popperian methodology can also be explained by Bayesian methodology. So if the Popperian can explain how to update in an Everettian world, then the Bayesian should be able to as well, by applying the Popperian bit of their theory.

But let’s set this worry aside and consider Deutsch’s theory. He argues that there can be evidence that is not explained by Everettian Quantum Theory that is explained by a competitor.

He first lays the groundwork by making the following claim about explanation:

Criterion (i): an explanation is bad...to the extent that... (i) it seems not to account for its explicanda...⁴

³ Compare Howson and Urbach 1993, pp. 119

⁴ Other criteria are added but we won’t need them.

So if we are trying to explain something, say, a_1 (the explicanda), then an explanation is bad to the extent that it seems not to account for a_1 . One might wonder what the difference is between 'explain' and 'account for'. Why not just say that an explanation is bad to the extent that it fails to explain its explicanda? Deutsch doesn't tell us, and I will argue later that (i) merely leads us round in a circle. But let's press on.

Deutsch then describes the following example:

Suppose...that two mutually inconsistent theories, D and E, are good explanations of a certain class of explicanda, including all known results of relevant experiments, with the only problematic thing about either of them being the other's existence. Suppose also that in regard to a particular proposed experiment, E makes only the everything-possible-happens prediction...for results a_1, a_2, \dots , while D predicts a particular result a_1 ...

Observing the result a_1 ...would be consistent with the predictions of both D and E. Even so, it would be a new explicandum which, by criterion (i) above, would raise a problem for the explanation E, since why the result a_1 was observed but the others weren't would be explained by D but unexplained by E.

But why **doesn't** E explain the result a_1 ? Indeed, E says that *all* possible results will be observed, so it says that a_1 will be observed. So E does seem to explain a_1 being observed. This is the heart of the problem. Deutsch needs to tell us how E fails to explain the result a_1 . I'm not saying this cannot be done, just that Deutsch has not told us how. Why might E fail to explain a_1 ? Perhaps we need to take into account that result a_1 is observed only by agents on the a_1 branch. Agents on other branches do not see a_1 , they observe a different result. Perhaps these other observations are not explained by E.

But Deutsch makes no mention of these post-measurement branches. Instead, he uses his proposed scientific methodology to tell us why E fails to explain a1. But I find his scientific methodology unilluminating. In fact he seems to lead us round a string of definitions.

Deutsch tells us that, given E, a1 is expected *not* to happen, even though it *will* happen:

under E⁵...a1 is expected not to happen, in the sense defined in Section 2 [see below], even though E asserts that, like every other [result], it will happen... This is no contradiction. Being expected is a methodological attribute of a possible result (depending, for instance, on whether a good explanation for it exists) while happening is a factual one. What is at issue in this paper is not whether the properties 'expected not to happen' and 'will happen' are consistent but whether they can both follow from the same deterministic explanatory theory, in this case E, under a reasonable scientific methodology. And I have just shown that they can.

So Deutsch claims he has shown that, given E, a result both will happen and is expected not to happen. It is not clear to me that he has shown this. Indeed, I don't understand how it is possible.

Quick clarification: There is usually nothing inconsistent with a result being expected not to happen and also happening. Every time you are surprised, something happened that you expected not to. Deutsch is defending the consistency of a scenario much stranger than this. For according to E, a1 is *guaranteed* to happen. So Deutsch is defending the consistency of a theory which says that both a1 is guaranteed to happen and that a1 is not expected to happen.

Deutsch does give us some help by defining what he means by 'expected' earlier in the paper, in the advertised Section 2:

⁵ Deutsch adds a string of a1 results here, but they don't seem to play an essential role in his argument.

I now define an objective notion...of what it means for a proposed experiment to be expected to have a result x under an explanatory theory T . It means that if the experiment were performed and did not result in x , T would become (more) problematic. Expectation is thus defined in terms of problems, and problems in terms of explanation, of which we shall need only the properties (i)...

How exactly are problems defined in terms of explanation? Deutsch isn't explicit. His (i) doesn't mention 'problem'.⁶ But (i) tells us when an explanation is bad (i.e. when it seems not to account for its explicanda), and presumably a bad explanation is an explanation with a problem. So Deutsch's reasoning seems to be that a_1 is expected not to happen according to E because a_1 raises a problem for E ; and a_1 raises a problem for E because E seems not to account for a_1 .

But why doesn't E seem to *account* for a_1 ? Indeed, E says that *all* possible results will be observed, so it says that a_1 will be observed. So E does seem to account for a_1 being observed. This is the same problem we ran into above, with 'explanation' substituted for 'account for'. So the string of definitions does not seem to have helped.⁷

It might be useful to quickly run through the dialectic. Deutsch said that E , the theory according to which everything possible happens, fails to explain a_1 . The objector points out that E says that a_1 will happen, and asks why E fails to explain a_1 . Deutsch replies that E fails to explain a_1 because E fails to *account* for a_1 . The objector then asks why E fails to account for a_1 . And no answer seems to be given.

Deutsch's discussion is a bit more complicated than my exposition, but I don't think the extra complexities help. I'll mention two such complications. First, Deutsch introduces a distinction between a methodological attribute of a possible result and a factual one, in order to make sense of how a result can be expected not to occur even though it is guaranteed to occur. He doesn't elaborate on

⁶ Nor do (ii) or (iii).

⁷ In fact we might have stopped a step earlier. The definition of 'expected' in terms of 'problem' and 'problem' in terms of 'explanation' leaves us wondering again why E fails to explain a_1 .

what he means by this distinction. A factual attribute of a result seems fairly clear – it is a matter of whether the result occurs or not. What is a methodological attribute? It seems to be a matter of whether the result is expected to happen. But if so, we just have the problem re-phrased in new terminology. And anyway, it seems to be the wrong kind of distinction to solve the problem. I could imagine this distinction solving the problem if methodological attributes and factual attributes were probabilistically independent. Then a result being guaranteed to happen (factual) would have no relevance to whether it was expected to happen (methodological). But surely they aren't probabilistically independent – methodological attributes such as being expected to happen are surely relevant to the factual attribute of whether it does happen. The greater the expectation (methodological), the greater the probability of it happening (factual).

I suspect Deutsch would reject the use of probability in the last sentence, as his scientific methodology doesn't use induction. But we don't need to use induction to make the point applicable to Deutsch, for he is only concerned with a case at the limit, where the probability is 1. Everettian Quantum Theory says that a_1 is guaranteed to happen i.e. probability 1 (factual). And surely this is probabilistically relevant to whether it is expected to happen (methodological). To the extent that Deutsch denies this, I don't understand what he means by 'expected'. This point will return in the next paragraph.

A second complication is that Deutsch talks about a *series* of results of a_1 , and claims that this series of results would be explained by D, but not by E. This makes Deutsch's position a little more intuitive at first. If we got a string of a_1 results, we might be inclined to think that D is true and E is false. But remember that E says that *everything* will happen – including the string of a_1 results. This perhaps draws attention to the fact that it is unclear what we should expect to see if Everettian Quantum Theory is true. Everettian Quantum Theory says that all possible results happen, but it doesn't necessarily say that we will see all possible results happen. It says a_1 will happen, but not that we will see a_1 . Indeed, we know that we won't see all possible results in any normal sense – the agent on the a_1 branch sees a_1 , the agent on the a_2 branch sees a_2 , and so on. Deutsch goes further – saying

that Everettian Quantum Theory says we should *not* expect to see a_1 , nor a string of a_1 results (at least if there is another theory D that does predict a_1). But what *should* we expect to see according to Everettian Quantum Theory? This remains mysterious – if ‘we’ refers to our pre-branching selves then we have successors who see a_1 and successors who don’t. Plausibly, when we have multiple successors there is a break-down in our usual way of answering questions about what we should expect to see. A problem for Deutsch is that his answer relies on judgments about what we should expect to see. Without being told more about how Deutsch is thinking about what we should expect to see, it is difficult to understand his answer.

Finally let me make a couple of points about Deutsch’s criticism of stochastic theories. Deutsch’s methodology rules out stochastic theories as fundamental explanations, but accepts them as useful approximations. He points out, I think correctly, that making use of stochastic theories requires adopting something like the following principle:

(3) If a theory attaches numbers p_i to possible results a_i of an experiment; and calls those numbers ‘probabilities’; and if; in one or more instances of the experiment; the observed frequencies of the a_i differ significantly; according to some statistical test; from the p_i ; then a scientific problem should be deemed to exist. p.5

But Deutsch rejects (3). His reasons are hard to follow. He first points out that (3) is normative, and so not a law of nature. Granted. He goes on:

Nor, on the other hand, could it be appended to the explanatory scientific methodology I am advocating, for then it would be purely ad hoc: scientific methodology should be about whether reality seems to conform to our explanations; there is a problem when it does not, and only then. *And one cannot make an explanation problematic merely by declaring it so.* (Italics original) p.6

But surely (3) describes a scenario where reality fails to conform to our explanations. The theory would explain results a_i with frequencies p_i ; and if the frequencies of a_i differed significantly from p_i then reality would fail to conform to the explanation. The final italicized sentence is confusing. Of course it is correct that one cannot make an explanation problematic merely by declaring it so. But we are not attempting to make an explanation problematic by declaring it so – we are attempting to say *what it is* for an explanation to be problematic. Indeed, this is surely part of what Deutsch himself is doing with (i).

One further feature of Deutsch's discussion of stochastic theories is worth mentioning – he seems to assume that the world is deterministic. He rejects the possible methodology for stochastic theories discussed above, and argues that we can use stochastic theories only when there 'is a good explanation for why one can expect the intended purpose of the model to be unaffected by' (p.6) replacing an awkward or intractable property with the mathematical property of randomness. And he mentions 'a game where the dice were replaced by a generator of random numbers – *even though the latter is physically impossible.*' (Italics added) p.6

Deutsch may be of the solid conviction that God does not play dice, but one should not make this assumption in the debate about interpretations of quantum mechanics, where one's interlocutors will disagree. And even if we do agree that God does not play dice, we can still ask the question of what our methodology should be (or should have been) if he did. Could we possibly find evidence that would lead us to believe that the world is indeterministic? In rejecting a methodology for stochastic theories, Deutsch suggests a negative answer to this question too, but the arguments given leave things very much open.⁸

References

⁸ This research has been funded by EU Marie Curie Re-integration Grant #656441

Deutsch, D. (1999) 'Quantum theory of probability and decisions' *Proceedings of the Royal Society of London*, A455 (1999), pp. 3129–3137

Deutsch, D. (forthcoming) 'The logic of experimental tests, particularly of Everettian quantum theory' *Studies in History and Philosophy of Modern Physics*

Fitelson, B. & Hájek, A. (forthcoming). 'Declarations of independence'. *Synthese*

Greaves, Hilary (2007). 'On the Everettian epistemic problem'. *Studies in History and Philosophy of Modern Physics* 38 (1):120-152.

Howson, C. & Urbach, P. (1993). *Scientific Reasoning: The Bayesian Approach*. Open Court.