



UNIVERSITY OF LEEDS

This is a repository copy of *The Relationship Between Synovial Pathobiology and Magnetic Resonance Imaging Abnormalities in Rheumatoid Arthritis: A Systematic Review*.

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/115525/>

Version: Supplemental Material

Article:

Humby, F, Mahto, A, Ahmed, M et al. (5 more authors) (2017) The Relationship Between Synovial Pathobiology and Magnetic Resonance Imaging Abnormalities in Rheumatoid Arthritis: A Systematic Review. *Journal of Rheumatology*, 44 (9). pp. 1311-1324. ISSN 0315-162X

<https://doi.org/10.3899/jrheum.161314>

© 2017 The Journal of Rheumatology. This is an author produced version of a paper published in *Journal of Rheumatology*. Uploaded in accordance with the publisher's self-archiving policy.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Supplementary Material

Supplementary Table 1: EMBASE search terms 1974 to March 2016

1	Exp *RHEUMATOID ARTHRITIS/	19	Exp*IMMUNOHISTOCHEMISTRY
2	(Rheumatoid AND arthritis).ti,ab	20	Pathol*. ti,ab
3	RA.ti,ab	21	Histo*.ti,ab
4	Rheumatoid.ti,ab	22	Immuno*.ti,ab
5	"inflammatory arthritis".ti,ab	23	17 OR 18 OR 19 OR 20 OR 21 OR 22 OR 23
6	1 OR 2 OR 3 OR 4 OR 5	24	Exp *JOINT SURGERY/
7	Exp *NUCLEAR MAGNETIC RESONANCE IMAGING/	25	Exp *ARTHROSCOPY
8	(magnetic AND resonance AND imaging).ti,ab	26	Exp*BIOPSY/
9	MRI.ti,ab	27	Exp*JOINT/
10	DCE.ti, ab	28	Surgery.ti,ab
11	(magnetic AND resonance AND imag*).ti,ab	29	Arthroscopy.ti,ab
12	7 OR 8 OR 9 OR 10 OR 11	30	Joint.ti,ab
13	6 AND 12	31	Biopsy.ti,ab
14	Exp *SYNOVITIS/	32	24 OR 25 OR 26 OR 27 OR 28 OR 29 OR 30
15	Synovi*, ti.ab	33	16 AND 23 AND 32
16	14 OR 15	34	13 AND 33
17	Exp *PATHOLOGY/	34	[Limit to: Human and English Language]
18	Exp *HISTOPATHOLOGY/		

Supplementary Table 2: Cochrane Search Terms

1	MeSH descriptor: [Arthritis, Rheumatoid] explode all trees	10	MeSH descriptor: [Synovitis] explode all trees
2	Rheumatoid arthritis	11	Synovi*
3	RA	12	10 OR 11
4	1 OR 2 OR 3 OR 4	13	MeSH descriptor: [Pathology] explode all trees
5	MeSH descriptor: [Magnetic Resonance Imaging] explode all trees	14	MeSH descriptor: [Histology] explode all trees
6	MRI	15	MeSH descriptor: [Immunohistochemistry] explode all trees
7	MR	16	pathol* or immuno* or histo* pathol* or immuno* or histo*
8	5 OR 6 OR 7 OR 8	17	13 OR 14 OR 15 OR 16 OR 17
9	4 AND 8	18	9 AND 17

Supplementary Table 3: Quality Scoring Tool

Item	Criterion	CH	CS	RCT
Study population				
1	Selection of patients from a uniform disease stage (e.g. early, established, late)			

2	Uniform patient population i.e.concomitant DMARDs/biologics controlled			
3	Description of patient baseline demographics (disease duration, sero positivity, erosive)			
MRI assessment				
4	MRI outcome assessed using standardized method i.e. OMERACT-RAMRIS or DCE MRI			
5	MRI performed on same joint from which synovium sampled			
	MRI >0.5T			
Histopathological assessment of synovial tissue				
6	Number of biopsies sampled >6 for large and >4 small joints			
7	Microscopic examination of synovial tissue			
8	Immunohistochemical analysis of synovial tissue			
9	Gene expression analysis of synovial tissue			
Study design				
10	Prospective study design used			
11	Time between biopsy and MRI <7 days			
12	Stable doses of steroids/DMARDs between MRI and biopsy (if not stated automatically score 0)			
13	Randomization defined			
14	Blinding of participants			
15	Blinding of clinicians			
16	Blinding of assessors			
17	Follow up of >85% of participants			
Analysis and data presentation				
18	Appropriate analysis techniques used (statistical or comparative techniques)			
	Maximum Score	13	12	17

Supplementary Table 4: Quality Scoring Results

Study	Study design	Quality scoring criteria																		total	% (Quality score)
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18		
Konig et al [1]	Cross sectional	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	3	25 (low)
Tamai et al [2]	Cross sectional	0	0	1	1	1	1	0	1	0	0	0	0	0	1	1	1	7	58 (high)		
Gaffney et al [3]	Cross sectional	0	0	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	5	42 (low)	
Gaffney et al [4]	Cross sectional	0	0	0	1	1	0	0	1	1	0	1	1	1	1	1	1	1	7	58 (high)	
Ostergaard et al [5]	Cross sectional	0	0	1	0	1	1	0	1	0	0	0	0	0	0	0	0	0	5	42 (low)	
Ostergaard et al [6]	Cross sectional	0	0	1	1	1	1	0	1	0	0	0	0	0	0	0	0	0	6	50 (low)	
Ostendorf et al[7]	Cross sectional	0	0	1	0	1	1	1	1	0	0	1	1	1	1	1	1	1	8	67 (high)	
Takase et al [8]	Cross sectional	0	0	1	1	1	1	0	1	1	0	1	1	1	1	1	1	1	9	75 (high)	
Axelson et al [9]	Cross sectional	0	0	0	1	1	1	0	1	0	0	0	0	0	0	0	0	0	5	42 (low)	
Vordenbäumen et al [10]	Cross sectional	0	0	1	1	1	1	1	1	1	0	1	0	1	0	1	0	1	9	75 (high)	
Paramarta et al [11]	Cross sectional	1	1	1	0	1	0	0	1	1	0	1	1	1	1	1	1	1	9	75 (high)	
Vordenbäumen et al [12]	Cross sectional	0	0	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1	8	67 (high)	
																				Mean (cross sectional)	56.3

Veale et al [13]	Randomised controlled Trial	0	0	1	1	1	1	0	1	1	0	1	1	0	0	1	1	1	1	12	71 (high)
Buch et al [14]	Cohort	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1	1	1	12	93 (high)
Kirkham et al[15]	Cohort	0	0	1	1	0	1	1	1	1	1	1	1	1	1	1	1	1	1	9	82 (high)
Anandarajah [16]	Cohort	0	0	1	0	1	1	1	1	0	0	0	0	0	0	0	0	0	1	6	46 (low)
Kennedy et al [17]	Cohort	0	0	1	0	1	1	0	1	1	0	1	1	0	1	1	1	0	1	8	62 (low)
Maijer et al [18]	Cohort	1	1	1	1	1	1	0	0	0	0	0	1	0	0	0	0	0	1	8	57 (low)
																				Mean (cohort)	68

Supplementary table 5: Excluded studies with reasons

Study	Reason for Exclusion
Andersen et al [19]	Synovial explants in vitro used for analysis
Andersen et al [20]	Synovial explants in vitro used for analysis
Stoeniou et al [21]	Abstract only (conference presentation)
Mo et al[22]	Abstract only (conference presentation)
Harty et al [23]	Abstract only (conference presentation)
Anandarajah et al [24]	Abstract only (conference presentation)
Agarwal et al[25]	Abstract only (conference presentation)
Dalbeth et al [26]	No synovial histology
Jimenez-Boj et al [27]	No synovial histology

Tanaka et al [28]	Not RA – monoarthritis patients
Volck et al [29]	Not relevant to task (no comparative evaluation of MRI/histopathological features)
Fujii et al [30]	Not in English language
Stiskal et al [31]	No synovial histology
Schweitzer et al [32]	Not RA
Andersen et al [33]	Abstract only (conference presentation)
De Hair, et al [34]	Not RA at the time of enrollment
Konig [35]	Not in English language
Anandrajah et al [36]	Not RA

1. König, H., J. Sieper, and K.J. Wolf, *Rheumatoid arthritis: evaluation of hypervasculat and fibrous pannus with dynamic MR imaging enhanced with Gd-DTPA*. Radiology, 1990. **176**(2): p. 473.
2. Tamai, K., et al., *Dynamic magnetic resonance imaging for the evaluation of synovitis in patients with rheumatoid arthritis*. Arthritis and rheumatism, 1994. **37**(8): p. 1151.
3. Gaffney, K., et al., *Quantification of rheumatoid synovitis by magnetic resonance imaging*. Arthritis and rheumatism, 1995. **38**(11): p. 1610.
4. Gaffney, K., et al., *Quantitative assessment of the rheumatoid synovial microvascular bed by gadolinium-DTPA enhanced magnetic resonance imaging*. Annals of the Rheumatic Diseases, 1998. **57**(3): p. 152-157.
5. Ostergaard, M., et al., *Magnetic resonance imaging-determined synovial membrane and joint effusion volumes in rheumatoid arthritis and osteoarthritis: comparison with the macroscopic and microscopic appearance of the synovium*. Arthritis and rheumatism, 1997. **40**(10): p. 1856.
6. Ostergaard, M., et al. *Magnetic resonance imaging-determined synovial membrane volume as a marker of disease activity and a predictor of progressive joint destruction in the wrists of patients with rheumatoid arthritis*. Arthritis and rheumatism, 1999. **42**, 918-29 DOI: 10.1002/1529-0131(199905)42:5<918::AID-ANR10>3.0.CO;2-2.

7. Ostendorf, B., et al., *Magnetic resonance imaging and miniarthroscopy of metacarpophalangeal joints: Sensitive detection of morphologic changes in rheumatoid arthritis*. Arthritis and Rheumatism, 2001. **44**(11): p. 2492-2502.
8. Takase, K., et al., *Simultaneous evaluation of long-lasting knee synovitis in patients undergoing arthroplasty by power Doppler ultrasonography and contrast-enhanced MRI in comparison with histopathology*. Clinical and experimental rheumatology, 2012. **30**(1): p. 85.
9. Axelsen, M.B., et al., *Dynamic gadolinium-enhanced magnetic resonance imaging allows accurate assessment of the synovial inflammatory activity in rheumatoid arthritis knee joints: A comparison with synovial histology*. Scandinavian Journal of Rheumatology, 2012. **41**(2): p. 89-94.
10. Vordenbäumen, S., et al., *Dynamic contrast-enhanced magnetic resonance imaging of metacarpophalangeal joints reflects histological signs of synovitis in rheumatoid arthritis*. Arthritis Res Ther, 2014. **16**(5).
11. Paramarta, E., et al., *Peripheral joint inflammation in early onset spondyloarthritis is not specifically related to enthesitis*. Annals of the rheumatic diseases, 2014. **73**(4): p. 735.
12. Vordenbäumen, S., et al., *Inflammation and vascularisation markers of arthroscopically-guided finger joint synovial biopsies reflect global disease activity in rheumatoid arthritis*. Clinical and experimental rheumatology, 2014. **32**(1): p. 117.
13. Veale, D.J., et al., *Intra-articular primatised anti-CD4: Efficacy in resistant rheumatoid knees. A study of combined arthroscopy, magnetic resonance imaging, and histology*. Annals of the Rheumatic Diseases, 1999. **58**(6): p. 342-349.
14. Buch, M.H., et al., *Mode of action of abatacept in rheumatoid arthritis patients having failed tumour necrosis factor blockade: a histological, gene expression and dynamic magnetic resonance imaging pilot study*. Ann Rheum Dis, 2009. **68**(7): p. 1220-7.
15. Kirkham, B.W., et al., *Synovial membrane cytokine expression is predictive of joint damage progression in rheumatoid arthritis: a two-year prospective study (the DAMAGE study cohort)*. Arthritis Rheum, 2006. **54**(4): p. 1122-31.
16. Anandarajah, A., et al., *Patients with rheumatoid arthritis in clinical remission manifest persistent joint inflammation on histology and imaging studies*. The Journal of rheumatology, 2014. **41**(11): p. 2153.
17. Kennedy, A., et al., *Tumor necrosis factor blocking therapy alters joint inflammation and hypoxia*. Arthritis and rheumatism, 2011. **63**(4): p. 923.
18. Maijer, K.I., et al., *Dynamic Contrast-Enhanced Magnetic Resonance Imaging Using Pharmacokinetic Modeling: Initial Experience in Patients with Early Arthritis*. Arthritis and Rheumatology, 2016. **68**(3): p. 587-596.
19. Andersen, M., et al., *Synovial explant inflammatory mediator production corresponds to rheumatoid arthritis imaging hallmarks: a cross-sectional study*. Arthritis research & therapy, 2014. **16**(3).

20. Andersen, M., et al., *The effects of biologics on imaging pathology reflects changes in ex vivo mediator release from rheumatoid arthritis synovial explants: A cohort study*. Annals of the Rheumatic Diseases, 2015. **74**.
21. Stoenou, M.S., et al., *Specific imaging and histological features of systemic sclerosis-related synovitis-a comparison with other arthritides*. Annals of the Rheumatic Diseases, 2015. **74**.
22. Mo, Y.-Q., et al., *FRI0029 Rheumatoid Arthritis MRI Scoring (Ramris) Correlates with Synovial Stroma Activation or Fiber Deposit in RA Patients*. Annals of the Rheumatic Diseases, 2015. **74**(Suppl 2): p. 428-429.
23. Harty, L.C., et al., *In vivo synovial oxygen levels are inversely related to metabolic turnover and disease activity in rheumatoid and psoriatic arthritis biologic responders*. Arthritis and Rheumatism, 2012. **64**.
24. Anandarajah, A.P., et al., *Patients with erosive osteoarthritis have less extensive synovitis than patients with rheumatoid arthritis on histopathology*. Arthritis and Rheumatism, 2012. **64**: p. S477-S478.
25. Agarwal, V., et al., *Bye bye biopsy: Diffusion tensor and dynamic contrast enhance magnetic resonance imaging parameters reflect molecular events of inflammation in the synovium*. Arthritis and Rheumatism, 2012. **64**: p. S440-S441.
26. Dalbeth, N., et al., *Cellular characterisation of magnetic resonance imaging bone oedema in rheumatoid arthritis; implications for pathogenesis of erosive disease*. Annals of the rheumatic diseases, 2009. **68**(2): p. 279.
27. Jimenez-Boj, E., et al., *Bone erosions and bone marrow edema as defined by magnetic resonance imaging reflect true bone marrow inflammation in rheumatoid arthritis*. Arthritis Rheum, 2007. **56**(4): p. 1118-24.
28. Tanaka, N., et al., *Predictors of rheumatoid arthritis in patients who have monoarthritis in a knee joint*. Modern Rheumatology, 2001. **11**(1): p. 61-64.
29. Volck, B., et al., *Studies on YKL-40 in knee joints of patients with rheumatoid arthritis and osteoarthritis. Involvement of YKL-40 in the joint pathology*. Osteoarthritis and cartilage / OARS, Osteoarthritis Research Society, 2001. **9**(3): p. 203.
30. Fujii, M., *A study of MRI diagnosis for rheumatoid arthritis in the knee joint--imaging and pathologic correlation*. Nihon Igaku Hoshasen Gakkai zasshi. Nippon acta radiologica, 1990. **50**(11): p. 1367-1380.
31. Stiskal, M.A., et al., *Rheumatoid arthritis of the craniocervical region by MR imaging: detection and characterization*. AJR. American journal of roentgenology, 1995. **165**(3): p. 585.
32. Schweitzer, M.E., et al., *MR imaging of the knee: can changes in the intracapsular fat pads be used as a sign of synovial proliferation in the presence of an effusion?* AJR. American journal of roentgenology, 1993. **160**(4): p. 823.
33. Andersen, M., et al., *Synovial explant inflammatory mediator production is associated with synovitis while not with bone marrow edema in rheumatoid arthritis: A cross sectional study*. Arthritis and Rheumatism, 2013. **65**: p. S1200-S1201.

34. De, M.J.H., et al., *Synovial tissue analysis in the pre-clinical phase of arthritis: T-cell infiltration preceding the development of arthritis*. Arthritis and Rheumatism, 2012. **64**.
35. Konig, H., J. Sieper, and K.J. Wolf, *Dynamic magnetic resonance imaging in the differentiation of inflammatory joint lesions [German]* *Dynamische Kernspintomographie zur Differenzierung entzündlicher Gelenkprozesse*. RoFo : Fortschritte auf dem Gebiete der Rontgenstrahlen und der Nuklearmedizin, 1990. **153**(1): p. 1-5.
36. Anandarajah, A.P., et al., *MRI and histologic evidence for the role of synovitis in bone erosions in erosive osteoarthritis*. Arthritis and Rheumatism, 2011. **63**(10 SUPPL. 1).