



UNIVERSITY OF LEEDS

This is a repository copy of *Increased Sensitivity of Diagnostic Mutation Detection by Re-analysis Incorporating Local Reassembly of Sequence Reads*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/123432/>

Version: Supplemental Material

---

**Article:**

Watson, CM, Camm, N, Crinnion, LA et al. (7 more authors) (2017) Increased Sensitivity of Diagnostic Mutation Detection by Re-analysis Incorporating Local Reassembly of Sequence Reads. *Molecular Diagnosis and Therapy*, 21 (6). pp. 685-692. ISSN 1177-1062

<https://doi.org/10.1007/s40291-017-0304-x>

---

© Springer International Publishing AG 2017. This is an author produced version of a paper published in *Molecular Diagnosis and Therapy*. Uploaded in accordance with the publisher's self-archiving policy. The final publication is available at Springer via <https://doi.org/10.1007/s40291-017-0304-x>.

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

