



UNIVERSITY OF LEEDS

This is a repository copy of *Flexible memory controls sperm competition responses to male Drosophila melanogaster*.

White Rose Research Online URL for this paper:  
<http://eprints.whiterose.ac.uk/130355/>

Version: Supplemental Material

---

**Article:**

Rouse, J [orcid.org/0000-0001-8457-4623](https://orcid.org/0000-0001-8457-4623), Watkinson, K and Bretman, A [orcid.org/0000-0002-4421-3337](https://orcid.org/0000-0002-4421-3337) (2018) Flexible memory controls sperm competition responses to male *Drosophila melanogaster*. *Proceedings of the Royal Society B: Biological Sciences*, 285 (1879). 20180619. ISSN 0962-8452

<https://doi.org/10.1098/rspb.2018.0619>

---

(c) 2018 The Author(s) Published by the Royal Society. All rights reserved. This is an author produced version of a paper published in *Proceedings of the Royal Society B: Biological Sciences*. Uploaded in accordance with the publisher's self-archiving policy.

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.



[eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk)  
<https://eprints.whiterose.ac.uk/>

**Flexible memory controls sperm competition responses in male *Drosophila melanogaster***

**Rouse, J<sup>1</sup>. Watkinson, K<sup>1</sup>. Bretman, A.<sup>1\*</sup>**


**<sup>1</sup>School of Biology, Faculty of Biological Sciences, University of Leeds, Leeds, UK**

**\*Amanda Bretman: [A.J.Bretman@leeds.ac.uk](mailto:A.J.Bretman@leeds.ac.uk)**



**ORCID ID for James Rouse: [orcid.org/0000-0001-8457-4623](https://orcid.org/0000-0001-8457-4623)**

**ORCID ID for Amanda Bretman: [orcid.org/0000-0002-4421-3337](https://orcid.org/0000-0002-4421-3337)**

## Supplementary Material




Supplementary figure S1: Memory phases during associative memory in *Drosophila melanogaster* with genes targeted in this study and known to be involved in each stage. The three phases of anaesthesia sensitive memory (ASM) are shown in orange (short term memory), dark red (medium term memory) and red (long-lasting term memory). Anaesthesia resistant memory is shown in blue. The black line is the behavioural degradation of memory shown phenotypically. All genes targeted in this study are above the black line and coloured as to the memory phase they affect. Reproduced with amendments from [1].



c)

*rut* rescue


*shi<sup>ts1</sup>* abolition




OK107;*rut*<sup>+</sup>



OK107;*shi<sup>ts1</sup>*



NP3061;*rut*<sup>+</sup>




NP3061;*shi<sup>ts1</sup>*




NP1131;*rut*<sup>+</sup>



NP1131;*shi<sup>ts1</sup>*



1471;*rut*<sup>+</sup>




1471;*shi<sup>ts1</sup>*

Supplementary figure S2: Genetic manipulations applied to various mushroom body lobes to disentangle neural mechanisms behind extended mating duration. a) Mushroom body location in the fly head. b) Representation of all MB lobes. c) MB lobes activated with expression of wildtype *rut* or inhibited with expression of *shi<sup>ts1</sup>*. Each MB diagram represents

the activation or inactivation of particular lobes depending on genotype. Gal4 drivers crossed to *rut* are displayed on the left hand side, whereas those same Gal4 drivers crossed to *shi<sup>ts1</sup>* are displayed on the right hand side. Lobes shaded in green represent active lobes, lobes shaded in red are inactive, and lobes shaded in orange represent inactivation of part of the MB lobe.

### Confirmation of driver tissue specificity

Females from OK107-GAL4, NP3061-GAL4, NP1131-GAL4 and 1471-GAL4 lines were crossed to UAS-mCD8::GFP males. Brains of male progeny were dissected and fixed in 4% paraformaldehyde (in PBS) for 30 minutes, and then rinsed once in 0.3% PBST. Brains were mounted in 80% glycerol (in PBS) and imaged on a Zeiss LSM 700 confocal microscope. Z-stack, 20 x lens, 1 $\mu$ m spacing in the Z axis. Pictures were processed in ImageJ [2, 3].



Supplementary figure S3: Expression pattern of a) OK107;GFP, expressed in all the lobes of the mushroom body b) NP3061;GFP, expressed in the  $\alpha/\beta$  lobes of the mushroom bodies

only c) NP1131;GFP, expressed in the  $\gamma$  and  $\alpha'/\beta'$  lobes of the mushroom bodies and d) 1471;GFP, expressed in the  $\gamma$  lobes of the mushroom body only.

## References

- [1] Margulies, C., Tully, T. & Dubnau, J. 2005 Deconstructing memory in *Drosophila*. *Curr. Biol.* **15**, R700-R713. (doi:10.1016/j.cub.2005.08.024).
- [2] Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., et al. 2012 Fiji: an open-source platform for biological-image analysis. *Nat. Methods* **9**, 676-682. (doi:10.1038/nmeth.2019).
- [3] Schneider, C.A., Rasband, W.S. & Eliceiri, K.W. 2012 NIH Image to ImageJ: 25 years of image analysis. *Nat. Methods* **9**, 671-675. (doi:10.1038/nmeth.2089).