

This is a repository copy of *VOC emission rates over London and South East England obtained by airborne eddy covariance*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/133750/>

Article:

Vaughan, Adam R. orcid.org/0000-0002-7878-0719, Lee, James D. orcid.org/0000-0001-5397-2872, Shaw, Marvin D. orcid.org/0000-0001-9954-243X et al. (10 more authors) (2017) VOC emission rates over London and South East England obtained by airborne eddy covariance. FARADAY DISCUSSIONS. pp. 599-620. ISSN 1359-6640

<https://doi.org/10.1039/c7fd00002b>

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

VOC emission rates over London and South East England obtained by airborne eddy covariance

Adam R. Vaughan^a, James D. Lee,^{*b} Marvin D. Shaw,^b Pawel K. Misztal,^c Stefan Metzger,^{de} Massimo Vieno,^f Brian Davison,^g Thomas G. Karl,^h Lucy J. Carpenter,^b Alastair C. Lewis,^b Ruth M. Purvis,^b Allen H. Goldstein^c and C. Nicholas Hewitt^g

^aDepartment of Chemistry, University of York, York, UK

^bNational Centre for Atmospheric Science, University of York, York, UK

^cUniversity of California, Berkeley, USA

^dNational Ecological Observatory Network, Boulder, USA

^eUniversity of Colorado, Boulder, USA

^fNatural Environment Research Council, Centre for Ecology & Hydrology, Penicuik, UK

^gLancaster Environment Centre, Lancaster University, Lancaster, UK

^hInstitute of Atmospheric and Cryospheric Sciences, University of Innsbruck, Innsbruck, Austria

*Corresponding author email: james.lee@york.ac.uk

Electronic Supplementary Information

RF (South Sussex)	Date & Time of Day	Temperature mean/ °C	Humidity mean/ %	Wind speed mean/ m s ⁻¹	Wind Direction mean/ °
8 (2013)	07/07/2013 (PM)	25.40 +/- 0.70	53.35 +/- 6.11	4.95 +/- 1.62	76.02 +/- 54.87
9 (2013)	08/07/2013 (AM)	21.22 +/- 0.25	50.76 +/- 9.75	7.99 +/- 1.37	48.49 +/- 12.92
10 (2013)	08/07/2013 (PM)	24.20 +/- 0.47	47.37 +/- 5.63	7.28 +/- 1.70	58.13 +/- 42.01

3 (2014)	12/07/2014 (PM)	18.71 +/- 6.13	68.81 +/- 8.88	4.58 +/- 2.50	224.77 +/- 60.09
4 (2014)	14/07/2014 (PM)	14.78 +/- 3.79	66.59 +/- 11.22	7.95 +/- 1.92	250.74 +/- 26.55
5 (2014)	15/07/2014 (AM)	14.95 +/- 4.29	53.85 +/- 21.93	5.73 +/- 3.20	279.02 +/- 24.81
7 (2014)	16/07/2014 (PM)	18.57 +/- 3.73	63.73 +/- 11.97	4.95 +/- 0.96	249.95 +/- 23.77

RF (Greater London)	Date & Time of Day	Temperature mean/ °C	Humidity mean/ %	Wind speed mean/ m s ⁻¹	Wind Direction mean/ °
5 (2013)	03/07/2013 (AM)	15.41 +/- 0.71	84.89 +/- 20.34	6.31 +/- 1.29	281.09 +/- 11.22
7 (2013)	04/07/2013 (PM)	20.00 +/- 0.54	74.92 +/- 9.79	7.53 +/- 1.41	241.29 +/- 11.37
8 (2013)	07/07/2013 (PM)	24.15 +/- 0.78	55.08 +/- 3.03	5.48 +/- 1.49	80.44 +/- 33.23
9 (2013)	08/07/2013 (AM)	21.70 +/- 0.54	49.78 +/- 13.23	7.23 +/- 1.30	57.79 +/- 13.42
10 (2013)	08/07/2013 (PM)	23.49 +/- 0.48	55.87 +/- 3.52	7.26 +/- 1.36	56.99 +/- 15.62
11 (2013)	09/07/2013 (AM)	15.92 +/- 1.77	41.78 +/- 25.83	6.87 +/- 4.75	50.83 +/- 42.85
12 (2013)	09/07/2013 (PM)	22.87 +/- 0.49	33.21 +/- 3.42	5.54 +/- 1.28	53.64 +/- 40.08

3 (2014)	12/07/2014 (PM)	17.88 +/- 8.52	59.76 +/- 6.64	2.54 +/- 1.52	197.60 +/- 83.61
4 (2014)	14/07/2014 (PM)	19.05 +/- 3.44	47.66 +/- 7.93	7.55 +/- 1.81	245.05 +/- 17.29
5 (2014)	15/07/2014 (AM)	17.09 +/- 3.66	57.39 +/- 14.56	5.06 +/- 2.79	283.48 +/- 30.97
6 (2014)	16/07/2014 (AM)	16.17 +/- 3.27	66.62 +/- 3.77	2.84 +/- 2.16	239.16 +/- 81.64
7 (2014)	16/07/2014 (PM)	21.81 +/- 0.83	47.84 +/- 3.75	4.21 +/- 1.49	233.78 +/- 27.69

Table S1. Upper, meteorological conditions during all biogenic RF's (July 2013 & 2014). Lower, meteorological conditions during anthropogenic RF's over greater London (July 2013 & 2014).

	Flux mean/ mg m ⁻² hr ⁻¹	Flux median/ mg m ⁻² hr ⁻¹	Standard Deviation	Standard Error	95th Percentile
Isoprene (2013)	0.74	0.72	0.45	0.02	1.60
Isoprene (2014)	0.48	0.47	0.32	0.03	0.96
Total Monoterpenes (2013)	0.16	0.11	0.21	0.01	0.54
Total Monoterpenes (2014)	0.12	0.10	0.19	0.01	0.45
MVK/MACR (2014)	0.056	0.054	0.050	0.002	0.130

Table S2. Measured biogenic fluxes statistics during both campaigns for isoprene, Total monoterpenes and MVK/MACR.




Fig. S1. a) instantaneous changes of vertical wind and concentration from their respective means. b) Global cross-spectrum of eddy contributions integrated over all frequency periods along flight track. c) average cross variance of C₂ alkyl-benzenes flux long flight track.




Fig. S2. Latitude average fluxes for benzene and toluene (2013), and averages fluxes for benzene, toluene, C₂ alkyl-benzenes and C₃ alkyl-benzenes (2014).




Fig. S3. Measured Biogenic nm-voc emissions over South Sussex. Top) latitude averaged isoprene fluxes from July 2013 & 2014. Middle) latitude averaged total monoterpene fluxes from July 2013 & 2014. Bottom) latitude average of MVK and MACR fluxes during July 2014.




Fig. S4. Averaged (1 km intervals) toluene and benzene flux, with linear trend and 95 % confidence band (shaded). Ratio of benzene/toluene, 0.225.