

This is a repository copy of *Leverage effects and stochastic volatility in spot oil returns:A Bayesian approach with VaR and CVaR applications*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/135688/>

Version: Accepted Version

Article:

Chen, Liyuan, Zerilli, Paola Z orcid.org/0000-0001-6589-5552 and Baum, Christopher (2019) Leverage effects and stochastic volatility in spot oil returns:A Bayesian approach with VaR and CVaR applications. *Energy economics*. pp. 111-129. ISSN 0140-9883

<https://doi.org/10.1016/j.eneco.2018.03.032>

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Leverage effects and stochastic volatility in spot oil returns: A Bayesian approach with VaR and CVaR applications[†]

Liyuan Chen^{a,*}, Paola Zerilli^a, Christopher F. Baum^{b,c}

^a*Department of Economics and Related Studies, University of York, United Kingdom*

^b*Department of Economics, Boston College, USA*

^c*Department of Macroeconomics, German Institute for Economic Research (DIW Berlin), Germany*

Abstract

Crude oil markets have been quite volatile and risky in the past few decades due to the large fluctuations of oil prices. We contribute to the current debate by testing for the existence of the leverage effect when considering daily spot returns in the WTI and Brent crude oil markets and by studying the direct impact of the leverage effect on measures of risk such as VaR and CVaR. More specifically, we model spot crude oil returns using Stochastic Volatility (SV) models with various distributions of the errors. We find that the introduction of the leverage effect in the traditional SV model with Normally distributed errors is capable of adequately estimating risk for conservative oil suppliers in both the WTI and Brent markets while it tends to overestimate risk for more speculative oil suppliers. Our results also show that the choice of financial regulators, both on the supply and on the demand side, would not be affected by the introduction of leverage. Focusing instead on firm's internal risk management, our results show that the introduction of leverage would be useful for firms who are on the demand side for oil, who use VaR for risk management and who are particularly worried about the magnitude of the losses exceeding VaR while wanting to minimize the opportunity cost of capital. Using the same logic, firms who are on the supply side, would be better off not considering the leverage effect.

Keywords: Value-at-Risk, Conditional Value-at-Risk, Asymmetric Laplace distribution, Stochastic volatility model, Bayesian Markov Chain Monte Carlo, leverage effect

JEL Classifications: C11, C58, G17, G32

*Corresponding author. Department of Economics and Related Studies, University of York, Heslington, York YO10 5DD, United Kingdom. Tel.: +44 7541766512

Email addresses: 1c844@york.ac.uk (Liyuan Chen), paola.zerilli@york.ac.uk (Paola Zerilli), kit.baum@bc.edu (Christopher F. Baum)

[†] We thank Carlos Antonio Abanto-Valle, Giacomo Bormetti, Richard Gerlach, Jouchi Nakajima, Sjur Westgaard, Nuttanan Wichitaksorn and two anonymous referees for helpful comments and suggestions. This paper also benefited from comments by seminar participants at the 5th Asian Quantitative Finance Conference, the 24th International Conference on Forecasting Financial Markets, 2017 International Conference on Energy Finance and the 17th China Economics Annual Conference.

1. Introduction

Crude oil markets have been quite volatile and risky in the past few decades due to the large fluctuations of oil prices. This has become a principal concern for oil suppliers, oil consumers, relevant firms and governments. In addition, as a primary source of energy in the power industry, industrial production and transportation, volatile oil prices may lead to cost uncertainties for other markets, thus extensively affecting the development of the economy. A large number of studies have shown that oil price fluctuations could have considerable impact on economic activities. Papapetrou (2001) argues that the variability of oil prices plays a critical role in affecting real economic activity and employment. Lardic and Mignon (2008) explore the long-term relationship between oil prices and GDP, and find evidence that aggregate economic activity seems to slow down particularly when oil prices increase. This asymmetry is found in both the U.S. and European countries. Consequently, quantifying and managing the risks inherent to the volatility of oil prices has become critical for both researchers and energy market participants.

The Value at Risk (VaR) measure, which was first proposed by J.P. Morgan in the RiskMetrics model in 1994, has been developed as one of the most popular approaches in financial markets to manage market risk. VaR defines the maximum amount that an investor can face for a given tolerance level over a certain time horizon. Although VaR is recommended by Basel II and III and has been widely adopted by financial institutions, it has been challenged by the Bank of International Settlements (BIS) Committee, who pointed out that VaR cannot measure market risk as it fails to consider the extreme tail events of a return distribution (see, Chen et al., 2012). In addition, Artzner et al. (1999) argue that VaR does not meet the requirements of sub-additivity and thus is not a coherent measure of risk. As an alternative, they proposed a conservative, but more coherent measure, called Conditional VaR at risk (CVaR) or expected shortfall (ES), which considers the average loss as that exceeding the VaR threshold. Given all these factors, in this paper, both measures are used to quantify financial risks affecting oil markets. Existing literature that uses VaR and CVaR to measure these risks generally focuses on the scenario of a declining oil price (i.e. downside risk). However, the oil market has its own traits which are quite different from those of financial assets. More specifically, when oil prices fall due to sudden negative news, countries exporting oil or oil producers would inevitably incur losses while oil consumers would benefit from those negative extreme events. On the other hand, if oil prices rise suddenly, oil consumers would suffer a financial loss. Therefore, in this paper we consider risks affecting both oil supply and oil demand.

In recent years, the commodity price literature has shown that there is evidence of leverage effects in various energy markets. More specifically, Chan and Grant (2016a), considering lower frequency (weekly) commodity returns conclude that SV models (with

an MA component) are able to replicate the main features of the data more efficiently than GARCH models. At the same time, they find a significant negative leverage effect in crude oil spot markets. Kristoufek (2014) focuses on the leverage effect in commodity futures markets and provides an extensive literature review in this area. Fan et al. (2008) estimate VaR of crude oil prices using a GED-GARCH approach with daily WTI and Brent prices spanning from 1987 to 2006. They find that this type of model specification does as well as the standard normal distribution at a 95% confidence level. They also test and find evidence for asymmetric leverage effects without modelling them directly. Youssef et al. (2015) evaluate VaR and CVar for crude oil and gasoline markets using a long memory GARCH-EVT approach. Their findings and backtesting exercise show that crude oil markets are characterized by asymmetry, fat tails and long range memory.

We contribute to the current debate by testing for the existence of the leverage effect when considering daily spot returns in the WTI and Brent crude oil markets and by studying the direct impact of the leverage effect on measures of risk such as VaR and CVar. More specifically, in order to address the risk faced by oil suppliers and oil consumers we model spot crude oil returns using Stochastic Volatility (SV) models with various distributions of the errors. Among other cases, we test the assumption of Asymmetric Laplace Distributed (ALD) errors in order to more carefully model the type of risk faced by oil suppliers versus the risk faced by oil buyers.

We find that the introduction of the leverage effect in the traditional SV model with Normally distributed errors is capable of adequately estimating risk (in a VaR and CVar sense) for conservative (i.e. more risk averse, with $\alpha = 5\%$) oil suppliers in both the WTI and Brent markets while it tends to overestimate risk for more speculative oil suppliers ($\alpha = 1\%$). In comparison, the assumption of ALD errors leads to overestimating risk for both types of investors. In the model efficiency selection stage, our results show that the choice of financial regulators, both on the supply and on the demand side, would not be affected by the introduction of leverage. Focusing instead on firm's internal risk management, our results show that the introduction of leverage (SV-N-L model) would be useful for firms who are on the demand side for oil (in both the WTI and Brent markets), who use VaR for risk management and who are particularly worried about the magnitude of the losses exceeding VaR while wanting to minimize the opportunity cost of capital. Using the same logic, firms who are on the supply side, would be better off not considering the leverage effect (SV-N model).

2. Stochastic volatility models

We use a general SV model to capture the volatility features for oil markets which has been studied recently by Takahashi et al. (2009), Chai et al. (2011) and Chan et al. (2016a):

$$y_t = \mu + \sigma_t z_t \tag{1}$$

$$\ln \sigma_t^2 = h_t = \delta + \beta(\ln \sigma_{t-1}^2 - \delta) + \eta_t \quad \eta_t \sim N(0, \sigma_\eta^2) \tag{2}$$

where y_t denotes stock returns at time t with $t = 1, 2, \dots, T$, μ denotes the conditional mean, σ_t is the stochastic volatility, $\ln \sigma_t^2$ follows a stationary AR(1) process with persistence parameter β having $|\beta| < 1$, z_t and η_t represent a series of independent identical (*i.i.d.*) random errors in the return and volatility equation, respectively.²

For this general equation, we consider various possible specifications of the shocks z_t affecting stock returns.

(1) Standard Student t errors

$$z_t \sim t_\nu$$

where ν is the degrees of freedom of t-distribution.

(2) Standard Normal errors

$$z_t \sim N(0, 1)$$

(3) Standard Asymmetric Laplace errors

$$z_t \sim ALD(0, \kappa, 1)$$

where $\sigma = 1$ and κ is the coefficient driving the skewness of the distribution, is related to μ and σ as follows:

$$\mu = \frac{\sigma}{\sqrt{2}} \left(\frac{1}{\kappa} - \kappa \right)$$

as a special case $\kappa = 1$ for $\mu \simeq 0$ and $\sigma = e^{\frac{h_t}{2}} > 0$ (*Symmetric Laplace Distribution*).³

²A number of original empirical works via extended SV models can be found from Breidt et al. (1998), So et al. (1998), Yu and Yang (2002), Koopman and Uspensky (2002), Cappuccio et al. (2004), Chan (2013), Chan and Hsiao (2013), Chan and Grant (2016c), Chan (2017).

³See appendix for the density of ALD.

(4) Standard Student t errors with leverage effect

$$\begin{aligned}y_t &= \mu + \sigma_t z_t \\z_t &\sim t_\nu \\ \ln \sigma_t^2 &= h_t = \delta + \beta (\ln \sigma_{t-1}^2 - \delta) + \xi_t \\ \xi_t &= \rho z_t + \sqrt{1 - \rho^2} \eta_t \\ \eta_t &\sim N(0, \sigma_\eta^2)\end{aligned}$$

where the coefficient ρ drives the so called *leverage effect*. It models the correlation between the shocks affecting returns and the shocks affecting volatility. For example, a negative ρ would mean that negative shocks to returns are likely to be associated to positive shocks to volatility: negative shocks to financial markets would trigger higher volatility and riskiness. Of course for $\rho = 0$, the model would be simply the regular SV-t model with no leverage effect.

(5) Standard Normal errors with leverage effect

$$\begin{aligned}y_t &= \mu + \sigma_t z_t \\z_t &\sim N(0, 1) \\ \ln \sigma_t^2 &= h_t = \delta + \beta (\ln \sigma_{t-1}^2 - \delta) + \xi_t \\ \xi_t &= \rho z_t + \sqrt{1 - \rho^2} \eta_t \\ \eta_t &\sim N(0, \sigma_\eta^2)\end{aligned}$$

where ρ is the coefficient driving the leverage effect in the SV-N-L model.

(6) Standard Asymmetric Laplace distributed errors with leverage effect

$$\begin{aligned}y_t &= \mu + \sigma_t z_t \\z_t &\sim ALD(0, \kappa, 1) \\ \ln \sigma_t^2 &= h_t = \delta + \beta (\ln \sigma_{t-1}^2 - \delta) + \xi_t \\ \xi_t &= \rho z_t + \sqrt{1 - \rho^2} \eta_t \\ \eta_t &\sim N(0, \sigma_\eta^2)\end{aligned}$$

where ρ is the coefficient driving the leverage effect in the SV-ALD-L model.

3. VaR and CVaR models

Considering $VaR_{s,t}(l)$ and $VaR_{d,t}(l)$ as the VaR for oil supply and demand in l -period with confidence level $(1 - \alpha) \in (0, 1)$ respectively, then, we have:

$$\text{Supply : } Prob(y_t(l) \leq -VaR_{s,t}(l)|\Omega_t) = \alpha \quad (3)$$

$$\text{Demand : } Prob(y_t(l) \geq VaR_{d,t}(l)|\Omega_t) = \alpha \quad (4)$$

where $y_t(l)$ represents the oil return series for period (from t to $t + l$), Ω_t is the information set up to time t , α is the risk level, and the value of $VaR_{s,t}$ and $VaR_{d,t}$ are defined to be positive. Likewise, $CVaR_{s,t}(l)$ and $CVaR_{d,t}(l)$ are defined as the CVaR of oil supply and demand respectively over period l at confidence level $(1 - \alpha)$, and they can be mathematically expressed as:

$$\text{Supply : } CVaR_{s,t}(l) = -E\{y_t(l)|y_t(l) \leq -VaR_{s,t}(l)\} \quad (5)$$

$$\text{Demand : } CVaR_{d,t}(l) = E\{y_t(l)|y_t(l) \geq VaR_{d,t}(l)\} \quad (6)$$

3.1. In the SV-N setting

Now we introduce the VaR and CVaR formulas under the SV-N framework.

Risk for oil Supply

$$(1) \text{ VaR: } VaR_{n,s,t} = -\mu - \sigma_t \Phi^{-1}(\alpha)$$

where $\Phi^{-1}(\alpha)$ is the inverse cumulative distribution function of a $N(0,1)$. In order to model the leverage effect in this setting, we use $\sigma_t(\rho)$.

$$(2) \text{ CVaR: } CVaR_{n,s,t} = -E[y_t | y_t \leq -VaR_{n,s,t}] = -\mu - \frac{\sigma_t}{\alpha} \phi(\Phi^{-1}(\alpha))$$

where $\phi(\alpha)$ is the probability density function of a $N(0,1)$. To model the leverage effect in this setting, we use $\sigma_t(\rho)$.

Risk for oil demand

$$(1) \text{ VaR: } VaR_{n,d,t} = \mu + \sigma_t \Phi^{-1}(\alpha)$$

where $\Phi^{-1}(\alpha)$ is the inverse cumulative distribution function of a $N(0,1)$. To model the leverage effect in this setting, we use $\sigma_t(\rho)$.

$$(2) \text{ CVaR: } CVaR_{n,d,t} = E[y_t | y_t \geq VaR_{n,d,t}] = \mu + \frac{\sigma_t}{\alpha} \phi(\Phi^{-1}(\alpha))$$

where $\phi(\alpha)$ is the probability density function of a $N(0,1)$. To model the leverage effect in this setting, we use $\sigma_t(\rho)$.

3.2. In the SV-ALD setting

We now introduce the VaR and CVaR formulas under the SV-ALD model.

Risk for oil Supply

$$(1) \text{ VaR: } \quad VaR_{s,t} = -\mu + m_{s,q}\sigma_t = -\mu - \frac{\kappa\sigma_t}{\sqrt{2}} \ln \frac{\alpha(1+\kappa^2)}{\kappa^2}$$

where $m_{s,q} = (VaR_{s,t} + \mu)/\sigma_t$ is defined as the left α -quantile of the AL distribution. In order to model the leverage effect in this setting, we use $\sigma_t(\rho)$.

$$(2) \text{ CVaR: } \quad CVaR_{s,t} = -E[y_t | y_t \leq -VaR_{s,t}] = VaR_{s,t} + \frac{\kappa\sigma_t}{\sqrt{2}}$$

To model the leverage effect in this setting, we use $\sigma_t(\rho)$.

Risk for oil Demand

$$(1) \text{ VaR: } \quad VaR_{d,t} = \mu + m_{d,q}\sigma_t = \mu - \frac{\sigma_t}{\sqrt{2}\kappa} \ln(\alpha(1+\kappa^2))$$

where $m_{d,q} = (VaR_{d,t} - \mu)/\sigma_t$ is the right α -quantile of the AL distribution. To model the leverage effect in this setting, we use $\sigma_t(\rho)$.

$$(2) \text{ CVaR: } \quad CVaR_{d,t} = E[y_t | y_t \geq VaR_{d,t}] = VaR_{d,t} + \frac{\sigma_t}{\sqrt{2}\kappa}$$

To model the leverage effect in this setting, we use $\sigma_t(\rho)$.⁴

4. Estimation methodology of Bayesian MCMC

In order to improve the tractability of the ALD model, we introduce a modified Bayesian MCMC method. That is, a new Scale Mixture of Uniform (SMU) representation for the AL density (following Kotz et al., 2001) is proposed to facilitate the estimation of the SV-ALD model.

⁴See appendix B for the derivations of $VaR_{s,t}$, $VaR_{d,t}$, $CVaR_{s,t}$ and $CVaR_{d,t}$.

4.1. Scale mixture of uniform representation of ALD

Expressing the ALD via the representation can alleviate the computational burden when using the Gibbs sampling algorithm in the MCMC approach and thus can simplify the estimation method in Bayesian analysis. To estimate the latent variables in the SV model, we use the scaled ALD (SALD) which means that the ALD random variable is scaled by its standard deviation (See Chen et al., 2009 and Wichitaksorn et al., 2015).

Proposition 1. *Let z_t be the ALD random variable with $z_t \sim ALD(0, \kappa, 1)$, then the random variable $\varepsilon_t = \frac{z_t}{S.D.[z]}$ has SALD with p.d.f. given by:*

$$f(\varepsilon_t | \kappa, \sigma_t) = \begin{cases} \frac{\sqrt{1 + \kappa^4}}{1 + \kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{-\sqrt{1 + \kappa^4}}{\sigma_t} \varepsilon_t\right) & \varepsilon_t \geq 0 \\ \frac{\sqrt{1 + \kappa^4}}{1 + \kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{\sqrt{1 + \kappa^4}}{\kappa^2 \sigma_t} \varepsilon_t\right) & \varepsilon_t < 0 \end{cases} \quad (7)$$

where κ is skewness parameter and σ_t is the standard deviation (or the time-varying volatility) of z_t .⁵

Hence, the corresponding SMU of SALD can be obtained as follows:

Proposition 2. *If $\lambda_t \sim Ga(2, 1)$ and $\varepsilon_t \sim U(\varepsilon_t | -\frac{\lambda_t \kappa^2 \sigma_t}{\sqrt{1 + \kappa^4}}, +\frac{\lambda_t \sigma_t}{\sqrt{1 + \kappa^4}})$, then the SMU density:*

$$f(\varepsilon_t | \kappa, \lambda_t, \sigma_t) = \int_0^\infty f_U(\varepsilon_t | -\frac{\lambda_t \kappa^2 \sigma_t}{\sqrt{1 + \kappa^4}}, +\frac{\lambda_t \sigma_t}{\sqrt{1 + \kappa^4}}) \times f_{Ga}(\lambda_t | 2, 1) d\lambda_t \quad (8)$$

has the same form as the SALD density function given in equation (7).⁶

Using the SMU representation of SALD, an efficient simulation algorithm is developed to overcome parameter estimation difficulties. As a result, the SV model discussed in section 2 can be written hierarchically as:

Return equation:

$$y_t | \kappa, \lambda_t, h_t \sim U\left(-\frac{\lambda_t \kappa^2 e^{h_t/2}}{\sqrt{1 + \kappa^4}}, +\frac{\lambda_t e^{h_t/2}}{\sqrt{1 + \kappa^4}}\right) \quad (9)$$

$$\lambda_t \sim Ga(2, 1) \quad (10)$$

⁵Note that original scale parameter has been canceled in this derivation, while the location parameter θ is set to be 0 in real practice. See appendix C for the derivation.

⁶See appendix D for the derivation.

Volatility equation:

$$h_t | \delta, \beta, \sigma_\eta^2, h_{t-1} \sim N(\delta + \beta(h_{t-1} - \delta), \sigma_\eta^2) \quad t = 1, 2, \dots, T \quad (11)$$

$$h_1 | \delta, \beta, \sigma_\eta^2 \sim N\left(\delta, \frac{\sigma_\eta^2}{1 - \beta^2}\right) \quad (12)$$

4.2. Bayesian Markov Chain Monte Carlo

We employ the Bayesian MCMC approach via the Gibbs sampling algorithm to make posterior inference of SV-ALD model as an SMU. To implement MCMC, we set priors as:

$$\delta \sim N\left(\mu_\delta, \frac{1}{\sigma_\delta^2}\right); \quad \frac{1 + \beta}{2} = \beta^* \sim Be(a_\beta, b_\beta); \quad \sigma_\eta^2 \sim IG(a_\sigma, b_\sigma)$$

where $Be(\cdot, \cdot)$ denotes beta distribution and $IG(\cdot, \cdot)$ is an inverse-gamma distribution.⁷ In order to simplify the Gibbs sampling algorithm, the full conditional distribution of parameters via the SMU of ALD must be derived. Thus, the Gibbs sampler mimics a random sample from the intractable joint posterior distribution by iteratively simulating random variables from the system of full conditional distributions.⁸

5. VaR and CVaR evaluation methods

5.1. Accuracy measures

In order to backtest the accuracy and appropriateness of the estimated VaRs, we calculate the empirical failure rates for both oil supply and demand. The *failure rate (FR)* is the ratio of the number of times that oil returns exceed the estimated VaRs over the number of observations. The model is said to be correctly specified if the calculated ratio is equal to the pre-specified VaR level α (i.e. 5% and 1%). If the ratio is greater than α , we conclude that the model underestimate the risks, and vice versa. In addition, three likelihood ratio backtesting criteria are implemented to test the statistical accuracy of the methods. These criteria include unconditional coverage test (LR_{uc} by Kupiec, 1995), independent test (LR_{ind} by Christoffersen, 1998) and conditional coverage test (LR_{cc} by Christoffersen, 1998).

For backtesting CVaR in the SV model with Normal errors, we select the nominal risk level at 5% and 1% as 1.96% and 0.38%, following the work by Chen et al. (2012). To identify the nominal risk level for ALD, we use a cumulative distribution function (*c.d.f.*) of

⁷Note that for the prior setting in the Bayesian inference, the WinBugs software uses a nonstandard parametrization of Normal distribution in terms of the precision ($1/\text{variance}$) instead of the variance.

⁸See appendix E for the derivation of the parameters of full conditional posterior distributions.

ALD which, according to Kotz et al. (2001), is given by:

$$F(z|\kappa, \theta, \sigma) = \begin{cases} 1 - \frac{1}{1 + \kappa^2} \exp\left(-\frac{\sqrt{2}\kappa}{\sigma}z\right) & z \geq 0 \\ \frac{\kappa^2}{1 + \kappa^2} \exp\left(\frac{\sqrt{2}}{\sigma\kappa}z\right) & z < 0 \end{cases} \quad (13)$$

Then, this *c.d.f.* is evaluated at the point that equates to the CVaR level. As a consequence, the probability ($\tilde{\alpha}$) that CVaR occurs under ALD for oil supply and demand can be mathematically expressed as:

$$\text{Supply : } \quad \tilde{\alpha} = F(\text{CVaR}_s|\alpha) = \frac{\alpha}{e} \quad (14)$$

$$\text{Demand : } \quad \tilde{\alpha} = 1 - F(\text{CVaR}_d|\alpha) = \frac{\alpha}{e} \quad (15)$$

where e is the natural exponent. For both of oil supply and demand, the quantile level of CVaR under ALD is simply a function of α and e and does not depend on other parameters in the AL density. This surprising finding is consistent with results of Chen et al. (2012) although different ALD forms have been studied. Hence, according to formula (14) and (15), the nominal risk level $\tilde{\alpha}$ for CVaR under ALD at 5% and 1% are obtained as 1.84% and 0.37%, respectively. As a consequence, using $\tilde{\alpha}$ as prescribed risk level for CVaR backtesting, the statistics test LR_{uc} , LR_{ind} and LR_{cc} can be run to examine accuracy of CVaR model.

5.2. Efficiency measures

Adhering to the Basel Committee's guidelines, supervisors are not only concerned with the quantities of violations in a VaR model but also with the magnitude of those violations (Basel Committee on Banking Supervision, 1996a, 1996b). Hence, we employ the regulatory loss function (RLF) and firm's loss function (FLF) of Sarma et al. (2003), which considers both the number of violations and their magnitude. This is a two-stage model evaluation procedure where the first stage aims to test the models in terms of statistical accuracy, while in the second stage the models surviving the statistical accuracy tests are then evaluated for efficiency (details see Sarma et al., 2003).

6. Simulation experiment

To examine the effectiveness of the proposed MCMC sampling procedure, we estimate the SV-ALD model using simulated data. We generate 2874 observations from the SV-ALD model given by (1) and (2) with ALD errors by fixing parameter values $\delta = -7.587$, $\beta = 0.9947$, $\sigma_\eta = 0.0889$ and $\kappa = 0.9956$. The true parameter values are chosen as the parameter estimates from the empirical study of WTI market.

Table 1: MCMC estimation results for the SV-ALD model for the simulated data

| Parameter | True | Mean | Median | SD | MC errors | 95% CI |
|---------------|----------|----------|----------|---------|-----------|----------------------|
| δ | -7.58700 | -7.92400 | -7.92300 | 0.90820 | 0.00647 | (-9.48900, -6.35700) |
| β | 0.99470 | 0.99600 | 0.99610 | 0.00190 | 0.00006 | (0.99160, 0.99910) |
| σ_η | 0.08890 | 0.12880 | 0.125700 | 0.01610 | 0.00091 | (0.10600, 0.17430) |
| κ | 0.99560 | 0.97630 | 0.975100 | 0.01190 | 0.00068 | (0.95610, 1.00200) |

The following prior distribution are assumed: $\delta \sim N(-10, 0.001)$ with $0.001 = 1/\sigma_\delta^2$; $\tau_\eta \sim Ga(2.5, 0, 025)$ with $\tau_\eta = 1/\sigma_\eta^2$; $\beta^* \sim Be(20, 1.5)$ with $\beta^* = (\beta + 1)/2$, and the prior distribution of skewness parameter was chosen as: $\kappa \sim U(0, 2)$, where τ_η is precision parameter, $Ga(\cdot, \cdot)$, $Be(\cdot, \cdot)$ and $U(\cdot, \cdot)$ represents gamma distribution, beta distribution and uniform distribution, respectively. In the Gibbs sampling scheme, 3 Markov chains are run from diverse starting positions for 40000 iterations. The initial 30000 iterations are discarded as the burn-in period to ensure convergence and the remaining $3 \times 10000 = 30000$ samples are used for estimation and inference.

Table 1 shows the posterior means, posterior standard deviations, Monte Carlo errors and 95% credible intervals for the parameters. The posterior means and medians for β , σ_η and κ are very close to the true values with small MC errors, which are all located inside the 95% credible intervals. The posterior means and medians for δ vary more than others as it would be expected since the variance parameter is quantile-dependent (similar findings also see Chen et al., 2009).

7. Empirical analysis

7.1. Data

We consider two major crude oil markets: West Texas Intermediate crude oil (WTI) and Europe Brent crude oil (Brent). Daily closing spot prices, which are quoted in US dollars per barrel, are obtained from the U.S. Energy Information Administration (EIA) covering the periods from May 22, 2006 to May 20, 2016, resulting in 2520 observations in WTI and 2522 observations in Brent. p_t denotes the oil price at day t , $y_t = \ln(p_t/p_{t-1})$ is the daily return. The time-variations of daily prices and returns for WTI and Brent are given in Figure 1. The graphs of daily returns show the existence of volatility clustering in both the two oil markets which revealing the presence of heteroscedasticity. This phenomenon is particularly evident during the global financial crisis. The largest changes of oil returns for WTI and Brent occurred on September 22, 2008 and January 2, 2009 with a record of 16.41% and 18.13% surge respectively.

Descriptive statistics for WTI and Brent returns are provided in Table 2. From Panel A, the Jarque--Bera test indicates the non-Gaussian features of return series. Both WTI




Figure 1: Daily spot prices and returns for WIT and Brent from May 1987 to May 2016

and Brent markets show a mild positive skewness and are leptokurtic or “fat-tailed” with a significant kurtosis greater than 3. Results from the Ljung--Box Q statistics of order up to 20 indicate the existence of autocorrelation in the datasets. The daily returns series exhibit significant ARCH effects at 10 and 20 lags at 1% significance level. This aspect will be taken into account when examining the estimation results. These results can also be immediately observed from the pattern of return series in Figure 1 where large price movements are followed by large movements.

Moreover, three tests are employed to examine the stationarity of the time series before fitting them. Augmented Dicky--Fuller (ADF) test and Phillips--Perron (PP) test significantly reject the null hypothesis of unit root, and the statistics from the Kwiatkowski--Phillips--Schmidt--Shin (KPSS) test show that we cannot reject the assumption of stationarity of the series.

7.2. SV models estimation and comparisons

Convergence diagnostic. Before estimating the parameters from the joint posterior distribution, convergence diagnostics of the constructed Markov chains in the MCMC algorithm are conducted using the Brooks--Gelman--Rubin (BGR) diagnostic approach. To

Table 2: Descriptive statistics for WTI and Brent oil price returns

| | WTI | Brent |
|--|--------------|--------------|
| Panel A: Descriptive statistics | | |
| Mean | -0.000144 | -0.000127 |
| Std.dev. | 0.024863 | 0.021998 |
| Maximum | 0.164137 | 0.181297 |
| Minimum | -0.128267 | -0.168320 |
| Skewness | 0.1567 | 0.1443 |
| Kurtosis | 7.6122 | 8.8043 |
| J-B test | 2243.0570*** | 3547.5790*** |
| Q(10) | 30.6030*** | 16.9600* |
| Q(20) | 60.8980*** | 54.2270*** |
| ARCH(10) | 475.9680*** | 215.7230*** |
| ARCH(20) | 575.8620*** | 409.0370*** |
| Panel B: Unit roots and stationarity tests | | |
| ADF | -51.4930*** | -48.9570*** |
| PP | -51.5220*** | -48.9660*** |
| KPSS | 0.0507 | 0.0690 |

Note: $Q(l)$ are Ljung--Box statistics for up to l th order serial correlation. Test statistics of ARCH are obtained using chi-squared distribution. ADF and PP are statistics of the Augmented Dickey--Fuller and Phillips--Perron unit root tests. The largest value from the first 8 lags of KPSS test is listed. *, ** and *** denote rejection of null hypothesis at 10%, 5% and 1% significant level respectively.

complete a Bayesian paradigm, the prior distribution of the estimated SV model parameters are set as: $\delta \sim N(-10, 0.001)$ with $0.001 = 1/\sigma_\delta^2$; $\tau_\eta \sim Ga(2.5, 0, 025)$ with $\tau_\eta = 1/\sigma_\eta^2$; $\beta^* \sim Be(20, 1.5)$ with $\beta^* = (\beta + 1)/2$, and the prior distribution of skewness parameter are chosen as: $\kappa \sim U(0, 2)$, where τ_η is precision parameter, $Ga(\cdot, \cdot)$, $Be(\cdot, \cdot)$ and $U(\cdot, \cdot)$ represents gamma distribution, beta distribution and uniform distribution, respectively.⁹ After discarding the corresponding burn-in period in each SV-type models, the remaining simulated samples are used to construct posterior inferences.

⁹The sensitivity analysis indicates that the changing of prior numbers have minor influence on the posterior distributions of the parameters (δ , β and σ_η). The setting priors here are those which can facilitate our posterior inference and enable the speed of convergence to become faster.

Table 3: Posterior summary statistics for the parameters in SV-t, SV-N and SV-ALD models

| Market | Parameter | Mean | SD | MC error | 95% CI |
|---------------|---------------|----------|---------|----------|----------------------|
| SV-t | | | | | |
| WTI | ν | 13.42000 | 2.83100 | 0.13450 | (9.24600,20.10000) |
| | δ | -9.77200 | 0.34470 | 0.00298 | (-10.44000,-9.08500) |
| | β | 0.99830 | 0.00101 | 0.00002 | (0.99580,0.99970) |
| | σ_η | 0.09595 | 0.01143 | 0.00060 | (0.07470,0.11840) |
| Brent | ν | 12.61000 | 2.50600 | 0.11710 | (8.78900,18.43000) |
| | δ | -9.76700 | 0.34190 | 0.00300 | (-10.43000,-9.09200) |
| | β | 0.99850 | 0.00094 | 0.00002 | (0.99620,0.99980) |
| | σ_η | 0.08333 | 0.01086 | 0.00058 | (0.06549,0.10730) |
| SV-N | | | | | |
| WTI | μ | 0.00037 | 0.00034 | 0.00000 | (-0.00030,0.00103) |
| | δ | -9.76100 | 0.34660 | 0.00298 | (-10.43000,-9.06800) |
| | β | 0.99780 | 0.00122 | 0.00003 | (0.99490,0.99950) |
| | σ_η | 0.11760 | 0.01360 | 0.00072 | (0.09209,0.14630) |
| Brent | μ | 0.00013 | 0.00031 | 0.00000 | (-0.00046,0.00074) |
| | δ | -9.78700 | 0.34210 | 0.00277 | (-10.45000,-9.10000) |
| | β | 0.99860 | 0.00089 | 0.00002 | (0.99640,0.99980) |
| | σ_η | 0.08933 | 0.01019 | 0.00054 | (0.07112,0.11030) |
| SV-ALD | | | | | |
| WTI | κ | 0.99560 | 0.01592 | 0.00083 | (0.96590,1.02800) |
| | δ | -7.58700 | 0.48730 | 0.00408 | (-8.42200,-6.69800) |
| | β | 0.99470 | 0.00224 | 0.00005 | (0.98990,0.99870) |
| | σ_η | 0.08891 | 0.00992 | 0.00051 | (0.07065,0.10810) |
| Brent | κ | 0.99820 | 0.01206 | 0.00061 | (0.97510,1.02200) |
| | δ | -7.75000 | 0.56200 | 0.00587 | (-8.66000,-6.69600) |
| | β | 0.99590 | 0.00184 | 0.00004 | (0.99200,0.99910) |
| | σ_η | 0.07351 | 0.00812 | 0.00042 | (0.06106,0.09410) |

Table 4: Posterior summary statistics for the parameters in SV-t-L, SV-N-L and SV-ALD-L models

| Market | Parameter | Mean | SD | MC error | 95% CI |
|-----------------|---------------|----------|---------|----------|-----------------------|
| SV-t-L | | | | | |
| WTI | ρ | -0.62110 | 0.07616 | 0.00422 | (-0.75940, -0.47680) |
| | ν | 10.90000 | 1.63300 | 0.06735 | (8.22400, 14.50000) |
| | δ | -9.71700 | 0.35290 | 0.00376 | (-10.39000, -9.01300) |
| | β | 0.99830 | 0.00091 | 0.00002 | (0.99610, 0.99960) |
| | σ_η | 0.09112 | 0.01027 | 0.00058 | (0.07171, 0.10950) |
| Brent | ρ | -0.57170 | 0.07303 | 0.00396 | (-0.69400, -0.42250) |
| | ν | 12.38000 | 2.79900 | 0.13860 | (8.56100, 19.59000) |
| | δ | -9.75300 | 0.34420 | 0.00327 | (-10.42000, -9.07100) |
| | β | 0.9986 | 0.00084 | 0.00002 | (0.99650, 0.99970) |
| | σ_η | 0.08100 | 0.00946 | 0.00053 | (0.06535, 0.10170) |
| SV-N-L | | | | | |
| WTI | ρ | -0.54850 | 0.07225 | 0.00387 | (-0.66870,-0.39170) |
| | μ | -0.00009 | 0.00035 | 0.00001 | (-0.00078,0.00059) |
| | δ | -9.73200 | 0.35170 | 0.00310 | (-10.41000,-9.02700) |
| | β | 0.99810 | 0.00100 | 0.00002 | (0.99570,0.99960) |
| | σ_η | 0.11110 | 0.01034 | 0.00057 | (0.09117,0.13000) |
| Brent | ρ | -0.62630 | 0.05649 | 0.00300 | (-0.74130,-0.51490) |
| | μ | -0.00025 | 0.00031 | 0.00000 | (-0.00085,0.00035) |
| | δ | -9.78400 | 0.34170 | 0.00304 | (-10.45000,-9.10800) |
| | β | 0.99880 | 0.00070 | 0.00001 | (0.99710,0.99980) |
| | σ_η | 0.08544 | 0.00821 | 0.00045 | (0.07289,0.10570) |
| SV-ALD-L | | | | | |
| WTI | ρ | -0.74780 | 0.05345 | 0.00303 | (-0.83640,-0.63140) |
| | κ | 1.00100 | 0.01336 | 0.00077 | (0.97690,1.02700) |
| | δ | -7.75400 | 0.38370 | 0.00485 | (-8.46500,-7.12300) |
| | β | 0.99550 | 0.00156 | 0.00004 | (0.99230,0.99840) |
| | σ_η | 0.09288 | 0.00826 | 0.00047 | (0.07945,0.10980) |
| Brent | ρ | -0.67460 | 0.06573 | 0.00369 | (-0.78440,-0.53440) |
| | κ | 1.00700 | 0.01282 | 0.00073 | (0.98060,1.02900) |
| | δ | -7.91800 | 0.53680 | 0.00447 | (-8.93000,-6.97100) |
| | β | 0.99690 | 0.00151 | 0.00005 | (0.99340,0.99930) |
| | σ_η | 0.07427 | 0.00942 | 0.00055 | (0.06148,0.09575) |

Table 5: WTI: In sample Root Mean Square Error (RMSE)

| Year | RMSE SV-t | RMSE SV-t-L | RMSE SV-N | RMSE SV-N-L | RMSE SV-ALD | RMSE SV-ALD-L |
|------|-----------|-------------|-----------|-------------|-------------|---------------|
| 2006 | 0.024666 | 0.024832 | 0.024440 | 0.024392 | 0.026936 | 0.026238 |
| 2007 | 0.026485 | 0.026972 | 0.026365 | 0.026705 | 0.028254 | 0.029127 |
| 2008 | 0.054977 | 0.055920 | 0.054435 | 0.055954 | 0.058000 | 0.056521 |
| 2009 | 0.048405 | 0.048945 | 0.048270 | 0.048405 | 0.050172 | 0.049486 |
| 2010 | 0.026399 | 0.025732 | 0.026114 | 0.025974 | 0.027611 | 0.027094 |
| 2011 | 0.030133 | 0.030007 | 0.030416 | 0.030359 | 0.031569 | 0.031547 |
| 2012 | 0.022471 | 0.022367 | 0.022619 | 0.022762 | 0.023780 | 0.024324 |
| 2013 | 0.016566 | 0.016461 | 0.016389 | 0.016542 | 0.017860 | 0.017806 |
| 2014 | 0.023295 | 0.022629 | 0.023508 | 0.023643 | 0.024341 | 0.024142 |
| 2015 | 0.041619 | 0.042051 | 0.041430 | 0.041656 | 0.044052 | 0.044278 |
| 2016 | 0.054839 | 0.054196 | 0.054817 | 0.055393 | 0.057046 | 0.057881 |

Table 6: WTI: In sample Mean Absolute Error (MAE)

| Year | MAE SV-t | MAE SV-t-L | MAE SV-N | MAE SV-N-L | MAE SV-ALD | MAE SV-ALD-L |
|------|----------|------------|----------|------------|------------|--------------|
| 2006 | 0.019466 | 0.019450 | 0.019307 | 0.019271 | 0.020534 | 0.020089 |
| 2007 | 0.020686 | 0.021100 | 0.020693 | 0.021011 | 0.021565 | 0.022337 |
| 2008 | 0.038980 | 0.039382 | 0.038741 | 0.039792 | 0.040603 | 0.039382 |
| 2009 | 0.035243 | 0.035479 | 0.035168 | 0.035312 | 0.035673 | 0.035263 |
| 2010 | 0.020427 | 0.019900 | 0.020269 | 0.020146 | 0.020922 | 0.020547 |
| 2011 | 0.023174 | 0.023026 | 0.023541 | 0.023491 | 0.023819 | 0.023741 |
| 2012 | 0.017130 | 0.017094 | 0.017255 | 0.017409 | 0.017748 | 0.018131 |
| 2013 | 0.013029 | 0.012923 | 0.012926 | 0.013086 | 0.013686 | 0.013678 |
| 2014 | 0.016440 | 0.015911 | 0.016646 | 0.016715 | 0.016746 | 0.016608 |
| 2015 | 0.032297 | 0.032592 | 0.032250 | 0.032387 | 0.033461 | 0.033497 |
| 2016 | 0.042475 | 0.041849 | 0.042657 | 0.042804 | 0.043476 | 0.043773 |

Table 7: Brent: In sample Root Mean Square Error (RMSE)

| Year | RMSE SV-t | RMSE SV-t-L | RMSE SV-N | RMSE SV-N-L | RMSE SV-ALD | RMSE SV-ALD-L |
|------|-----------|-------------|-----------|-------------|-------------|---------------|
| 2006 | 0.028946 | 0.028129 | 0.028704 | 0.028340 | 0.030493 | 0.028612 |
| 2007 | 0.025080 | 0.025013 | 0.024659 | 0.024954 | 0.026579 | 0.028343 |
| 2008 | 0.043941 | 0.044021 | 0.044793 | 0.045493 | 0.045327 | 0.051346 |
| 2009 | 0.044852 | 0.045047 | 0.044703 | 0.045426 | 0.046725 | 0.048226 |
| 2010 | 0.025725 | 0.026107 | 0.025390 | 0.025443 | 0.026979 | 0.026727 |
| 2011 | 0.024890 | 0.025037 | 0.024733 | 0.024698 | 0.025505 | 0.028801 |
| 2012 | 0.020495 | 0.020322 | 0.020519 | 0.020438 | 0.021459 | 0.023273 |
| 2013 | 0.015774 | 0.015605 | 0.015715 | 0.015712 | 0.016467 | 0.017586 |
| 2014 | 0.016807 | 0.017026 | 0.016870 | 0.017287 | 0.017466 | 0.020727 |
| 2015 | 0.036134 | 0.035715 | 0.035869 | 0.036038 | 0.036561 | 0.041760 |
| 2016 | 0.048917 | 0.048831 | 0.048579 | 0.048513 | 0.048577 | 0.054604 |

Table 8: Brent: In sample Mean Absolute Error (MAE)

| Year | MAE SV-t | MAE SV-t-L | MAE SV-N | MAE SV-N-L | MAE SV-ALD | MAE SV-ALD-L |
|------|----------|------------|----------|------------|------------|--------------|
| 2006 | 0.022680 | 0.022025 | 0.022675 | 0.022358 | 0.023294 | 0.021928 |
| 2007 | 0.019715 | 0.019656 | 0.019550 | 0.019745 | 0.020408 | 0.021612 |
| 2008 | 0.031998 | 0.031628 | 0.032659 | 0.032980 | 0.032348 | 0.035790 |
| 2009 | 0.033279 | 0.033293 | 0.033103 | 0.033729 | 0.034127 | 0.034435 |
| 2010 | 0.019849 | 0.020170 | 0.019725 | 0.019820 | 0.020345 | 0.020362 |
| 2011 | 0.019328 | 0.019429 | 0.019319 | 0.019302 | 0.019335 | 0.021650 |
| 2012 | 0.015935 | 0.015718 | 0.016062 | 0.015953 | 0.016367 | 0.017591 |
| 2013 | 0.012273 | 0.012124 | 0.012324 | 0.012326 | 0.012578 | 0.013379 |
| 2014 | 0.012167 | 0.012278 | 0.012205 | 0.012469 | 0.012485 | 0.014310 |
| 2015 | 0.028058 | 0.027767 | 0.028071 | 0.028192 | 0.027736 | 0.031315 |
| 2016 | 0.038214 | 0.038177 | 0.038241 | 0.038077 | 0.037361 | 0.041129 |

Posterior estimates and model comparisons. To compare the fitting ability of SV-ALD and SV-ALD-L model with conventional SV-N, SV-N-L, SV-t and SV-t-L models, results of posterior estimates of these models are shown in Table 3 and 4.¹⁰ The posterior means of β in WTI and Brent markets under these models are very close to one, which is consistent with our general beliefs that there exist a strong persistence of volatility in oil returns. Our results show that the estimated posterior mean of σ_η for the SV-ALD model is lower comparing to the corresponding σ_η in the SV-N and SV-t model in both of the two oil markets, and σ_η in the SV-t model is lower than that σ_η in the SV-N model.

The estimate for the σ_η parameter from the SV-ALD-L and SV-t-L model is lower than the estimate coming from the SV-N-L model. These results are consistent with the findings from Chib et al. (2002) and Abanto-Valle et al. (2010), indicating that the introduction of heavy tailed error distribution in the mean equation appears to explain excess returns, thus decreasing the variance of the volatility process. More importantly, we find statistically significant negative correlation ($\rho < 0$) between shocks affecting oil returns and shocks affecting volatility in the SV-t-L, SV-N-L and the SV-ALD-L specifications. Although WinBugs can generate deviance information criterion (DIC) values straightforwardly, as pointed out by Chan and Grant (2016), conditional DIC typically favors over-fitted models in a series of Monte Carlo experiments. Therefore this cannot be used as a reliable criterion to compare across models. For this reason, we use various comparison criteria. First of all we check the in sample RMSE and MAE calculated by year in Table 5 to Table 8.¹¹ Considering the in sample RMSE and MAE, the SV-N and SV-N-L models outperform the others. Because this result is not conclusive, in the next sections, we also consider additional criteria such as

¹⁰We used the WinBUGS's code from the website of Yasuhiro Omori as the starting point.

¹¹ \hat{y}_t is replicated by using the Bayesian estimates for the model parameters and for the volatility.

Table 9: Out-of-sample performance for various models: RMSE and MAE for May-December 2016

| Market | SV-t | SV-t-L | SV-N | SV-N-L | SV-ALD | SV-ALD-L |
|--------------|----------|----------|----------|----------|----------|----------|
| RMSE | | | | | | |
| WTI | 0.034910 | 0.034952 | 0.033276 | 0.033010 | 0.038417 | 0.035692 |
| Brent | 0.038329 | 0.037781 | 0.038010 | 0.037333 | 0.037907 | 0.038116 |
| MAE | | | | | | |
| WTI | 0.026940 | 0.026973 | 0.025831 | 0.025362 | 0.028911 | 0.026794 |
| Brent | 0.029482 | 0.029095 | 0.029476 | 0.028731 | 0.028495 | 0.028391 |

the out-of-sample RMSE and MAE (to test the predictive power of the models) and, more importantly, the capability of the models to replicate risk in a VaR and CVaR sense.

Out-of-sample performance. Table 9 shows the out-of-sample performance for various models using the Root Mean square errors (RMSE) and Mean Absolute errors (MAE) criteria. We used the MCMC estimates from May 2006 to May 2016 to forecast oil returns from the end of May 2016 to the end of December 2016: the SV-N-L model performs better than its competitors for both markets if we consider the RMSE criterion (calculated using 500 simulations and fixing the parameters at the MCMC estimates). Considering the MAE criterion, SV-ALD-L and SV-N-L perform the best.

Table 10 to Table 15 present the results of Engle’s LM ARCH test on the standard errors for SV-t, SV-t-L, SV-N, SV-N-L, SV-ALD and SV-ALD-L models in both markets. Considering the series of standard errors, there is no evidence of ARCH effects for the SV-N model while the SV-N-L model shows ARCH effects in the WTI market at a 1% significance level. This result gives an opportunity to increase efficiency by modeling ARCH, but does not violate any assumptions made when estimating the underlying model. As a conclusion, the SV-N model is the most efficient among the set of models that have been studied in this paper. From Table 16 to Table 21, we can see that the Kolmogorov Smirnov test for normality does not reject its null for the Brent standard errors resulting from the SV-t, SV-t-L, SV-N and SV-N-L models at the 1% significance level. For the WTI standard errors, it does not reject its null hypothesis of normality for the SV-N and SV-N-L standard errors at 1% significance level. The Shapiro Francia test (1972) for normality concurs with those judgements for the standard errors coming from all the models. The Box Pierce portmanteau (or Q) test for white noise rejects its null for both series of standard errors.

Diebold Mariano test. This test calculates a measure of predictive accuracy proposed by Diebold and Mariano (1995). We ran the test for each of 500 simulations per model

Table 10: WTI: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-t and SV-t-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|----------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-t res | 2.04 | 0.15 | 8.98 | 0.11 | 13.75 | 0.18 | 47.15 | 0.02 |
| SV-t res squ | 0.19 | 0.66 | 0.82 | 0.98 | 1.66 | 1.00 | 11.50 | 1.00 |
| SV-t-L res | 3.51 | 0.06 | 9.46 | 0.09 | 12.79 | 0.24 | 39.48 | 0.12 |
| SV-t-L res squ | 0.09 | 0.76 | 0.57 | 0.99 | 0.98 | 1.00 | 31.60 | 0.39 |

Table 11: WTI: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-N and SV-N-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|----------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-N res | 0.00 | 0.95 | 16.21 | 0.01 | 27.56 | 0.00 | 77.20 | 0.00 |
| SV-N res squ | 0.03 | 0.87 | 1.99 | 0.85 | 4.29 | 0.93 | 19.90 | 0.92 |
| SV-N-L res | 0.24 | 0.63 | 11.73 | 0.04 | 20.67 | 0.02 | 60.18 | 0.00 |
| SV-N-L res squ | 0.07 | 0.79 | 1.23 | 0.94 | 3.07 | 0.98 | 18.77 | 0.94 |

Table 12: WTI: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-ALD and SV-ALD-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|------------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-ALD res | 7.31 | 0.01 | 9.72 | 0.08 | 11.20 | 0.34 | 35.24 | 0.23 |
| SV-ALD res squ | 0.63 | 0.43 | 1.04 | 0.96 | 1.49 | 1.00 | 13.45 | 1.00 |
| SV-ALD-L res | 13.69 | 0.00 | 15.75 | 0.01 | 18.05 | 0.05 | 39.41 | 0.12 |
| SV-ALD-L res squ | 7.55 | 0.01 | 8.13 | 0.15 | 8.62 | 0.57 | 36.25 | 0.20 |

Table 13: Brent: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-t and SV-t-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|----------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-t res | 5.40 | 0.02 | 17.55 | 0.00 | 26.16 | 0.00 | 50.28 | 0.01 |
| SV-t res squ | 0.69 | 0.41 | 3.92 | 0.56 | 5.91 | 0.82 | 33.66 | 0.29 |
| SV-t-L res | 5.35 | 0.02 | 14.18 | 0.01 | 21.18 | 0.02 | 43.89 | 0.05 |
| SV-t-L res squ | 0.51 | 0.47 | 3.36 | 0.64 | 5.18 | 0.88 | 27.70 | 0.59 |

Table 14: Brent: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-N and SV-N-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|----------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-N res | 7.17 | 0.01 | 22.48 | 0.00 | 34.65 | 0.00 | 70.86 | 0.00 |
| SV-N res squ | 1.22 | 0.27 | 6.91 | 0.23 | 10.47 | 0.40 | 31.61 | 0.39 |
| SV-N-L res | 5.38 | 0.02 | 13.79 | 0.02 | 21.96 | 0.02 | 47.77 | 0.02 |
| SV-N-L res squ | 0.78 | 0.38 | 4.29 | 0.51 | 7.01 | 0.72 | 22.95 | 0.82 |

Table 15: Brent: Engle's Lagrange multiplier test for autoregressive conditional heteroskedasticity for standardised residuals and squared standardised residuals for SV-ALD and SV-ALD-L models

| | 1 lag | p-val | 5 lags | p-val | 10 lags | p-val | 30 lags | p-val |
|------------------|-------|-------|--------|-------|---------|-------|---------|-------|
| SV-ALD res | 0.94 | 0.33 | 6.24 | 0.28 | 9.97 | 0.44 | 26.97 | 0.62 |
| SV-ALD res squ | 0.10 | 0.75 | 1.42 | 0.92 | 2.64 | 0.99 | 35.76 | 0.22 |
| SV-ALD-L res | 2.70 | 0.10 | 8.02 | 0.15 | 11.89 | 0.29 | 28.67 | 0.54 |
| SV-ALD-L res squ | 0.33 | 0.56 | 1.81 | 0.87 | 2.84 | 0.98 | 14.38 | 0.99 |

Table 16: WTI: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-t and SV-t-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|----------------|----------|-------|----------|-------|--------|-------|
| SV-t res | 0.011 | 0.940 | 3.514 | 0.000 | 33.011 | 0.775 |
| SV-t res squ | 0.263 | 0.000 | 15.592 | 0.000 | 44.168 | 0.300 |
| SV-t-L res | 0.019 | 0.346 | 5.281 | 0.000 | 33.544 | 0.755 |
| SV-t-L res squ | 0.276 | 0.000 | 15.857 | 0.000 | 43.892 | 0.310 |

Table 17: WTI: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-N and SV-N-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|----------------|----------|-------|----------|-------|--------|-------|
| SV-N res | 0.009 | 0.988 | 0.414 | 0.340 | 33.470 | 0.758 |
| SV-N res squ | 0.245 | 0.000 | 15.165 | 0.000 | 54.062 | 0.068 |
| SV-N-L res | 0.016 | 0.576 | 2.627 | 0.004 | 33.652 | 0.750 |
| SV-N-L res squ | 0.253 | 0.000 | 15.339 | 0.000 | 47.908 | 0.183 |

Table 18: WTI: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-ALD and SV-ALD-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|------------------|----------|-------|----------|-------|--------|-------|
| SV-ALD res | 0.015 | 0.587 | 4.652 | 0.000 | 32.453 | 0.796 |
| SV-ALD res squ | 0.273 | 0.000 | 15.766 | 0.000 | 40.367 | 0.454 |
| SV-ALD-L res | 0.020 | 0.241 | 5.749 | 0.000 | 34.901 | 0.699 |
| SV-ALD-L res squ | 0.280 | 0.000 | 15.907 | 0.000 | 45.253 | 0.262 |

Table 19: Brent: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-t and SV-t-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|----------------|----------|-------|----------|-------|--------|-------|
| SV-t res | 0.022 | 0.177 | 2.716 | 0.003 | 43.504 | 0.325 |
| SV-t res squ | 0.257 | 0.000 | 15.268 | 0.000 | 48.892 | 0.158 |
| SV-t-L res | 0.024 | 0.115 | 2.820 | 0.002 | 43.906 | 0.310 |
| SV-t-L res squ | 0.257 | 0.000 | 15.277 | 0.000 | 46.316 | 0.228 |

Table 20: Brent: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-N and SV-N-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|----------------|----------|-------|----------|-------|--------|-------|
| SV-N res | 0.021 | 0.201 | 1.865 | 0.031 | 43.025 | 0.343 |
| SV-N res squ | 0.250 | 0.000 | 15.102 | 0.000 | 56.556 | 0.043 |
| SV-N-L res | 0.023 | 0.156 | 2.340 | 0.010 | 42.681 | 0.357 |
| SV-N-L res squ | 0.253 | 0.000 | 15.175 | 0.000 | 47.479 | 0.194 |

Table 21: Brent: Test Statistics and P-values for standardised residuals and squared standardised residuals for SV-ALD and SV-ALD-L models

| | KSmirnov | p-val | SFrancia | p-val | Qtest | p-val |
|------------------|----------|-------|----------|-------|--------|-------|
| SV-ALD res | 0.024 | 0.122 | 4.169 | 0.000 | 43.549 | 0.323 |
| SV-ALD res squ | 0.266 | 0.000 | 15.449 | 0.000 | 35.039 | 0.693 |
| SV-ALD-L res | 0.025 | 0.084 | 3.799 | 0.000 | 43.420 | 0.328 |
| SV-ALD-L res squ | 0.264 | 0.000 | 15.439 | 0.000 | 35.317 | 0.681 |

Table 22: Diebold Mariano test: comparison of forecast accuracy over 500 out-of-sample predictions

| Variable | Observations | Mean | SD | Min | Max |
|--------------------|--------------|-----------|-----------|-----------|-----------|
| WTI | | | | | |
| SV-t vs SV-t-L | | | | | |
| r_{1t} | 41 | 0.0010954 | 0.0004075 | 0.0006428 | 0.0023901 |
| r_{2t} | 41 | 0.0011213 | 0.0003617 | 0.0005928 | 0.0022897 |
| SV-N vs SV-N-L | | | | | |
| r_{1t} | 241 | 0.0012336 | 0.0005985 | 0.0005911 | 0.0046736 |
| r_{2t} | 241 | 0.0012112 | 0.0008895 | 0.0005486 | 0.0103819 |
| SV-ALD vs SV-ALD-L | | | | | |
| r_{1t} | 240 | 0.001657 | 0.0006006 | 0.0007806 | 0.0045232 |
| r_{2t} | 240 | 0.0012848 | 0.0008002 | 0.0006352 | 0.0051321 |
| Brent | | | | | |
| SV-t vs SV-t-L | | | | | |
| r_{1t} | 46 | 0.0014817 | 0.0004475 | 0.0008498 | 0.0028845 |
| r_{2t} | 46 | 0.001352 | 0.000371 | 0.000789 | 0.0025136 |
| SV-N vs SV-N-L | | | | | |
| r_{1t} | 258 | 0.0015684 | 0.0006906 | 0.0007161 | 0.0063691 |
| r_{2t} | 258 | 0.0014911 | 0.0008635 | 0.0006984 | 0.0078067 |
| SV-ALD vs SV-ALD-L | | | | | |
| r_{1t} | 209 | 0.0015392 | 0.0006215 | 0.0007717 | 0.0041496 |
| r_{2t} | 209 | 0.00158 | 0.000905 | 0.0007069 | 0.0090912 |

and present summary statistics from that set of test results. Given an actual series and two competing predictions, one may apply a loss criterion (such as squared error or absolute error) and then calculate a number of measures of predictive accuracy that allow the null hypothesis of equal accuracy to be tested. Table 22 reports the results where the r_1 and r_2 variables are the MSEs for model 1 (*non-leverage model*) and model 2 (*leverage model*), respectively. If the p -value < 0.05 , the test rejects the null that the two models are equally capable in terms of their MSEs. For the simulations in which the test rejects equal forecast accuracy, we can compare the mean MSE for the two models.

For the WTI data, in the case of SV-t vs SV-t-L models, we can observe 41 rejections (over 500 out-of-sample simulations): model 1 (the *non-leverage model*) has the smaller mean MSE. Considering SV-N vs SV-N-L models, we can observe 241 rejections: model 2 (the *leverage model*) has the smaller mean MSE. Considering SV-ALD vs SV-N-ALD models, we can observe 240 rejections: model 2 (the *leverage model*) has the smaller mean MSE. For the Brent data, in the case of SV-t vs SV-t-L models, we can observe 46 rejections: model 2 (the *leverage model*) has the smaller mean MSE. Considering SV-N vs SV-N-L models,

we can observe 258 rejections: model 2 (*the leverage model*) has the smaller mean MSE. Considering SV-ALD vs SV-N-ALD models, we can observe 209 rejections: model 1 (*the non-leverage model*) has the smaller mean MSE.

In summary, in four of the six simulations, model 2 (*the leverage model*) has the smaller mean MSE for those simulations in which the Diebold–Mariano test rejects its null hypothesis of equal forecast accuracy.

7.3. Selection of VaR and CVaR models

We now focus on the models for which we have the most evidence of a substantial impact of the introduction of leverage on the prediction accuracy of the model (SV-N, SV-N-L, SV-ALD and SV-ALD-L models). In order to classify the competing models, we follow a two-stage model evaluation procedure where in the first stage models are selected in terms of their statistical accuracy (*backtesting stage*), while in the second stage the surviving models are evaluated in terms of their efficiency (*efficiency stage*).¹²

Stage 1: Backtesting VaR and CVaR model. The *Failure Rate (FR)* or violation rate, computes the ratio of the number of times oil returns exceed the estimated VaRs over the total number of observations. The model is said to be correctly specified if the calculated ratio is equal to the pre-specified VaR level α (i.e. 5% and 1%). If the Failure Rate is greater than α , we can conclude that the model underestimates the risk, and vice versa (see Marimoutou et al., 2009; Aloui and Mabrouk, 2010; Louzis et al., 2014).

A criterion for evaluating our results comes from the consideration that a conservative investor (see for example, Zhao et al., 2015 and Hung et al., 2008) might choose a greater confidence level and estimate a relatively greater risk (corresponding to $\alpha = 5\%$ in the VaR definition), while a more speculative investor might estimate a smaller risk and face a relatively smaller confidence level (corresponding to $\alpha = 1\%$ in the VaR definition).

In order to backtest the accuracy of the estimated VaRs, three formal tests are conducted based on the criteria of the empirical failure rates. Table 23 shows the VaR backtesting summary results of SV-N, SV-ALD, SV-N-L and SV-ALD-L models for the WTI and Brent market, considering both supply and demand risks. According to the LR_{ind} test, the null hypothesis that exceptions are independent cannot be rejected at the two risk levels in the two markets for both the four models by considering oil supply and demand risk, suggesting that there are not many/no consecutive violations. Modelling the data using SV-N and SV-N-L models, the test LR_{uc} and LR_{cc} are passed, which indicates the capability of the models of estimating tail risks. The SV-ALD and SV-ALD-L models overestimate the tail risk and the null hypothesis of tests LR_{uc} and LR_{cc} are rejected in WTI market and partly rejected in

¹²For details see Sarma et al. (2003).

Table 23: VaR backtesting results for WTI and Brent markets

| α | Risk | Failure times | | Failure rate | | LR_{uc} | | LR_{ind} | | LR_{cc} | |
|-----------------|-------------------|---------------|-------|--------------|--------|-----------|---------|------------|--------|-----------|---------|
| | | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent |
| SV-N | | | | | | | | | | | |
| 5% | VaR _{st} | 107 | 122 | 4.248% | 4.839% | 0.0757 | 0.7099 | 0.8269 | 0.2114 | 0.1930 | 0.3869 |
| | VaR _{dt} | 111 | 116 | 4.407% | 4.720% | 0.1634 | 0.3754 | 0.9598 | 0.4968 | 0.3615 | 0.9944 |
| 1% | VaR _{st} | 22 | 24 | 0.873% | 0.952% | 0.5138 | 0.8071 | 0.5334 | 0.5334 | 0.6598 | 0.7559 |
| | VaR _{dt} | 16 | 22 | 0.635% | 0.873% | 0.0486 | 0.5113 | 0.6510 | 0.6591 | 0.1282 | 0.6524 |
| SV-ALD | | | | | | | | | | | |
| 5% | VaR _{st} | 77 | 98 | 3.057% | 3.887% | 0.0000* | 0.0077 | 0.6766 | 0.9211 | 0.0000* | 0.0265 |
| | VaR _{dt} | 82 | 97 | 3.255% | 3.848% | 0.0000* | 0.0057 | 0.4314 | 0.2596 | 0.0001* | 0.0108 |
| 1% | VaR _{st} | 7 | 8 | 0.278% | 0.317% | 0.0000* | 0.0001* | 0.8434 | 0.8214 | 0.0001* | 0.0003* |
| | VaR _{dt} | 5 | 6 | 0.198% | 0.238% | 0.0000* | 0.0000* | 0.8878 | 0.8656 | 0.0000* | 0.0000* |
| SV-N-L | | | | | | | | | | | |
| 5% | VaR _{st} | 112 | 126 | 4.446% | 4.998% | 0.1940 | 0.9964 | 0.3700 | 0.4934 | 0.2751 | 0.6781 |
| | VaR _{dt} | 103 | 109 | 4.086% | 4.324% | 0.0305 | 0.1111 | 0.3912 | 0.7538 | 0.0639 | 0.0105 |
| 1% | VaR _{st} | 31 | 25 | 1.231% | 0.992% | 0.2615 | 0.9664 | 0.3793 | 0.4789 | 0.3572 | 0.7546 |
| | VaR _{dt} | 13 | 21 | 0.516% | 0.833% | 0.0071 | 0.3856 | 0.7134 | 0.5523 | 0.0249 | 0.5609 |
| SV-ALD-L | | | | | | | | | | | |
| 5% | VaR _{st} | 91 | 100 | 3.613% | 3.967% | 0.0008* | 0.0137 | 0.0210 | 0.5969 | 0.0002* | 0.0368 |
| | VaR _{dt} | 79 | 95 | 3.136% | 3.768% | 0.0000* | 0.0031* | 0.3571 | 0.8225 | 0.0000* | 0.0108 |
| 1% | VaR _{st} | 9 | 6 | 0.357% | 0.238% | 0.0002* | 0.0000* | 0.7994 | 0.8656 | 0.0009* | 0.0000* |
| | VaR _{dt} | 5 | 5 | 0.198% | 0.198% | 0.0000* | 0.0000* | 0.8878 | 0.8878 | 0.0000* | 0.0000* |

Note: $\alpha = 5\%$ and 1% represent prescribed VaR level corresponding to 95% and 99% CI respectively, LR_{uc} columns show p-values of Kupiec's (1995) unconditional coverage test, LR_{ind} columns are p-values of Christoffersen's (1998) independent test and LR_{cc} columns are p-values of Christoffersen's (1998) conditional coverage test, * denotes significance.

Brent market especially when focusing on extreme tail risks (1%). Table 24 presents CVaR backtesting results for SV-N, SV-ALD, SV-N-L and SV-ALD-L models for oil supply and demand in the WTI and Brent markets. The performance of CVaR is very similar to the VaR performance. Looking at the p-values of the SV-N and SV-N-L model, they pass the three tests for the studied risk levels.

Considering both Tables 23 and 24, the main finding is that the introduction of the leverage effect in the traditional SV model with Normally distributed errors is capable of adequately estimating risk (in a VaR and CVaR sense) for conservative (i.e. more risk averse, with $\alpha = 5\%$) oil suppliers in both the WTI and Brent markets while it tends to overestimate risk for more speculative oil suppliers ($\alpha = 5\%$). In comparison, the assumption of ALD errors

Table 24: CVaR backtesting results for WTI and Brent markets

| $\tilde{\alpha}$ | Risk | Failure times | | Failure rate | | LR_{uc} | | LR_{ind} | | LR_{cc} | |
|------------------|--------------------|---------------|-------|--------------|--------|-----------|---------|------------|--------|-----------|---------|
| | | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent |
| SV-N | | | | | | | | | | | |
| 1.96% | CVaR _{st} | 41 | 43 | 1.628% | 1.706% | 0.2152 | 0.3463 | 0.2440 | 0.2216 | 0.2315 | 0.2887 |
| | CVaR _{dt} | 33 | 45 | 1.310% | 1.785% | 0.0123* | 0.5199 | 0.3492 | 0.2006 | 0.0278 | 0.3396 |
| 0.38% | CVaR _{st} | 10 | 10 | 0.397% | 0.397% | 0.8906 | 0.8926 | 0.7776 | 0.7776 | 0.9481 | 0.9409 |
| | CVaR _{dt} | 7 | 9 | 0.278% | 0.357% | 0.3816 | 0.8496 | 0.8434 | 0.7994 | 0.6669 | 0.9408 |
| SV-ALD | | | | | | | | | | | |
| 1.84% | CVaR _{st} | 19 | 15 | 0.754% | 0.595% | 0.0000* | 0.0000* | 0.5909 | 0.6716 | 0.0000* | 0.0000* |
| | CVaR _{dt} | 11 | 19 | 0.437% | 0.754% | 0.0000* | 0.0000* | 0.7560 | 0.5909 | 0.0000* | 0.0000* |
| 0.37% | CVaR _{st} | 2 | 2 | 0.079% | 0.079% | 0.0035* | 0.0035* | 0.9550 | 0.9550 | 0.0142 | 0.0141 |
| | CVaR _{dt} | 3 | 0 | 0.119% | 0.000% | 0.0155 | 0.0000* | 0.9326 | 1.0000 | 0.0533 | 0.0001* |
| SV-N-L | | | | | | | | | | | |
| 1.96% | CVaR _{st} | 45 | 54 | 1.786% | 2.142% | 0.5235 | 0.5159 | 0.2006 | 0.8780 | 0.3533 | 0.7499 |
| | CVaR _{dt} | 32 | 40 | 1.270% | 1.587% | 0.0077* | 0.1621 | 0.3641 | 0.2558 | 0.0187* | 0.1881 |
| 0.38% | CVaR _{st} | 12 | 14 | 0.476% | 0.555% | 0.4495 | 0.1809 | 0.7346 | 0.6924 | 0.7060 | 0.3715 |
| | CVaR _{dt} | 6 | 9 | 0.238% | 0.357% | 0.2140 | 0.8496 | 0.8656 | 0.7994 | 0.4544 | 0.9408 |
| SV-ALD-L | | | | | | | | | | | |
| 1.84% | CVaR _{st} | 24 | 15 | 0.953% | 0.595% | 0.0003* | 0.0000* | 0.4967 | 0.6716 | 0.0010* | 0.0000* |
| | CVaR _{dt} | 8 | 17 | 0.318% | 0.674% | 0.0000* | 0.0000* | 0.8213 | 0.6307 | 0.0000* | 0.0000* |
| 0.37% | CVaR _{st} | 3 | 2 | 0.119% | 0.079% | 0.0155 | 0.0035* | 0.9326 | 0.9550 | 0.0533 | 0.0141 |
| | CVaR _{dt} | 3 | 1 | 0.119% | 0.040% | 0.0155 | 0.0005* | 0.9326 | 0.9775 | 0.0533 | 0.0022* |

Note: $\tilde{\alpha} = 1.96\%$ and 0.38% corresponds to 5% and 1% risk level of Normal distribution and $\tilde{\alpha} = 1.84\%$ and 0.37% corresponds to 5% and 1% risk level of ALD. LR_{uc} columns show p-values of Kupiec's (1995) unconditional coverage test, LR_{ind} columns are p-values of Christoffersen's (1998) independent test and LR_{cc} columns are p-values of Christoffersen's (1998) conditional coverage test, * denotes significance.

leads to overestimating risk for both type of investors.

Stage 2: Efficiency Measures. Lopez (1998, 1999) was the first to propose the comparison between VaR models on the basis of their ability to minimise some specific loss function which reflected a specific objective of the risk manager.

Adhering to the Basel Committee's guidelines, supervisors are not only concerned with the number of violations in a VaR model but also with the magnitude of those violations (Basel Committee on Banking Supervision, 1996a, 1996b). In order to address this aspect, following Sarma et al. (2003), we compare the relevant models in terms of the *Regulatory Loss Function (RLF)* which focuses on the magnitude of the failure and in terms of the *Firm's Loss Function (FLF)* which, while giving relevance to the magnitude of failures, imposes an

Table 25: RLF and FLF Loss function approach applied to the models surviving the VaR backtesting stage

| Volatility models and VaR methods | | RLF | | | | FLF | | | |
|--------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|------------------|------------------|
| | | 5% | | 1% | | 5% | | 1% | |
| | | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent |
| Panel A: Average loss values | | | | | | | | | |
| SV-N | Supply | <u>0.000209</u> | <u>0.000199</u> | <u>0.000170</u> | <u>0.000182</u> | <u>0.001709</u> | <u>0.001555</u> | <u>0.000328</u> | <u>0.002279</u> |
| | Demand | 0.000251 | 0.000237 | <u>0.000501</u> | 0.000227 | <u>-0.001680</u> | <u>-0.001531</u> | <u>-0.000499</u> | <u>-0.002274</u> |
| SV-N-L | Supply | 0.000239 | 0.000203 | 0.000176 | 0.000192 | 0.001755 | 0.001586 | 0.000353 | 0.002317 |
| | Demand | <u>0.000229</u> | <u>0.000219</u> | 0.000511 | <u>0.000162</u> | -0.001733 | -0.001569 | -0.000511 | -0.002313 |
| SV-ALD | Supply | - | 0.000250 | - | - | - | <u>0.001681</u> | - | - |
| | Demand | - | - | - | - | - | - | - | - |
| SV-ALD-L | Supply | - | <u>0.000235</u> | - | - | - | 0.001716 | - | - |
| | Demand | - | - | - | - | - | - | - | - |
| Panel B: Sign statistics | | | | | | | | | |
| S_{AB} | Supply | 47.2408 | 46.9433 | 49.1934 | 49.4129 | -13.0107* | -11.6517* | -9.9422* | -9.2612* |
| | Demand | 48.8746 | 49.0146 | 49.9904 | 49.9307 | 12.0144 | 10.6155 | 9.5438 | 8.8230 |
| S_{BA} | Supply | 48.4363 | 48.1382 | 49.9505 | 49.8909 | 13.0107 | 11.6517 | 9.9422 | 9.2612 |
| | Demand | 46.8822 | 46.5051 | 49.7115 | 49.5722 | -12.0144* | -10.6155* | -9.5438* | -8.8230* |
| S_{CD} | Supply | - | 48.1382 | - | - | - | -7.1102* | - | - |
| | Demand | - | - | - | - | - | - | - | - |
| S_{DC} | Supply | - | 47.8594 | - | - | - | 7.1102 | - | - |
| | Demand | - | - | - | - | - | - | - | - |

Note: This table compares the best performing models in the VaR backtesting procedure following the Regulatory loss function (RLF) and Firm's loss function (FLF). Panel A presents the average loss values for RLF and FLF for the competing models at different risk levels in the two oil markets. The models with the lowest average loss values are underlined. Panel B reports the standardized sign statistics values. S_{AB} denotes the standardized sign statistics with null of “non-superiority” of SV-N over SV-N-L, S_{BA} represents the standardized sign statistics with null of “non-superiority” of SV-N-L over SV-N, S_{CD} is the standardized sign statistics with null hypothesis of “non-superiority” of SV-ALD over SV-ALD-L while S_{DC} is the standardized sign statistics with null hypothesis of “non-superiority” of SV-ALD-L over SV-ALD. * means significance in the corresponding level.

additional penalty related to the opportunity cost of capital.¹³ We use a non-parametric sign test to check the ability the relevant VaR models to minimize these loss functions.¹⁴

Table 25 presents the summary results for the RLF and FLF loss function approach as applied to the models chosen in the VaR backtesting stage. The results in Panel A show that the SV-N model achieves the smallest value of average loss more often than the SV-N-L model while the outcome is not conclusive for the SV-ALD model and the SV-ALD-L model under the two approaches. To examine the statistical significance of the losses, we report the values of the standardized sign test in Panel B. Considering the RLF criterion, this test shows that the competing models (leverage vs no-leverage models) are not significantly different from

¹³This criterion penalizes large failures more than small failures (See Sarma et al., 2003).

¹⁴For the sign test see Lehmann (1974), Diebold and Mariano (1995), Hollander and Wolfe (1999) and Sarma et al. (2003).

Table 26: RLF and FLF Loss function approach applied to the models surviving the CVaR backtesting stage

| Volatility models and CVaR methods | | RLF | | | | FLF | | | |
|---------------------------------------|--------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|------------------|-----------|
| | | 1.84%/1.96% | | 0.37%/0.38% | | 1.84%/1.96% | | 0.37%/0.38% | |
| | | WTI | Brent | WTI | Brent | WTI | Brent | WTI | Brent |
| Panel A: Average loss values | | | | | | | | | |
| SV-N | Supply | <u>0.000167</u> | 0.000201 | <u>0.000143</u> | 0.000136 | <u>0.000877</u> | 0.000796 | <u>0.000222</u> | 0.000204 |
| | Demand | - | - | <u>0.000284</u> | 0.000167 | - | - | <u>-0.001221</u> | -0.000203 |
| SV-N-L | Supply | 0.000228 | <u>0.000189</u> | 0.000226 | <u>0.000129</u> | 0.000881 | <u>0.000794</u> | 0.000224 | 0.000204 |
| | Demand | - | - | 0.000301 | <u>0.000100</u> | - | - | -0.000222 | -0.000203 |
| SV-ALD | Supply | - | - | - | - | - | - | - | - |
| | Demand | - | - | <u>0.000094</u> | - | - | - | -0.000317 | - |
| SV-ALD-L | Supply | - | - | - | - | - | - | - | - |
| | Demand | - | - | 0.000107 | - | - | - | <u>-0.000310</u> | - |
| Panel B: Sign statistics | | | | | | | | | |
| S_{AB} | Supply | 48.5160 | 48.4171 | 49.7115 | 49.7714 | 1.3748 | 2.5294 | 0.6974 | 1.6531 |
| | Demand | - | - | 50.1099 | 50.0502 | - | - | -1.0958 | -1.7726 |
| S_{BA} | Supply | 49.8708 | 49.7714 | 50.1896 | 50.0502 | -1.3748 | -2.5294* | -0.6974 | -1.6531 |
| | Demand | - | - | 49.9904 | 49.9706 | - | - | 1.0958 | 1.7726 |
| S_{CD} | Supply | - | - | - | - | - | - | - | - |
| | Demand | - | - | 50.1498 | - | - | - | -10.8190* | - |
| S_{DC} | Supply | - | - | - | - | - | - | - | - |
| | Demand | - | - | 50.0701 | - | - | - | 10.8190 | - |

Note: This table compares the best performing models in the CVaR backtesting procedure following the Regulatory loss function (RLF) and Firm's loss function (FLF). Panel A presents the average loss values of RLF and FLF for the competing models at different risk levels in the two oil markets. The models with the lowest average loss values are underlined. Panel B reports the standardized sign statistics values. S_{AB} denotes the standardized sign statistics with null of "non-superiority" of SV-N over SV-N-L, S_{BA} represents the standardized sign statistics with null of "non-superiority" of SV-N-L over SV-N, S_{CD} is the standardized sign statistics with null hypothesis of "non-superiority" of SV-ALD over SV-ALD-L while S_{DC} is the standardized sign statistics with null hypothesis of "non-superiority" of SV-ALD-L over SV-ALD. The nominal risk level 1.84% and 0.37% corresponds to 5% and 1% risk level of ALD and 1.96% and 0.38% corresponds to 5% and 1% of the Normal distribution. * means significance in the corresponding nominal level.

each others which means that the choice of financial regulators, both on the supply and on the demand side, would not be affected by the introduction of leverage. Considering Panel B for the FLF criterion, for both the WTI and Brent markets, the SV-N model is significantly better than the SV-N-L model for firms involved with oil supply while the SV-N-L model is significantly better than the SV-N model for firms interested in oil demand. This means that the introduction of leverage (SV-N-L) would be useful for firms who are on the demand side for oil in both the WTI and Brent markets, who use VaR for risk management and who are particularly worried about the magnitude of the losses exceeding VaR while wanting to minimize the opportunity cost of capital. Using the same logic, firms who are on the supply side, would be better off not considering the leverage effect.

Table 26 shows the summary results of RLF and FLF loss function approach applied to the models chosen in the CVaR backtesting stage. In terms of the average economic losses and considering both RLF and FLF as selection criteria, the SV-N model performs relatively better than the SV-N-L model in the WTI market while in the Brent market, the SV-N-L model outperforms the SV-N model. The standardized sign test values by FLF in the Panel B indicate that in most cases there are no significant differences between the competitors. The only exception is that the SV-N-L model outperforms the SV-N model for oil supply in the Brent market at 1.96% risk level and the SV-ALD model performs better for oil demand in the WTI market at 0.37%

8. Conclusions

In this paper, we study the interaction between oil returns and volatility by using daily spot returns in the crude oil markets (both WTI and Brent) with a particular consideration for the impact of the leverage effect on measures of risk such as VaR and CVaR. We find that, allowing for leverage, traditional SV models with Normal distributed errors provide the best predictions in our out of sample experiments.

In order to address the risk faced by oil suppliers and oil consumers we model spot crude oil returns using Stochastic Volatility (SV) models with various error distributions. Among other cases, we test the assumption of Asymmetric Laplace Distributed (ALD) errors in order to model in a more distinctive way the type of risk faced by oil suppliers versus the risk faced by oil buyers.

We find that the introduction of the leverage effect in the traditional SV model with Normally distributed errors is capable of adequately estimating risk (in a VaR and CVaR sense) for conservative (i.e. more risk averse, with $\alpha = 5\%$) oil suppliers in both the WTI and Brent markets while it tends to overestimate risk for more speculative oil suppliers ($\alpha = 1\%$). In comparison, the assumption of ALD errors leads to overestimating risk for both type of investors. In the model efficiency selection stage, our results show that the choice of financial regulators, both on the supply and on the demand side, would not be affected by the introduction of leverage. Focusing instead on firm's internal risk management, our results show that the introduction of leverage (SV-N-L model) would be useful for firms who are on the demand side for oil (in both the WTI and Brent markets), who use VaR for risk management and who are particularly worried about the magnitude of the losses exceeding VaR while wanting to minimize the opportunity cost of capital. Using the same logic, firms who are on the supply side, would be better off not considering the leverage effect (SV-N model).

References

- Abanto-Valle, C. A., Bandyopadhyay, D., Lachos, V.H. and Enriquez, I. (2010). Robust Bayesian analysis of heavy-tailed stochastic volatility models using scale mixtures of normal distributions. *Computational Statistics & Data Analysis*, 54(12), 2883-2898.
- Aloui, C. and Mabrouk, S. (2010). Value-at-Risk estimations of energy commodities via long-memory, asymmetry and fat-tailed GARCH models. *Energy Policy*, 38(5), 2326-2339.
- Artzner, P., Delbaen, F., Eber, J. and Heath, D. (1999). Coherent measures of risk. *Mathematical Finance*, 9(3), 203-228.
- Basel Committee on Banking Supervision. 1996a. Amendment to the Capital Accord to incorporate market risks. Bank for International Settlements, Basel.
- Basel Committee on Banking Supervision. 1996b. Supervisory framework for the use of backtesting in conjunction with the internal models approach to market risk capital requirements. Publication No. 22, Bank for International Settlements, Basel.
- Breidt, F. J., Crato, N. and De Lima, P. (1998). The detection and estimation of long memory in stochastic volatility. *Journal of Econometrics*, 83(1), 325-348.
- Cappuccio, N., Lubian, D. and Raggi, D. (2004). MCMC Bayesian estimation of a skew-GED stochastic volatility model. *Studies in Nonlinear Dynamics & Econometrics*, 8(2).
- Chai, J., Guo, Ju-e., Gong L. and Wang S. Y. (2011). Estimating crude oil price 'Value at Risk' using the Bayesian-SV-SGT approach. *Systems Engineering-Theory & Practice*, 31(1).
- Chan, J. C. (2013). Moving average stochastic volatility models with application to inflation forecast. *Journal of Econometrics*, 176(2), 162-172.
- Chan, J. C. (2017). The stochastic volatility in mean model with time-varying parameters: An application to inflation modeling. *Journal of Business & Economic Statistics*, 35(1), 17-28.
- Chan, J. C. and Grant, A. L. (2016a). Modeling energy price dynamics: GARCH versus stochastic volatility. *Energy Economics*, 54, 182-189.
- Chan, J. C. and Grant, A. L. (2016b). On the observed-data deviance information criterion for volatility modeling. *Journal of Financial Econometrics*, 14(4), 772-802.
- Chan, J. C. and Grant, A. L. (2016c). Fast computation of the deviance information criterion for latent variable models. *Computational Statistics & Data Analysis*, 100, 847-859.

- Chan, J. C. and Hsiao, C. Y.-L. (2013). *Estimation of Stochastic Volatility Models with Heavy Tails and Serial Dependence*. [Online]. Available at https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2359838 [Accessed 27 October 2017].
- Chen, C. W., Gerlach, R. and Wei, D. (2009). Bayesian causal effects in quantiles: Accounting for heteroscedasticity. *Computational Statistics & Data Analysis*, 53(6), 1993-2007.
- Chen, Q., Gerlach, R. and Lu, Z. (2012). Bayesian Value-at-Risk and expected shortfall forecasting via the asymmetric Laplace distribution. *Computational Statistics & Data Analysis*, 56(11), 3498-3516.
- Chib, S., Nardari, F. and Shephard, N. (2002). Markov chain Monte Carlo methods for stochastic volatility models. *Journal of Econometrics*, 108(2), 281-316.
- Christoffersen, P. F. (1998). Evaluating interval forecasts. *International Economic Review*, 39(2), 841-862.
- Diebold, F. X. and Mariano, R. S. (1995). Comparing predictive accuracy. *Journal of Business and Economic Statistics*, 13, 253-263.
- Fan, Y., Zhang, Y. -J., Tsai, H. -T. and Wei, Y. -M. (2008). Estimating Value at Risk of crude oil price and its spillover effect using the GED-GARCH approach. *Energy Economics*, 30(6), 3156-3171.
- Hollander, M. and Wolfe, D. A. (1999). *Nonparametric Statistical Methods*. 2nd edn. New York: John Wiley.
- Hung, J.-C., Lee, M.-C. and Liu, H.-C. (2008). Estimation of value-at-risk for energy commodities via fat-tailed GARCH models. *Energy Economics*, 30(3), 1173-1191.
- Koopman, S. J. and Hol Uspensky, E. (2002). The stochastic volatility in mean model: empirical evidence from international stock markets. *Journal of Applied Econometrics*, 17(6), 667-689.
- Kotz, S., Kozubowski, T. and Podgorski, K. (2001). *The Laplace distribution and generalizations: a revisit with applications to communications, economics, engineering, and finance*. New York: Springer Science & Business Media.
- Kristoufek, L. (2014). Leverage effect in energy futures. *Energy Economics*, 45, 1-9.
- Kupiec, P. H. (1995). Techniques for verifying the accuracy of risk measurement models. *The Journal of Derivatives*, 3(2), 73-84.

- Lardic, S. and Mignon, V. (2008). Oil prices and economic activity: An asymmetric cointegration approach. *Energy Economics*, 30(3), 847-855.
- Lehmann, E. L. (1974). *Nonparametrics*. New York: Holden-Day Inc. McGraw-Hill.
- Lopez, J. A. (1998). Testing your risk tests. *Financial Survey*, 18-20.
- Lopez, J. A. (1999). Methods for evaluating Value-at-Risk estimates. *Federal Reserve Bank of San Francisco Economic Review*, 2, 3-17.
- Louzis, D. P., Xanthopoulos-Sisinis, S. and Refenes, A. P. (2014). Realized volatility models and alternative Value-at-Risk prediction strategies. *Economic Modelling*, 40, 101-116.
- Marimoutou, V., Raggad, B. and Trabelsi, A. (2009). Extreme value theory and value at risk: application to oil market. *Energy Economics*, 31(4), 519-530.
- Papapetrou, E. (2001). Oil price shocks, stock market, economic activity and employment in Greece. *Energy Economics*, 23(5), 511-532.
- Sarma, M., Thomas, S. and Shah, A. (2003). Selection of Value-at-Risk models. *Journal of Forecasting*, 22, 337-358.
- So, M. E. P., Lam, K. and Li, W. K. (1998). A stochastic volatility model with Markov switching. *Journal of Business & Economic Statistics*, 16(2), 244-253.
- Takahashi, M., Omori, Y. and Watanabe, T. (2009). Estimating stochastic volatility models using daily returns and realized volatility simultaneously. *Computational Statistics & Data Analysis*, 53(6), 2404-2426.
- Wichitaksorn, N., Wang, J. J., Boris Choy, S. T. and Gerlach, R. (2015). Analyzing return asymmetry and quantiles through stochastic volatility models using asymmetric Laplace error via uniform scale mixtures. *Applied Stochastic Models in Business and Industry*, 31(5), 584-608.
- Youssef, M., Belkacem, L. and Mokni, K. (2015). Value-at-Risk estimation of energy commodities: A long-memory GARCH-EVT approach. *Energy Economics*, 51, 99-110.
- Yu, J. and Yang, Z. (2002). A class of nonlinear stochastic volatility models. Univ. of Auckland, *Economics Working Paper*, (229).
- Zhao, S., Lu, Q., Han, L., Liu, Y. and Hu, F. (2015). A mean-CVaR-skewness portfolio optimization model based on asymmetric Laplace distribution. *Annals of Operations Research*, 226(1), 727-739.

A. Asymmetric Laplace distribution

A random variable X is said to follow an Asymmetric Laplace Distribution if the characteristic function of X can be defined as:

$$\psi(t) = \frac{1}{1 + \frac{1}{2}\sigma^2 t^2 - i\mu t} \quad (16)$$

where i is the imaginary unit, $t \in R$ is the argument of the characteristic function, σ is the scale parameter with $\sigma > 0$ and μ is the mean of X . Then, we have $X \sim AL(\mu, \sigma)$. Note that this characteristic function is a standardized form with location parameter $\theta = 0$. An equivalent notation for the distribution of X can be written as $AL(\mu, \tau)$. More details can refer to Kotz et al. (2001).

The density function is given by:

$$f(z|\kappa, \sigma, \theta) = \begin{cases} \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \exp(-\frac{\sqrt{2}\kappa}{\tau}(z - \theta)) & z \geq \theta \\ \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \exp(\frac{\sqrt{2}}{\tau\kappa}(z - \theta)) & z < \theta \end{cases} \quad (17)$$

B. VaR and CVaR derivation for oil supply and demand under SV-ALD

For oil supply, we have:

$$\begin{aligned} P(y_t \leq -VaR_{s,t} | \Omega_t) &= P\left(\frac{y_t - \mu}{\sigma_t} \leq -\frac{VaR_{s,t} - \mu}{\sigma_t} \middle| \Omega_t\right) \\ &= P\left(z_t \leq -m_{s,q} = -\frac{VaR_{s,t} + \mu}{\sigma_t}\right) = \int_{-\infty}^{-m_{s,q}} f^-(z_t) dz_t \\ &= \int_{-\infty}^{-m_{s,q}} \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \exp\left(\frac{\sqrt{2}z_t}{\tau\kappa}\right) dz_t \\ &= \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \int_{-\infty}^{-m_{s,q}} \frac{\tau\kappa}{\sqrt{2}} d\left(\exp\left(\frac{\sqrt{2}z_t}{\tau\kappa}\right)\right) \\ &= \frac{\kappa^2}{1 + \kappa^2} \left(\exp\left(\frac{\sqrt{2}(-m_{s,q})}{\tau\kappa}\right) - \exp\left(\frac{\sqrt{2}(-\infty)}{\kappa\tau}\right)\right) \\ &= \frac{\kappa^2}{1 + \kappa^2} \exp\left(\frac{\sqrt{2}(-m_{s,q})}{\kappa\tau}\right) = \alpha \end{aligned}$$

where $f^-(z_t)$ is the negative part of the *p.d.f.* of ALD. Transforming this equation and setting $\tau = 1$, we can obtain the VaR for oil supply:

$$VaR_{s,t} = -\mu + m_{s,q}\sigma_t = -\mu - \frac{\kappa\sigma_t}{\sqrt{2}} \ln \frac{\alpha(1 + \kappa^2)}{\kappa^2} \quad (18)$$

and further the CVaR for oil supply:

$$CVaR_{s,t} = -E[y_t | y_t \leq -VaR_{s,t}] = VaR_{s,t} + \frac{\kappa\sigma_t}{\sqrt{2}} \quad (19)$$

For oil demand, we have:

$$\begin{aligned} P(y_t > VaR_{d,t} | \Omega_t) &= P\left(\frac{y_t - \mu}{\sigma_t} > \frac{VaR_{d,t} - \mu}{\sigma_t} \middle| \Omega_t\right) \\ &= P\left(z_t > m_{d,q} = \frac{VaR_{d,t} - \mu}{\sigma_t}\right) = \int_{m_{d,q}}^{+\infty} f^+(z_t) dz_t \\ &= \int_{m_{d,q}}^{+\infty} \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \exp\left(-\frac{\sqrt{2}\kappa z_t}{\tau}\right) dz_t \\ &= \frac{\sqrt{2}}{\tau} \frac{\kappa}{1 + \kappa^2} \int_{m_{d,q}}^{+\infty} \frac{-\tau}{\sqrt{2}\kappa} d\left(\exp\left(-\frac{\sqrt{2}\kappa z_t}{\tau}\right)\right) \\ &= -\frac{1}{1 + \kappa^2} \left(\exp\left(-\frac{\sqrt{2}\kappa(+\infty)}{\tau}\right) - \exp\left(-\frac{\sqrt{2}\kappa m_{d,q}}{\tau}\right)\right) \\ &= \frac{1}{1 + \kappa^2} \exp\left(-\frac{\sqrt{2}\kappa m_{d,q}}{\tau}\right) = \alpha \end{aligned}$$

where $f^+(z_t)$ is the positive part of the *p.d.f.* of ALD. Transforming this equation and setting $\tau = 1$, we can obtain the VaR for oil demand:

$$VaR_{d,t} = \mu + m_{d,q}\sigma_t = \mu - \frac{\sigma_t}{\sqrt{2}\kappa} \ln(\alpha(1 + \kappa^2)) \quad (20)$$

and further the CVaR for oil demand:

$$CVaR_{d,t} = E[y_t | y_t > VaR_{d,t}] = VaR_{d,t} + \frac{\sigma_t}{\sqrt{2}\kappa} \quad (21)$$

C. Derivation of the pdf of scaled ALD

Consider a random variable z follows the Asymmetric Laplace density function in equation (17) with mean and variance given by:¹⁵

$$E(z) = \theta + \frac{\tau}{\sqrt{2}}\left(\frac{1}{\kappa} - \kappa\right) \quad \text{Var}(z) = \frac{\tau^2}{2}\left(\frac{1}{\kappa^2} + \kappa^2\right)$$

¹⁵More details of the mean and variance can refer to Kotz et al. (2001) for more details.

where $\tau = \sigma$ in our setting and is a constant, then we can transform z into another random variable ε_t by taking:

$$\varepsilon_t = \frac{z}{\sqrt{\text{Var}(z)}} \quad (22)$$

Taking partial derivatives of ε_t with respect to z , then we have:

$$dz = \sqrt{\text{Var}(z)} d\varepsilon_t = \frac{\tau}{\sqrt{2}} \frac{\sqrt{1+\kappa^4}}{\kappa} d\varepsilon_t \quad (23)$$

In the case $z \geq 0$ or $\varepsilon_t \geq 0$, by substituting (22) and (23) into density function (17), we are able to obtain:

$$\begin{aligned} Pr^+(\varepsilon_t) &= \int_0^{+\infty} \frac{\sqrt{2}}{\tau} \frac{\kappa}{1+\kappa^2} \frac{\tau}{\sqrt{2}} \frac{\sqrt{1+\kappa^4}}{\kappa} \exp\left(\frac{-\sqrt{2}\kappa}{\tau} \frac{\tau}{\sqrt{2}} \frac{\sqrt{1+\kappa^4}}{\kappa} (\varepsilon_t - \theta)\right) d\varepsilon_t \\ &= \int_0^{+\infty} \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \exp(-\sqrt{1+\kappa^4} (\varepsilon_t - \theta)) d\varepsilon_t \end{aligned} \quad (24)$$

Similarly, in the case $z < 0$ or $\varepsilon_t < 0$, it has:

$$\begin{aligned} Pr^-(\varepsilon_t) &= \int_{-\infty}^0 \frac{\sqrt{2}}{\tau} \frac{\kappa}{1+\kappa^2} \frac{\tau}{\sqrt{2}} \frac{\sqrt{1+\kappa^4}}{\kappa} \exp\left(\frac{\sqrt{2}}{\tau\kappa} \frac{\tau}{\sqrt{2}} \frac{\sqrt{1+\kappa^4}}{\kappa} (\varepsilon_t - \theta)\right) d\varepsilon_t \\ &= \int_{-\infty}^0 \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \exp\left(\frac{\sqrt{1+\kappa^4}}{\kappa^2} (\varepsilon_t - \theta)\right) d\varepsilon_t \end{aligned} \quad (25)$$

As a result, the *pdf* of SALD of random variable ε_t given σ_t can be written as:¹⁶

$$f(\varepsilon_t|\kappa, \theta, \sigma_t) = \begin{cases} \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{-\sqrt{1+\kappa^4}}{\sigma_t} (\varepsilon_t - \theta)\right) & \varepsilon_t \geq \theta \\ \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{\sqrt{1+\kappa^4}}{\kappa^2\sigma_t} (\varepsilon_t - \theta)\right) & \varepsilon_t < \theta \end{cases} \quad (26)$$

where κ is skewness parameter and σ_t is the time-varying volatility of return series.

¹⁶Note that parameter τ has been canceled out in this derivation.

D. Derivation of scaled ALD as an SMU

This part demonstrates the derivation of SALD as a scale mixture of $f_U(\varepsilon_t|\theta - \frac{\lambda\kappa^2\sigma_t}{\sqrt{1+\kappa^4}}, \theta + \frac{\lambda\sigma_t}{\sqrt{1+\kappa^4}})$ and $f_{Ga}(\lambda|2, 1)$:

$$\begin{aligned} f(\varepsilon_t|\kappa, \theta, \lambda, \sigma_t) &= \int_0^\infty f_U(\varepsilon_t|\theta - \frac{\lambda\kappa^2\sigma_t}{\sqrt{1+\kappa^4}}, \theta + \frac{\lambda\sigma_t}{\sqrt{1+\kappa^4}}) \times f_{Ga}(\lambda|2, 1) d\lambda \\ &= \int_0^\infty \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \frac{1}{\lambda} I(\theta - \frac{\lambda\kappa^2\sigma_t}{\sqrt{1+\kappa^4}} < \varepsilon_t < \theta + \frac{\lambda\sigma_t}{\sqrt{1+\kappa^4}}) \lambda \exp(-\lambda) d\lambda \end{aligned} \quad (27)$$

Consider two cases for random variable ε_t where (1): $\varepsilon_t > \theta - \frac{\lambda\kappa^2\sigma_t}{\sqrt{1+\kappa^4}}$ or equivalently $\lambda > \frac{-\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t}$ and (2): $\varepsilon_t < \theta + \frac{\lambda\sigma_t}{\sqrt{1+\kappa^4}}$ or equivalently $\lambda > \frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t}$.

Case (1):

$$\begin{aligned} &\int_0^\infty \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} I(\lambda > \frac{-\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t}) \exp(-\lambda) d\lambda \\ &= \frac{-\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \int_{-\frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t}}^\infty \exp(-\lambda) d(-\lambda) = \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp(\frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t}) \end{aligned} \quad (28)$$

Since $\frac{-\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t} > 0$, thus we have $\varepsilon_t < \theta$, which follows:

$$f^-(\varepsilon_t|\kappa, \theta, \sigma_t) = \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp(\frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\kappa^2\sigma_t}) \quad \varepsilon_t < \theta$$

Case (2):

$$\begin{aligned} &\int_0^\infty \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} I(\lambda > \frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t}) \exp(-\lambda) d\lambda \\ &= \frac{-\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \int_{\frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t}}^\infty \exp(-\lambda) d(-\lambda) = \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp(\frac{-\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t}) \end{aligned} \quad (29)$$

Since $\frac{\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t} \geq 0$, thus we have $\varepsilon_t \geq \theta$, which follows:

$$f^+(\varepsilon_t|\kappa, \theta, \sigma_t) = \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp(\frac{-\sqrt{1+\kappa^4}(\varepsilon_t-\theta)}{\sigma_t}) \quad \varepsilon_t \geq \theta$$

As a result, it is demonstrated that the scaled Asymmetric Laplace density function of random variable ε_t :

$$f(\varepsilon_t|\kappa, \theta, \sigma_t) = \begin{cases} \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{-\sqrt{1+\kappa^4}}{\sigma_t} (\varepsilon_t - \theta)\right) & \varepsilon_t \geq \theta \\ \frac{\sqrt{1+\kappa^4}}{1+\kappa^2} \frac{1}{\sigma_t} \exp\left(\frac{\sqrt{1+\kappa^4}}{\kappa^2 \sigma_t} (\varepsilon_t - \theta)\right) & \varepsilon_t < \theta \end{cases} \quad (30)$$

can be replaced by an SMU distribution given by:

$$f(\varepsilon_t|\kappa, \theta, \lambda, \sigma_t) = \int_0^\infty f_U(\varepsilon_t|\theta - \frac{\lambda \kappa^2 \sigma_t}{\sqrt{1+\kappa^4}}, \theta + \frac{\lambda \sigma_t}{\sqrt{1+\kappa^4}}) \times f_{Ga}(\lambda|2, 1) d\lambda \quad (31)$$

E. Derivation of full conditional distributions

This part presents brief derivation of the full conditional distributions of model parameters and latent volatilities under the SMU of ALD.

- For parameter δ , we have:

$$\begin{aligned} f(\delta|\beta, \sigma_\eta^2, h, y) &\propto f(h_1|\delta, \beta, \sigma_\eta^2) \prod_{t=2}^T f(h_t|h_{t-1}, \delta, \beta, \sigma_\eta^2) f_N(\mu_\delta, \sigma_\delta^2) \\ &= \exp \left[-\frac{(h_1 - \delta)^2(1 - \beta^2)}{2\sigma_\eta^2} - \frac{\sum_{t=2}^T (h_t - \delta - \beta(h_{t-1} - \delta))^2}{2\sigma_\eta^2} \right] \\ &\quad \left(\frac{1}{\sigma_\eta^2} \right)^{\frac{T}{2}} \frac{1}{\sqrt{2\pi}\sigma_\delta} \exp \left[-\frac{(\delta - \mu_\delta)^2}{2\sigma_\delta^2} \right] \\ &\propto \exp \left\{ -\frac{1}{2} \left\{ \underbrace{\left[\frac{1 - \beta^2 + (T - 1)(1 - \beta^2)}{\sigma_\eta^2} + \frac{1}{\sigma_\delta^2} \right]}_A \delta^2 \right. \right. \\ &\quad \left. \left. - 2\delta \underbrace{\left[\frac{h_1(1 - \beta^2) + (1 - \beta) \sum_{t=2}^T (h_t - \beta h_{t-1})}{\sigma_\eta^2} + \frac{\mu_\delta}{\sigma_\delta^2} \right]}_B \right\} \right\} \end{aligned} \quad (32)$$

Hence, we can obtain:

$$\delta|\beta, \sigma_\eta^2, h, y \sim N\left(\frac{B}{A}, \frac{1}{A}\right)$$

- Persistence parameter β ranges from -1 to 1 for stationarity, a beta prior distribution is

assigned to $\beta^* = \frac{\beta+1}{2} \sim Be(a_\beta, b_\beta)$, then we have:

$$\begin{aligned}
f(\beta^*|\delta, \sigma_\eta^2, h, y) &\propto f(h_1|\delta, \beta, \sigma_\eta^2) \prod_{t=2}^T f(h_t|h_{t-1}, \delta, \beta, \sigma_\eta^2) f_{Be}(a_\beta, b_\beta) \\
&= \exp \left[-\frac{(h_1 - \delta)^2(1 - \beta^2)}{2\sigma_\eta^2} - \frac{\sum_{t=2}^T (h_t - \delta - \beta(h_{t-1} - \delta))^2}{2\sigma_\eta^2} \right] \\
&\quad \left(\frac{1}{\sigma_\eta^2} \right)^{\frac{T}{2}} \frac{\beta^{*(a_\beta-1)}(1 - \beta^*)^{(b_\beta-1)}}{B(a_\beta, b_\beta)} \\
&\propto \exp \left[\frac{\beta \sum_{t=2}^T (h_t - 1)(h_{t-\delta} - \delta)}{\sigma_\eta^2} + \frac{\beta^2[(h_1 - \delta)^2 - \sum_{t=2}^T (h_{t-1} - \delta)^2]}{2\sigma_\eta^2} \right] \\
&\quad (1 + \beta)^{(a_\beta-1)}(1 - \beta)^{(b_\beta-1)}
\end{aligned} \tag{33}$$

where $B(\cdot, \cdot)$ is beta function with $B(a_\beta, b_\beta) = \frac{\Gamma(a_\beta)\Gamma(b_\beta)}{\Gamma(a_\beta+b_\beta)}$, and $\Gamma(\cdot)$ is gamma function.

• For parameter σ_η^2 , we have:

$$\begin{aligned}
f(\sigma_\eta^2|\delta, \beta, h, y) &\propto f(h_1|\delta, \beta, \sigma_\eta^2) \prod_{t=2}^T f(h_t|h_{t-1}, \delta, \beta, \sigma_\eta^2) f_{IG}(a_\sigma, b_\sigma) \\
&= \frac{1}{\sqrt{2\frac{\sigma_\eta^2}{1-\beta^2}\pi}} \exp \left[\frac{-(h_1 - \delta)^2}{2\frac{\sigma_\eta^2}{1-\beta^2}} \right] \frac{1}{\sqrt{2\sigma_\eta^2\pi}} \\
&\quad \exp \left[-\frac{\sum_{t=2}^T (h_t - \delta - \beta(h_{t-1} - \delta))^2}{2\sigma_\eta^2} \right] \frac{b_\sigma^{a_\sigma}}{\Gamma(a_\sigma)} \sigma_\eta^{2(-a_\sigma-1)} \exp \left(-\frac{b_\sigma}{\sigma_\eta^2} \right) \\
&\propto \exp \left[-\frac{b_\sigma + \frac{1}{2}(h_1 - \delta)^2(1 - \beta^2) + \frac{1}{2}\sum_{t=2}^T (h_t - \delta - \beta(h_{t-1} - \delta))^2}{\sigma_\eta^2} \right] \\
&\quad \left(\frac{1}{\sigma_\eta^2} \right)^{(a_\sigma + \frac{T}{2})+1}
\end{aligned} \tag{34}$$

Therefore, we can obtain:

$$\sigma_\eta^2|\delta, \beta, h, y \sim IG(\hat{a}_\sigma, \hat{b}_\sigma)$$

where $\hat{a}_\sigma = a_\sigma + \frac{T}{2}$ and $\hat{b}_\sigma = b_\sigma + \frac{1}{2}(h_1 - \delta)^2(1 - \beta^2) + \frac{1}{2}\sum_{t=2}^T (h_t - \delta - \beta(h_{t-1} - \delta))^2$.

- For latent variables h_t , we have:

$$\begin{aligned}
f(h_t|h_{-t}, \delta, \beta, \sigma_\eta^2, y) &\propto f(y|h_t, \delta, \beta, \sigma_\eta^2) f(h_t|h_{-t}, \delta, \beta, \sigma_\eta^2) \\
&= \frac{1}{\frac{\lambda e^{h_t/2}}{\sqrt{1+\kappa^4}} + \frac{\lambda \kappa^2 e^{h_t/2}}{\sqrt{1+\kappa^4}}} \frac{1}{\sqrt{2\pi B^2}} \exp\left[-\frac{(h_t - A)^2}{2B^2}\right] \\
&\propto e^{-\frac{h_t}{2}} \exp\left[-\frac{1}{2} \left(\frac{h_t^2}{B^2} - 2h_t \frac{A}{B^2}\right)\right] \\
&= \exp\left\{-\frac{1}{2} \left[\underbrace{\frac{1}{B^2}}_C h_t^2 - 2h_t \underbrace{\left(\frac{A}{B^2} - \frac{1}{2}\right)}_D\right]\right\}
\end{aligned} \tag{35}$$

where

$$A = \delta + \frac{\beta[(h_{t-1} - \delta) + (h_{t+1} - \delta)]}{1 + \beta^2}, \quad B^2 = \frac{\sigma_\eta^2}{1 + \beta^2}$$

is the mean and variance of Normal density function $f_N(h_t|A, B^2)$, which has equality:

$$f(h_t|h_{-t}, \delta, \beta, \sigma_\eta^2) = f(h_t|h_{t-1}, h_{t+1}, \delta, \beta, \sigma_\eta^2) = f_N(h_t|A, B^2)$$

Hence, it can be shown that:

$$h_t|h_{-t}, \delta, \beta, \sigma_\eta^2, y \sim N\left(\frac{D}{C}, B^2\right) \quad \text{or} \quad N\left(A - \frac{B^2}{2}, B^2\right) \tag{36}$$