



UNIVERSITY OF LEEDS

This is a repository copy of *Axiomatizing Discrete Spatial Relations*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/137857/>

Version: Accepted Version

Proceedings Paper:

Sindoni, G orcid.org/0000-0003-4003-2317, Sano, K orcid.org/0000-0002-7780-423X and Stell, JG orcid.org/0000-0001-9644-1908 (2018) *Axiomatizing Discrete Spatial Relations*. In: *RAMiCS 2018: Relational and Algebraic Methods in Computer Science*. International Conference on Relational and Algebraic Methods in Computer Science, 29 Oct - 02 Nov 2018, Groningen. Springer, Cham , pp. 113-130. ISBN 978-3-030-02148-1

https://doi.org/10.1007/978-3-030-02149-8_8

© Springer Nature Switzerland AG 2018. This is a post-peer-review, pre-copyedit version of an article published in *Lecture Notes in Computer Science* volume 11194. The final authenticated version is available online at: https://doi.org/10.1007/978-3-030-02149-8_8.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Axiomatizing Discrete Spatial Relations

Giulia Sindoni¹, Katsuhiko Sano^{2*}, and John G. Stell¹

¹ School of Computing, University of Leeds, Leeds, LS2 9JT, UK
{scgsi,j.g.stell}@leeds.ac.uk

² Department of Philosophy, Graduate School of Letters, Hokkaido University
v-sano@let.hokudai.ac.jp

Abstract. Qualitative spatial relations are used in artificial intelligence to model commonsense notions such as regions of space overlapping, touching only at their boundaries, or being separate. In this paper we extend earlier work on qualitative relations in discrete space by presenting a bi-intuitionistic modal logic with universal modalities, called UBiSKt. This logic has a semantics in which formulae are interpreted as subgraphs. We show how a variety of qualitative spatial relations can be defined in UBiSKt. We make essential use of a sound and complete axiomatisation of the logic and an implementation of a tableau based theorem prover to establish novel properties of these spatial relations. We also explore the role of UBiSKt in expressing spatial relations at more than one level of detail. The features of the logic allow it to represent how a subgraph at a detailed level is approximated at a coarser level.

Keywords: Spatial Relations · Discrete Space · Intuitionistic-Modal Logic · Qualitative Representation and Reasoning.

1 Introduction

1.1 The RCC and the Problem of Discrete Space

Qualitative spatial relations are used in artificial intelligence to model commonsense notions such as regions of space overlapping, touching only at their boundaries, or being separate. Qualitative approaches, as opposed to quantitative approaches, abstract from numerical information, which is often unnecessary and sometimes unavailable at the human level. These approaches have become popular in areas like AI and robot navigation, GIS (Geographical Information Systems) and Image Understanding. For a survey on the qualitative representation of spatial knowledge and examples of the problems that can be addressed using these approaches we refer the reader to [4]. Various spatial calculi have been developed including the Region-Connection-Calculus (RCC) [13] and the

* Partially supported by JSPS KAKENHI Grant-in-Aid for Young Scientists (B) Grant Number 15K21025 and Grant-in-Aid for Scientific Research (B) Grant Number 17H02258, and JSPS Core-to-Core Program (A. Advanced Research Networks)

9-intersection model [7]. The RCC is a first-order logical theory where a primitive predicate of Connection, C , between regions of the space. From Connection a notion of Parthood is defined by $P(x, y)$ iff $\forall z(C(x, z) \Rightarrow C(y, z))$. Using Connection and Parthood, a set of eight Jointly Exhaustive and Pairwise Disjoint Spatial Relations between regions is obtained. This is known as the RCC-8.

The RCC-8 can distinguish Non-Tangential Proper Part ($NTPP$) from Tangential Proper Part (TPP). RCC-8 can express the relation of sharing only a part, or Partial Overlapping (PO), as well as connection on the boundaries, or External Connection (EC) as well as disjointness, or Disconnection (DC). Equality (EQ), and the inverses of TPP and $NTPP$ are also included. Cohn and Varzi in [5] show that the RCC can be interpreted in a topological space where regions of the space are certain non-empty subsets of the space, and an operator of Kuratowski closure c is used to define Connection. Three notions of connection are proposed there: $C_1(x, y) \Leftrightarrow x \cap y \neq \emptyset$, $C_2(x, y) \Leftrightarrow c(x) \cap y \neq \emptyset$ or $x \cap c(y) \neq \emptyset$ and $C_3(x, y) \Leftrightarrow c(x) \cap c(y) \neq \emptyset$. Although the RCC aims to be neutral about whether space is dense, that is whether space can be repeatedly sub-divided *ad infinitum*, it is well known that, once atomic regions are allowed, giving non-empty regions of the space without any proper parts, the RCC theory becomes contradictory [13]. Moreover, as noticed in [18], the use of Kuratowski topological closure prevents the expression of a natural form of connection in a discrete space even in some simple examples.

The ability to reason about discrete space is important in many fields and applications. Any kind of transport network (road networks, railway networks, airlines network) is naturally represented by discrete structures such as graphs. Images in image processing lie in discrete spaces in the form of pixel arrays. Geographical data represented digitally are essentially discrete both in vector and raster formats as ultimately there is a limit to resolution.

1.2 Related work

Galton [8] studied a notion of connection between subsets of a particular kind of discrete space, known as Adjacency Space. This is a set N together with a relation of adjacency $\alpha \subseteq N \times N$. N can be thought of as a set of pixels, following the approach of Rosenfeld's Digital Topology [15]. A single pixel is the atomic region of the space. The relation α is symmetric and reflexive, but not necessarily transitive. Connection, C_α , is defined for subsets $X, Y \subseteq N$ by $C_\alpha(X, Y)$ if there are $a \in X$ and $b \in Y$ such that $(a, b) \in \alpha$. From this eight spatial relations between regions are obtained in a first-order logical theory, a discrete version of the RCC-8, and employed in the context of correction of segmentation errors in histological images [14].

Galton's discrete space (N, α) can be regarded as a graph where N is the set of nodes and the relation $\alpha \subset N \times N$ gives the edges. There is a notable difference between theory of adjacency space and graph theory [9]. A substructure of an adjacency space can be specified just in terms of nodes, two nodes being connected by only one edge, or relation of adjacency. This is not true in the general setting of a multigraph, where multiple edges may occur between two

nodes, and, therefore, different subgraphs sharing the same set of nodes may be considered. Cousty et al. [6] argue that edges need to play a more central role, and make the key observation that sets of nodes which differ only in their edges need to be regarded as distinct. This generality appears also important in examples such as needing to model two distinct roads between the same endpoints, or distinct rail connections between the same two stations. The logic used in the present paper has a semantics in which formulae are interpreted as down-closed sets arising from a set U together with a pre-order H . A special case of a set with a pre-order is a graph, and formulae are interpreted as its subgraphs. Discrete regions are seen as subgraphs and they are more general than Galton's construction. We allow graphs to have multiple edges between the same pair of nodes, thus using a structure sometime called a multigraph.

This paper extends the work in [18] where spatial relations between discrete regions are expressed in a logic, which here we denote **UBiSKt**. Here we provide a sound, complete and decidable axiomatization of the logic **UBiSKt** and a tableau calculus, extending that in [19], thus providing a computational tool for performing discrete spatial reasoning, which we have proved to be equivalent to the axiomatic proof-system. We begin here to use these new tools by exploring the role of **UBiSKt** in expressing spatial relations at more than one level of detail. The features of the logic and its connection with mathematical morphology are essential in this. This opens many directions for future work, including studying the different notions of approximation expressible in the logic, and being able to reason with spatial relations between regions at different levels of detail.

The paper is structured as follows. Section 2 introduces **UBiSKt**, a bi-intuitionistic modal logic with universal modalities, and a sound and complete axiomatization is given. Section 3 presents **UBiSKt** as a logic for graphs and shows a set of Spatial Relations between subgraphs expressed as formulae in the logic. Then we prove spatial entailments between properties of subgraphs using the axiomatization. In Section 4, we show that, given a subgraph at a detailed level, the logic allows to approximate it at a coarser level. Connection and other spatial relations between these approximated regions are also expressed. Finally we provide conclusions and further works.

2 The Logic **UBiSKt**

2.1 Kripke Semantics for **UBiSKt**

Let **Prop** be a countable set of propositional variables. Our syntax \mathcal{L} for bi-intuitionistic stable tense logic with universal modalities consists of all logical connectives of bi-intuitionistic logic, i.e., two constant symbols \perp and \top , disjunction \vee , conjunction \wedge , implication \rightarrow , coimplication \prec , and a finite set $\{\blacklozenge, \square, \mathbf{A}, \mathbf{E}\}$ of modal operators. The set $\text{Form}_{\mathcal{L}}$ of all formulae in \mathcal{L} is defined inductively as follows:

$$\varphi ::= \top \mid \perp \mid p \mid \varphi \wedge \varphi \mid \varphi \vee \varphi \mid \varphi \rightarrow \varphi \mid \varphi \prec \varphi \mid \blacklozenge \varphi \mid \square \varphi \mid \mathbf{E} \varphi \mid \mathbf{A} \varphi \quad (p \in \text{Prop}).$$

We define the following abbreviations:

$$\begin{aligned} \neg\varphi &:= \varphi \rightarrow \perp, & \neg\varphi &:= \top \prec \varphi, & \varphi \leftrightarrow \psi &:= (\varphi \rightarrow \psi) \wedge (\psi \rightarrow \varphi), \\ \diamond\varphi &:= \neg\Box\neg\varphi, & \blacksquare\varphi &:= \neg\blacklozenge\neg\varphi. \end{aligned}$$

Definition 1 ([19]). *Let H be a preorder on a set U . We say that $X \subseteq U$ is an H -set if X is closed under H -successors, i.e., uHv and $u \in X$ jointly imply $v \in X$ for all elements $u, v \in U$. Given a preorder (U, H) , a binary relation $R \subseteq U \times U$ is stable if it satisfies $H; R; H \subseteq R$.*

It is easy to see that a relation R on U is stable, if and only if, $R; H \subseteq R$ and $H; R \subseteq R$. Given any binary relation R on U , \check{R} is defined as the converse of R in the usual sense. Even if R is a stable relation on U , its converse \check{R} may be not stable.

Definition 2 ([19]). *The left converse $\check{\smile} R$ of a stable relation R is $H; \check{R}; H$.*

Definition 3. *We say that $F = (U, H, R)$ is an H -frame if U is a nonempty set, H is a preorder on U , and R is a stable binary relation on U . A valuation on an H -frame $F = (U, H, R)$ is a mapping V from \mathbf{Prop} to the set of all H -sets on U . $M = (F, V)$ is an H -model if $F = (U, H, R)$ is an H -frame and V is a valuation. Given an H -model $M = (U, H, R, V)$, a state $u \in U$ and a formula φ , the satisfaction relation $M, u \models \varphi$ is defined inductively as follows:*

$$\begin{aligned} M, u \models p &\iff u \in V(p), \\ M, u \models \top &, \\ M, u \not\models \perp &, \\ M, u \models \varphi \vee \psi &\iff M, u \models \varphi \text{ or } M, u \models \psi, \\ M, u \models \varphi \wedge \psi &\iff M, u \models \varphi \text{ and } M, u \models \psi, \\ M, u \models \varphi \rightarrow \psi &\iff \text{For all } v \in U \text{ (} uHv \text{ and } M, v \models \varphi \text{ imply } M, v \models \psi), \\ M, u \models \varphi \prec \psi &\iff \text{For some } v \in U \text{ (} vHu \text{ and } M, v \models \varphi \text{ and } M, v \not\models \psi), \\ M, u \models \blacklozenge\varphi &\iff \text{For some } v \in U \text{ (} vRu \text{ and } M, v \models \varphi), \\ M, u \models \Box\varphi &\iff \text{For all } v \in U \text{ (} uRv \text{ implies } M, v \models \varphi), \\ M, u \models \mathbf{E}\varphi &\iff \text{For some } v \in U \text{ (} M, v \models \varphi), \\ M, u \models \mathbf{A}\varphi &\iff \text{For all } v \in U \text{ (} M, v \models \varphi). \end{aligned}$$

The truth set $\llbracket \varphi \rrbracket_M$ of a formula φ in an H -model M is defined by $\llbracket \varphi \rrbracket_M := \{u \in U \mid M, u \models \varphi\}$. If the underlying model M in $\llbracket \varphi \rrbracket_M$ is clear from the context, we drop the subscript and simply write $\llbracket \varphi \rrbracket$. We write $M \models \varphi$ (read: ‘ φ is valid in M ’) to mean that $\llbracket \varphi \rrbracket_M = U$ or $M, u \models \varphi$ for all states $u \in U$. For a set Γ of formulae, $M \models \Gamma$ means that $M \models \gamma$ for all $\gamma \in \Gamma$. Given any H -frame $F = (U, H, R)$, we say that a formula φ is valid in F (written: $F \models \varphi$) if $(F, V) \models \varphi$ for any valuation V and any state $u \in U$, i.e., $\llbracket \varphi \rrbracket_{(F, V)} = U$.

As for the abbreviated symbols, we may derive the following satisfaction conditions:

$$\begin{aligned} M, u \models \neg\varphi &\iff \text{For all } v \in U \text{ (} uHv \text{ implies } M, v \not\models \varphi), \\ M, u \models \neg\varphi &\iff \text{For some } v \in U \text{ (} vHu \text{ and } M, v \not\models \varphi), \\ M, u \models \diamond\varphi &\iff \text{For some } v \in U \text{ (} (v, u) \in \check{\smile} R \text{ and } M, v \models \varphi), \\ M, u \models \blacksquare\varphi &\iff \text{For all } v \in U \text{ (} (u, v) \in \check{\smile} R \text{ implies } M, v \models \varphi). \end{aligned}$$

Proposition 1. *Given any H -model M , the truth set $\llbracket \varphi \rrbracket_M$ is an H -set.*

Proof. By induction on φ . When φ is of the form $\mathbf{E} \psi$, $\mathbf{A} \psi$, we remark that $\llbracket \varphi \rrbracket_M = U$ or \emptyset , which are both trivially H -sets. \square

Definition 4. *Given a set $\Gamma \cup \{\varphi\}$ of formulae, φ is a semantic consequence of Γ (notation: $\Gamma \models \varphi$) if, whenever $M, u \models \gamma$ for all $\gamma \in \Gamma$, $M, u \models \varphi$ holds, for all H -models $M = (U, H, R, V)$ and all states $u \in U$. When Γ is a singleton $\{\psi\}$ of formulae, we simply write $\psi \models \varphi$ instead of $\{\psi\} \models \varphi$. When both $\varphi \models \psi$ and $\psi \models \varphi$ hold, we use $\varphi = \models \psi$ to mean that they are equivalent with each other. When Γ is empty, we also simply write $\models \varphi$ instead of $\emptyset \models \varphi$.*

Table 1. Hilbert System **HUBiSKt**

Axioms and Rules for Intuitionistic Logic	
(A0) $p \rightarrow (q \rightarrow p)$	
(A1) $(p \rightarrow (q \rightarrow r)) \rightarrow ((p \rightarrow q) \rightarrow (p \rightarrow r))$	
(A2) $p \rightarrow (p \vee q)$	(A3) $q \rightarrow (p \vee q)$
(A4) $(p \rightarrow r) \rightarrow ((q \rightarrow r) \rightarrow (p \vee q \rightarrow r))$	(A5) $(p \wedge q) \rightarrow p$
(A6) $(p \wedge q) \rightarrow q$	(A7) $(p \rightarrow (q \rightarrow p \wedge q))$
(A8) $\perp \rightarrow p$	(A9) $p \rightarrow \top$
(MP) From φ and $\varphi \rightarrow \psi$, infer ψ	
(US) From φ , infer a substitution instance φ' of φ	
Additional Axioms and Rules for Bi-intuitionistic Logic	
(A10) $p \rightarrow (q \vee (p \prec q))$	(A11) $((q \vee r) \prec q) \rightarrow r$
(Mon \prec) From $\delta_1 \rightarrow \delta_2$, infer $(\delta_1 \prec \psi) \rightarrow (\delta_2 \prec \psi)$	
Additional Axioms and Rules for Tense Operators	
(A12) $p \rightarrow \Box \blacklozenge p$	(A13) $\blacklozenge \Box p \rightarrow p$
(Mon \Box) From $\varphi \rightarrow \psi$, infer $\Box \varphi \rightarrow \Box \psi$	(Mon \blacklozenge) From $\varphi \rightarrow \psi$, infer $\blacklozenge \varphi \rightarrow \blacklozenge \psi$
Additional Axioms and Rules for Universal Modalities	
(A14) $p \rightarrow \mathbf{A} \mathbf{E} p$	(A15) $\mathbf{E} \mathbf{A} p \rightarrow p$
(A16) $\mathbf{A} p \rightarrow p$	(A17) $\mathbf{A} p \rightarrow \mathbf{A} \mathbf{A} p$
(A18) $\mathbf{A} \neg p \leftrightarrow \neg \mathbf{E} p$	(A19) $(\mathbf{A} p \wedge \mathbf{E} q) \rightarrow \mathbf{E}(p \wedge q)$
(A20) $\mathbf{A} p \rightarrow \Box p$	(A21) $(\mathbf{A} p \wedge \blacklozenge q) \rightarrow \blacklozenge(p \wedge q)$
(A22) $(\mathbf{A} p \wedge (q \prec r)) \rightarrow ((p \wedge q) \prec r)$	
(Mon \mathbf{A}) From $\varphi \rightarrow \psi$, infer $\mathbf{A} \varphi \rightarrow \mathbf{A} \psi$	(Mon \mathbf{E}) From $\varphi \rightarrow \psi$, infer $\mathbf{E} \varphi \rightarrow \mathbf{E} \psi$

2.2 Hilbert System of Bi-intuitionistic Stable Tense Logic with Universal Modalities

Table 1 provides the Hilbert system **HUBiSKt**. Roughly speaking, it is a bi-intuitionistic tense analogue of a Hilbert system for the ordinary modal logic with the universal modalities [10] (see also [1, p.417]). In what follows in this

paper, we assume that the reader is familiar with theorems and derived inference rules in intuitionistic logic. We define the notion of *theoremhood* in **HUBiSKt** as usual and write $\vdash_{\mathbf{HUBiSKt}} \varphi$ to mean that φ is a theorem of **HUBiSKt**. We say that φ is *provable* from Γ (notation: $\Gamma \vdash_{\mathbf{HUBiSKt}} \varphi$) if there is a finite set $\Gamma' \subseteq \Gamma$ such that $\vdash_{\mathbf{HUBiSKt}} \bigwedge \Gamma' \rightarrow \varphi$, where $\bigwedge \Gamma'$ is the conjunction of all elements of Γ' and $\bigwedge \Gamma' := \top$ when Γ' is an emptyset. When no confusion arises, we often simply write $\vdash \varphi$ and $\Gamma \vdash \varphi$ instead of $\vdash_{\mathbf{HUBiSKt}} \varphi$ and $\Gamma \vdash_{\mathbf{HUBiSKt}} \varphi$, respectively.

Theorem 1 (Soundness). *Given any formula φ , $\vdash_{\mathbf{HUBiSKt}} \varphi$ implies $\models \varphi$.*

Proof. Since **HUBiSKt** *without* universal modalities are already shown to be sound in [16], we focus on some of the new axioms and rules. Let $M = (U, H, R, V)$ be an H -model. Validity of axioms (A19), (A20) and (A22) are shown by the fact that $M, x \models p$ implies $\llbracket Ap \rrbracket_M = U$ for every $x \in U$. Let us check the validity of (A18) in detail. To show $\models A\neg p \leftrightarrow \neg Ep$, it suffices to show $A\neg p \models \neg Ep$. Fix any $x \in U$. Assume that $M, x \models A\neg p$, which implies $\llbracket \neg p \rrbracket_M = U$. To show $M, x \models \neg Ep$, fix any $y \in U$ such that xHy . Our goal is to show $M, y \not\models Ep$, i.e., $V(p) = \emptyset$. But this is an easy consequence from $\llbracket \neg p \rrbracket_M = U$. Conversely, assume that $M, x \models \neg Ep$. Then $M, x \not\models Ap$ by xHx . This implies $V(p) = \emptyset$. To show $M, x \models A\neg p$, fix any $y \in U$. Our goal is to establish $M, y \models \neg p$. But this is easy from $V(p) = \emptyset$. \square

Our proofs of the following proposition and theorems can be found at [17].

Proposition 2. *All the following hold for **HUBiSKt**.*

1. $\vdash (\psi \prec \gamma) \rightarrow \rho$ iff $\vdash \psi \rightarrow (\gamma \vee \rho)$.
2. If $\vdash \varphi \leftrightarrow \psi$ then $\vdash (\gamma \prec \varphi) \leftrightarrow (\gamma \prec \psi)$.
3. $\vdash \neg(\varphi \prec \varphi)$.
4. $\vdash \varphi \vee \neg\varphi$.
5. $\vdash \neg\neg\varphi \rightarrow \varphi$.
6. $\vdash \neg\varphi \rightarrow \neg\varphi$.
7. $\vdash \varphi \rightarrow \neg\psi$ iff $\vdash \psi \rightarrow \neg\varphi$.
8. $\vdash \neg\varphi \rightarrow \psi$ iff $\vdash \neg\psi \rightarrow \varphi$.
9. $\vdash \neg\neg\varphi \rightarrow \psi$ iff $\vdash \varphi \rightarrow \neg\neg\psi$.
10. $\vdash \varphi \rightarrow \neg\neg\varphi$.
11. $\vdash \neg\neg\varphi \rightarrow \varphi$.
12. If $\vdash \varphi \rightarrow \psi$ then $\vdash \neg\psi \rightarrow \neg\varphi$.
13. $\vdash \neg(\varphi \wedge \neg\varphi)$.
14. $\vdash E\varphi \rightarrow \psi$ iff $\vdash \varphi \rightarrow A\psi$.
15. $\vdash \varphi \rightarrow E\varphi$.
16. $\vdash EE\varphi \rightarrow E\varphi$.
17. $\vdash AE\varphi \leftrightarrow E\varphi$.
18. $\vdash \neg A\varphi \leftrightarrow \neg A\varphi$.
19. $\vdash A\varphi \vee \neg A\varphi$.
20. $\vdash \neg E\varphi \leftrightarrow \neg E\varphi$.
21. $\vdash E\varphi \vee \neg E\varphi$.
22. $\vdash E\varphi \leftrightarrow \neg A\neg\varphi$.
23. $\vdash A(\neg\varphi \rightarrow \psi) \leftrightarrow A(\neg\psi \rightarrow \varphi)$.
24. $\vdash E(\neg\neg\varphi \wedge \psi) \leftrightarrow E(\varphi \wedge \neg\neg\psi)$.

Theorem 2 (Strong Completeness of **HUBiSKt).** *If $\Gamma \models \varphi$ then $\Gamma \vdash_{\mathbf{HUBiSKt}} \varphi$, for every set $\Gamma \cup \{\varphi\}$ of formulae.*

Theorem 3 (Decidability of **HUBiSKt).** *For every non-theorem φ of **HUBiSKt**, there is a finite frame F such that $F \not\models \varphi$. Therefore, **HUBiSKt** is decidable.*

2.3 Tableau-System for **UBiSKt**.

TabUBiSKt is a tableau-system for **UBiSKt**. It has been also implemented using the theorem-prover generator *MetTel* [21]. Our implementation of **TabUBiSKt** is available at [17]. We are going to show that **TabUBiSKt** is equipollent with **HUBiSKt**, and so the tableau with its implementation can be seen as a computational tool for reasoning with **UBiSKt**. Expressions in the calculus have one of these forms:

$$s : S\varphi \quad \perp \quad sHt \quad sRt \quad s \approx t \quad s \not\approx t$$

where S denotes a sign, either T for true or F for false, and s, t are names or labels from a fixed set **Label** in the tableau language whose intended meaning are elements of U .

Let **TabUBiSKt** be the extension of **TabBiSKt**, as described in [19] plus the following rules (for the full tableau calculus, see the manuscript at [17]):

$$\frac{s : T(\mathbf{A}\varphi), \quad t : S\psi}{t : T\varphi} (T\mathbf{A}) \qquad \frac{s : F(\mathbf{A}\varphi)}{m : F\varphi} (F\mathbf{A}) \text{ } m \text{ is fresh in the branch}$$

$$\frac{s : T(\mathbf{E}\varphi)}{m : T\varphi} (T\mathbf{E}) \text{ } m \text{ is fresh in the branch} \qquad \frac{s : F(\mathbf{E}\varphi), \quad t : S\psi}{t : F\varphi} (F\mathbf{E})$$

As in ordinary tableau calculi, rules in **TabUBiSKt** are used to decompose formulae analyzing their main connective. Since some rules are branching or splitting, the tableau derivation process constructs a tree. If a branch in the tableau derivation ends with \perp , then the branch is said to be *closed*. If a branch is not closed, then it is *open*. If a branch is open and no more rules can be applied to it then the branch is *fully-expanded*. A tableau is closed when all its branches are closed, it is open otherwise. The derivation process stops when all the branches in the tableau derivation are either closed or fully expanded. An open fully expanded branch will give the information for building model for a set of tableau expressions given as derivation input. A formula φ is a *theorem* in **TabUBiSKt** if a tableau derivation for the input set $\{a : F\varphi\}$, where ‘ a ’ is a constant label which is intended to represent the initial world, will give a closed tableau. A formula φ is provable from a finite set Γ of formulae if a tableau derivation for the input set $\{a : T\Gamma\} \cup \{a : F\varphi\}$ will give a closed tableau, where $a : T\Gamma$ means $(a : T\gamma)$, for all $\gamma \in \Gamma$.

For the proofs of the following two theorems see manuscript at [17].

Theorem 4 (Soundness of **TabUBiSKt).** *Given a finite set $\Gamma \cup \{\varphi\}$ of formulae, if φ is provable from Γ in **TabUBiSKt** then $\Gamma \models \varphi$.*

Theorem 5. *Given a formula $\varphi \in \text{Form}_{\mathcal{L}}$ the following are equivalent: 1) φ is a theorem in **HUBiSKt**, 2) φ is a theorem in **TabUBiSKt**, 3) φ is valid in all H -models.*

Theorem 5 shows that the proof systems **HUBiSKt** and **TabUBiSKt** capture the same set of theorems. Since **HUBiSKt** is decidable (Theorem 3), the tableau-system **TabUBiSKt** can be seen as the specification of a concrete algorithm for deciding whether a formula $\varphi \in \text{Form}_{\mathcal{L}}$ is a theorem in **HUBiSKt**.

3 Reasoning with Spatial Relations in UBiSKt

3.1 UBiSKt as a Logic for Graphs

The logic **UBiSKt** is an expansion of the logic **BiSKt**, introduced in [19] and also studied in [16]. As is already noted in [19], a special case of an H -model is where the set U is the set of all edges and nodes of a multigraph, and H is the incidence relation as follows.

Definition 5. A multigraph G consists of two disjoint sets E and N called the edges and the nodes, together a function $i : E \rightarrow \mathcal{P}(N)$ such that for all $e \in E$ the cardinality of $i(e)$ is either 1 or 2, and where $\mathcal{P}(N)$ is the powerset of the set of nodes. Note that these are undirected multigraphs and that edges may be loops incident only with a single node. A subgraph K of G is a subset of G such that given $u \in K$, if $v \in i(u)$ then $v \in K$.




Fig. 1. The two kinds of complement of a subgraph K .

In [11] multigraphs are also called pseudographs. Any multigraph gives rise to a pre-order from which the structure of edges and nodes can be re-captured. Let $G = (E, N, i)$ be a multigraph. Define $U = E \cup N$ and define a relation $H \subseteq U \times U$ by $(u, v) \in H$ if and only if either 1) u is an edge and $v \in i(u)$, or 2) $u = v$. It is clear that H is reflexive and transitive. A structure (U, H) obtained from a multigraph in this way, uniquely determines the original multigraph, as the nodes are those elements $u \in U$ such that for all $v \in U$, $(u, v) \in H$ implies $u = v$.

Fig. 2 shows a multigraph and the associated pre-order. From now on we will refer to multigraphs simply as graphs. It is easy to see that the subgraphs of a graph $G = (U, H)$ are exactly the subsets $K \subseteq U$ that are closed under H -successor. Therefore the notion of H -set as in Definition 1 corresponds to the notion of subgraph. Since any formula φ in the logic is interpreted as the H -set $\llbracket \varphi \rrbracket_M$, formulae in the logic can be regarded as names for subgraphs of an underlying graph $G = (U, H)$. Similarly, operations in the logic provide operations on subgraphs following the semantics defined in Section 2.1. Fig. 1 shows a subgraph, K , of a graph, G , and the effect of the two complement operations



Fig. 2. The multi-graph on the left has four nodes, a, b, c, d , and four edges w, x, y, z . The corresponding pre-order for this multi-graph is the reflexive closure of the relation on the set $\{a, b, c, d, w, x, y, z\}$ shown on the right hand side.

\neg and \lrcorner on this subgraph. We note, in Fig. 1, that $\neg K$ is the largest subgraph disjoint from K and $\lrcorner K$ is the smallest subgraph whose union with K gives all the underlying graph G .

In the next section we are going to use two negations and universal modalities in **UBiSKt** to encode spatial relations between subgraphs, where subgraphs are naturally thought of as discrete regions of the space, i.e., sets of single nodes and edges between them.

3.2 Topological Notions in UBiSKt

Definition 6. Let X be a Heyting Algebra with bottom element 0 and top element 1, and let $c : X \rightarrow X$ be a function. We say that (X, c) is a Čech closure algebra if for all $x, y \in X$:

$$c(0) = 0, \quad x \leq c(x), \quad c(x \vee y) = c(x) \vee c(y).$$

Given a function $i : X \rightarrow X$, We say that (X, i) is a Čech interior algebra if for all $x, y \in X$:

$$i(1) = 1, \quad i(x) \leq x, \quad i(x \wedge y) = i(x) \wedge i(y).$$

Let M be an H -model. Since **UBiSKt** is an expansion of intuitionistic logic, it is easy to see that $\{\llbracket \varphi \rrbracket_M \mid \varphi \in \text{Form}_{\mathcal{L}}\}$ forms a Heyting algebra by interpreting \perp as the bottom element 0 and \top as the top element 1. Then, as we already noted in [18], $\lrcorner \neg$ enables us to define a Čech closure algebra. This can be also verified by our axiomatization. Since the adjunction “ $\lrcorner \neg \dashv \neg \lrcorner$ ”, the combination $\lrcorner \neg$ preserves finite disjunctions and the combination $\neg \lrcorner$ preserves finite conjunctions (due to item 9 of Proposition 2), we can easily obtain the first and the third conditions for a Čech closure algebra by soundness of **HUBiSKt**. Moreover the second condition follows from item 10 of Proposition 2 and soundness of **HUBiSKt**. Dually, we can also similarly verify that the combination $\neg \lrcorner$ gives rise to a Čech interior algebra on $\{\llbracket \varphi \rrbracket_M \mid \varphi \in \text{Form}_{\mathcal{L}}\}$.

We may regard $\lrcorner \neg$ and $\neg \lrcorner$ as \blacklozenge and \blacksquare arising from the left converse $\smile H$ of H , respectively. This is explained as follows. When we restrict our attention to the class of H -models $M = (U, H, R, V)$ satisfying $R = H$, we note that the modal operators \blacklozenge and \blacksquare arising from the left converse $\smile R$ of R are equivalent with $\lrcorner \neg$ and $\neg \lrcorner$, respectively, while the modal operators \blacklozenge and \blacksquare become trivial in the sense that $\blacklozenge \varphi \leftrightarrow \varphi$ and $\blacksquare \varphi \leftrightarrow \varphi$ are valid in the model.

Definition 7. Given an H -model $M = (U, H, R, V)$, an H -set $K \subseteq U$ is representable in the syntax \mathcal{L} of **UBiSKt** if there is a formula $\varphi \in \text{Form}_{\mathcal{L}}$ such that $K = \llbracket \varphi \rrbracket_M$.

With the help of two kinds of negations \neg and \lrcorner , we can talk about the notions of boundary and exterior of a representable subgraph.

$\partial^N(\varphi) := \varphi \wedge \lrcorner \varphi$ represents the nodes-boundary of a subgraph $\llbracket \varphi \rrbracket_M$.
 $\partial(\varphi) := \neg \neg(\varphi \wedge \lrcorner \varphi) \wedge \varphi$ represents the general boundary of a subgraph $\llbracket \varphi \rrbracket_M$. This is the node-boundary plus the edges in the subgraph between these nodes.
 $\lrcorner \varphi$ represents the exterior of the subgraph $\llbracket \varphi \rrbracket_M$.

We also remark the following: the formula $\mathbf{A}\varphi$ represents $\llbracket \varphi \rrbracket_M = U$ and $\mathbf{E}\varphi$ represents $\llbracket \varphi \rrbracket_M \neq \emptyset$ and $\mathbf{A}\lrcorner \varphi$ or $\neg \mathbf{E}\varphi$ represent $\llbracket \varphi \rrbracket_M = \emptyset$.

Using the closure operator the spatial relation of connection between subgraphs $\llbracket \varphi \rrbracket$ and $\llbracket \psi \rrbracket$ can be expressed by an appropriate formula in **UBiSKt**:

$$C(\varphi, \psi) := \mathbf{E}(\lrcorner \varphi \wedge \psi).$$

The formula states that $\llbracket \lrcorner \varphi \rrbracket_M \cap \llbracket \psi \rrbracket_M \neq \emptyset$. This means that the two subgraphs are connected if they are an edge apart, in the limit case. This notion of connection is the equivalent of the notion of adjacency found in Galton [8], and is one of the notions of connection expressed by closure in [5], with the difference that the operation $\lrcorner \neg$ is not a Kuratowski closure, but a Čech closure.

Beside connection the following Spatial Relations can be defined inside **UBiSKt**: Part, non-Part, Proper Part, Non-tangential Proper Part, Tangential Proper Part, External Connection, Disconnection, Partial overlapping, Equality, and the Inverse of Non-tangential Proper Part and Tangential Proper Part respectively. We list each relation with its correspondent formula in Table 2.

Table 2. Spatial Relations and the corresponding formulae

Spatial Relation	Formula	Spatial Relation	Formula
$P(\varphi, \psi)$	$\mathbf{A}(\varphi \rightarrow \psi)$	$DC(\varphi, \psi)$	$\mathbf{A} \neg(\lrcorner \neg \varphi \wedge \psi)$
$non-P(\varphi, \psi)$	$\mathbf{E}(\varphi \prec \psi)$	$PO(\varphi, \psi)$	$\mathbf{E}(\psi \wedge \psi) \wedge non-P(\varphi, \psi) \wedge non-P(\psi, \varphi)$
$PP(\varphi, \psi)$	$P(\varphi, \psi) \wedge non-P(\psi, \varphi)$	$EQ(\varphi, \psi)$	$\mathbf{A}(\varphi \leftrightarrow \psi)$
$NTPP(\varphi, \psi)$	$PP(\varphi, \psi) \wedge P(\lrcorner \neg \varphi, \psi)$	$NTPP^i(\varphi, \psi)$	$NTPP(\psi, \varphi)$
$TPP(\varphi, \psi)$	$PP(\varphi, \psi) \wedge non-P(\lrcorner \neg \varphi, \psi)$	$TPP^i(\varphi, \psi)$	$TPP(\psi, \varphi)$
$EC(\varphi, \psi)$	$C(\varphi, \psi) \wedge \mathbf{A}(\neg(\varphi \wedge \psi))$		

3.3 Reasoning on Spatial Entailments in **UBiSKt**

In this section we are going to show some interesting entailments between spatial properties of subgraphs, that can be derived syntactically in **UBiSKt**. Indeed all the following has been proved using **HUBiSKt**. For these axiomatic proofs the reader is referred to the manuscript at [17], where a wider list of properties of spatial relations between subgraphs has been included. We remark that propositions 3-5 are also mechanically verified in our implementation of **TabUBiSKt** in terms of *MetTel* [21]. The implemented prover with instructions on how to use it and how to prove any of the following propositions can be found at [17].

Proposition 3. $\vdash_{\text{HUBiSKt}} E(\neg \neg \varphi \wedge \psi) \leftrightarrow E(\varphi \wedge \neg \neg \psi)$. *If the closure of a region intersects another region, then the closure of this latter region will intersect the former.*

This holds due to item 24 of Proposition 2. From Proposition 3 we can infer that the spatial relation of Connection, $C(\varphi, \psi)$ can also be expressed by the formula $E(\varphi \wedge \neg \neg \psi)$, showing that our formulation is equivalent to the notion of connection C_2 found in [5].

Proposition 4. i) $\vdash_{\text{HUBiSKt}} P(\neg \neg \varphi, \psi) \leftrightarrow P(\varphi, \neg \neg \psi)$. *If the closure of a region is part of another region then the former region will be part of the interior of the latter, and vice versa.* ii) $\vdash_{\text{HUBiSKt}} NTP(\neg \neg \varphi, \varphi)$ *The interior of a region is always Non-tangential part of the region.*

Proposition 5. $\vdash_{\text{HUBiSKt}} \partial^N(\varphi) \leftrightarrow \partial^N(\varphi) \wedge \neg \partial^N(\varphi)$. *The Nodes-boundary of a region is always boundary of itself.*

4 Granular Spatial Relations

The idea of zooming out, or viewing a situation in a less detailed way, is commonplace. Intuitively, zooming out on an image (a set of pixels) we expect narrow




Fig. 3. Approximation of a subset of \mathbb{Z}^2 by a 2×2 structuring element.

cracks to fuse and narrow spikes to become invisible. This intuitive expectation is borne out in the formalisation due to mathematical morphology. The idea here is that instead of being able to see individual pixels, only groups of pixels can be seen. This is illustrated in Fig. 3 using the operations of opening and closing by a structuring element. For details of mathematical morphology see [12], but here it is sufficient to know that the opening consists of the image formed by (overlapping) copies of the structuring element within the original, and that closing consists of the complement of the (overlapping) copies of the structuring element but rotated by half a turn, that can be placed wholly outside the original.

As explained in [12] the operations of mathematical morphology are not restricted to approximating subsets of a grid of pixels by a structuring element, but apply in the context of any subset of set with an arbitrary binary relation on the set instead of a structuring element. As [19] shows, we can extend this to a pre-order (U, H) and approximate H -sets in this structure by means of a stable relation R . Given $X \subseteq U$, we use $X \oplus R$ (dilation of X) to denote $\{u \in U \mid \exists v(v R u \wedge v \in X)\}$, and use $R \ominus X$ (erosion of X) to denote $\{u \in U \mid \forall v(u R v \Rightarrow v \in X)\}$. It is well known that for R fixed the operations $_ \oplus R$ and $R \ominus _$ form an adjunction from the lattice $\mathcal{P}(U)$ to itself, with $_ \oplus R$ left adjoint to $R \ominus _$. From adjunction, some properties of dilation and erosion follow, for example, given two sets A and B and a relation R , $A \oplus R \subseteq B$ is equivalent to $A \subseteq R \ominus B$. The opening of X by R is denoted $X \circ R$ and defined as $(R \ominus X) \oplus R$ and the closing is $X \bullet R = R \ominus (X \oplus R)$. The connection between mathematical morphology and modal logic has been studied in [2] in the set based case, and extended to the graph based case in [19]. Here, the modalities \diamond , \blacklozenge , \square and \blacksquare function as semantic operators taking H -sets to H -sets, with \diamond associated to $X \mapsto X \oplus \cup R$, \blacklozenge associated to $X \mapsto X \oplus R$, \square associated to $R \ominus X$ and \blacksquare associated to $\cup R \ominus X$. So, given a propositional variable p representing an H -set, opening and closing of the H -set are expressible in the logic by the formulae $\blacklozenge \square p$ and $\square \blacklozenge p$ respectively. This extends to **UBiSKt**, as it is an extension of the logic studied in [19]. In this setting, the idea of opening as fitting copies of a structuring element inside an image remains meaningful. Copies of the structuring element correspond to R -dilates in the following sense.

Definition 8. *A subset $X \subseteq U$ is an R -dilate if $X = \{u\} \oplus R$ for some $u \in U$.*

Stability implies that R -dilates are always H -sets. It is straightforward to check that opening and closing can be expressed in terms of dilates:

$$\begin{aligned} X \circ R &= \bigcup \{ \{u\} \oplus R \mid \{u\} \oplus R \subseteq X \}, \\ X \bullet R &= \{ u \in U \mid \{u\} \oplus R \subseteq \bigcup \{ \{x\} \oplus R \mid x \in X \} \}. \end{aligned}$$

To give concrete examples, let (U, H) be the graph with \mathbb{Z}^2 for nodes and two nodes are connected by an edge if exactly one of their coordinates differs by 1. We refer to this as the graph \mathbb{Z}^2 , visualized as in Fig 4. The dilates by H and by $\cup H$ of a node, a horizontal edge, and a vertical edge are shown in the figure.




Fig. 4. Shapes of the dilates of H and of $\cup H$ when (U, H) is the graph shown.

We can think of $(X \circ R) \bullet R$ as a granular version of X in which we cannot ‘see’ arbitrary H -sets, but only ones that can be described in terms of the R -dilates. As we have seen, opening and closing correspond to specific sequences of modalities in the logic. So, given a representable H -set, we can capture its granular version by a formula in the logic.

Definition 9. Given a propositional variable p representing an H -set, ‘coarsely p ’ is defined by $\mathbb{G}p := \square \blacklozenge \square p$.

We notice that the closing of the opening of a region is known in mathematical morphology as an alternating filter. This gives a way of zooming-out for a region, but how should we define connection between coarse regions? The issue is that the space underlying the regions should become coarser – regions disconnected may become connected for example. In the same way that coarse regions are described in terms of dilates, a coarse version of connection can be formulated using dilates. To motivate this consider Fig 5 which shows the idea that coarse regions are coarsely connected if there is a dilate intersecting both, or visually and informally that the gap between can be bridged by a dilate. Requiring an R -dilate joining two regions seems a suitable notion of coarse connection, as it extends the intuition of connection at the detailed level. Indeed two H -sets X and Y are connected at the detailed level (see table 2) if the gap between them can be bridged by an H -dilate, so if they are an edge apart, in the limit case. Going to the granular level, single H -dilates are no longer “visible”, and the space has coarser atomic parts: copies of the structuring element, i.e. R -dilates.




Fig. 5. Granular View by Relation $\cup H$

Definition 10. An R -dilate, D , joins H -sets X and Y if $X \cap D \neq \emptyset$ and $Y \cap D \neq \emptyset$.

It is easy to see that requiring an R -dilates that joins X and Y amounts to require that, given the union of the R -dilates intersecting X , at least one of them intersects Y .

Lemma 1 ([19]). If R and S are relations on a set U and $X \subseteq U$ then $X \oplus (R; S) = (X \oplus R) \oplus S$.

Lemma 2. Let X be an H -set and R a stable relation. The union of the R -dilates intersecting X is $X \oplus (\cup R; R)$.

Proof. First we show that the union of the R -dilate intersecting X is $X \oplus \check{R} \oplus R$. If $\{u\} \oplus R$ intersects X , for some $u \in U$, then there is a $x \in X$ such that $\{u\} \subseteq \{x\} \oplus \check{R}$. Hence $\{u\} \oplus R \subseteq \{x\} \oplus \check{R} \oplus R \subseteq X \oplus \check{R} \oplus R$. In the other direction, if $y \in X \oplus \check{R} \oplus R$, then there is some $u \in U$ and $x \in X$ such that uRy and uRx , so that $y \in \{u\} \oplus R$ with $\{u\} \oplus R$ intersecting X . Now, since $\check{R} \subseteq \cup R$ (see definition 2), $X \oplus \check{R} \oplus R \subseteq X \oplus \cup R \oplus R = X \oplus \cup R; R$. Also $X \oplus \cup R; R = X \oplus H; \check{R}; H; R = X \oplus \check{R}; H; R \subseteq X \oplus \check{R}; R = X \oplus \check{R} \oplus R$ because X is an H -set and R is stable. So $X \oplus \check{R} \oplus R = X \oplus \cup R; R$.

Proposition 6. There is an R -dilate joining H -sets X and Y iff $(X \oplus (\cup R; R)) \cap Y \neq \emptyset$.

Proof. The union of R -dilates intersecting X is $X \oplus (\cup R; R)$ from Lemma 2. This intersects Y iff $(X \oplus (\cup R; R)) \cap Y \neq \emptyset$.

The above discussion provides a semantic justification for the following definition.

Definition 11 (Coarse connection). $C_G(p, q) := E(\blacklozenge \lozenge \mathbb{G}p \wedge \mathbb{G}q)$.

Note that when $R = H$, then $\mathbb{G}p$ is equivalent to p and $C_G(p, q)$ is equivalent to $C(p, q)$. Indeed, as noticed in section 3.2, $\neg \neg$ can be regarded as \lozenge arising from the left converse of H , $\cup H$, and $\blacklozenge \varphi \leftrightarrow \varphi$ and $\square \varphi \leftrightarrow \varphi$ are valid in a model where $R = H$. Another special case is when H is the identity relation on a set, and R is an equivalence relation. In this case $\llbracket \mathbb{G}p \rrbracket$ will correspond to the lower approximation, in the sense of rough-set theory, of $\llbracket p \rrbracket$.

As we would expect, our notion of coarse connection is symmetric as follows. See manuscript at [17] for the proof.

Proposition 7. $\vdash_{\text{HUBiSKt}} E(\blacklozenge \lozenge \varphi \wedge \psi) \leftrightarrow E(\varphi \wedge \blacklozenge \lozenge \psi)$.

Similar to connection, we can define a notion of coarse parthood in terms of R -dilates. The standard notion of parthood at the detailed level (Table 2) says that, given H -sets X and Y , X is part of Y if and only if all the atomic H -dilates in X lie in Y . A suitable notion of coarse parthood will require that X is coarse part of Y if and only if all the R -dilates in X lie also in Y .

Proposition 8. *Let X and Y be H -sets, and R a stable relation. The following are equivalent: 1) all the R -dilates in X lie in Y and 2) $R \ominus (X) \subseteq R \ominus (Y)$.*

Proof. The union of all the R -dilates in X is the opening of X : $X \circ R = (R \ominus X) \oplus R$. Hence, requiring the all the R -dilates in X lie in Y amounts to require that $(R \ominus X) \oplus R \subseteq Y$. By properties of adjunction this is equivalent to $R \ominus X \subseteq R \ominus Y$.

Lemma 3 ([19]). *Let M be and H -model and let $\varphi, \psi \in \text{Form}_{\mathcal{L}}$ with $\llbracket \varphi \rrbracket_M$ and $\llbracket \psi \rrbracket_M$ associated H -sets. Then $\llbracket \varphi \rrbracket_M \subseteq \llbracket \psi \rrbracket_M$ iff $M \models \mathbf{A}(\varphi \rightarrow \psi)$*

The above reasoning together with Lemma 3 provide a semantic justification for the following definition of coarse parthood between coarse regions.

Definition 12 (Coarse parthood). $P_G(p, q) := \mathbf{A}(\Box \mathbb{G}p \rightarrow \Box \mathbb{G}q)$.

The negation of the notion of coarse parthood will give a notion of coarse non-parthood: this requires that there is at least an R -dilate in X such that it is not in Y . From proposition 8, we know that this is equivalent to $R \ominus X \not\subseteq R \ominus Y$.

Lemma 4. *Let M be and H -model and let $\varphi, \psi \in \text{Form}_{\mathcal{L}}$ with $\llbracket \varphi \rrbracket_M$ and $\llbracket \psi \rrbracket_M$ associated H -sets. Then $\llbracket \varphi \rrbracket_M \not\subseteq \llbracket \psi \rrbracket_M$ iff $M \models \mathbf{E}(\varphi \prec \psi)$.*

For the proof of Lemma 4, see manuscript at [17]. Because of Lemma 4 we propose the following definition.

Definition 13 (Coarse non-parthood). $non\text{-}P_G(p, q) := \mathbf{E}(\Box \mathbb{G}p \prec \Box \mathbb{G}q)$.

We now analyze how to extend the spatial relation of overlapping to the granular level. Two H -sets X and Y overlaps at the detailed level if and only if there is at least a non-empty H -dilate that lies both in X and Y . Following this idea, a suitable notion of coarse overlapping requires a non-empty R -dilate that lies both in X and Y .

Proposition 9. *Let X and Y be H -sets and R a stable relation. The following are equivalent: 1) there is a non-empty R -dilate that lies both in X and in Y and 2) $(X \cap Y) \circ R \neq \emptyset$.*

Proof. $(X \cap Y) \circ R$ is the opening of $X \cap Y$, so union of all R -dilates both in X and in Y . Hence requiring that there is a non empty R -dilate that lies both in X and in Y amounts to require that the opening of $X \cap Y$ is non-empty: $(X \cap Y) \circ R \neq \emptyset$. \square

Thus we define coarse overlapping between coarse regions as follows.

Definition 14 (Coarse overlapping). $O_G(p, q) := \mathbf{E}(\blacklozenge \Box(\mathbb{G}p \wedge \mathbb{G}q))$.

As an example, in figure 6 on the left we show two H -sets (red and black) that intersect, but an R -dilate will not fit inside the region of intersection ($R = \smile H$). Therefore the spatial relation O_G does not hold. If the region of intersection is

at least as big as an R -dilate, as happens on the right of the figure, then the relation O_G does hold.


Given H -sets X and Y , X is non-tangential part of Y at the detailed level if X is part of Y and the closure of X , $\dashv\neg X$, is still part of Y . This means that all the H -dilates that intersect X lie in Y . Hence, a suitable notion of coarse non-tangential part between H -sets X and Y is obtained by requiring that X is coarse part of Y and all the R -dilates intersecting X lie in Y .

Proposition 10. *Let X and Y be H -sets and R a stable relation. The following are equivalent: 1) all the R -dilates overlapping X lie in Y , and 2) $X \oplus \cup R \subseteq R \ominus Y$.*

Proof. The union of the R -dilates overlapping X lie in Y is $(X \oplus \cup R \oplus R) \subseteq Y$ by Lemma 2. This is equivalent to $X \oplus \cup R \subseteq R \ominus Y$ by properties of adjunctions.

The above reasoning provides a semantic justification for the following definition.

Definition 15 (Coarse non-tangential part). $NTP_G(p, q) := A(\Box Gp \rightarrow \Box Gq) \wedge A(\Diamond Gp \rightarrow \Box Gq)$.



Two H -sets not sharing a whole R -dilate

Two H -sets sharing a whole R -dilate

Fig. 6. Cases of coarse non-overlapping and of coarse overlapping, where R is $\cup H$.

Finally, we analyze the notion of coarse tangential part. At the detailed level, an H -set X is tangential part of Y if it is its part and there is at least an H -dilate intersecting X that does not lie in Y . This is obtained by requiring that the closure of X is not part of Y . Hence, at the granular level we will require that the union of all R -dilates intersecting X does not lie in Y . This means that we have to negate the requirement for NTP_G : by proposition 10 this is $X \oplus \cup R \not\subseteq R \ominus Y$. Because of this and Lemma 4 we propose the following.

Definition 16 (Coarse tangential part). $TP_G(p, q) := A(\Box Gp \rightarrow \Box Gq) \wedge E(\Diamond Gp \prec \Box Gq)$.

5 Conclusions and Further Work

We have provided a sound and complete axiomatisation for the logic **UBiSKT** and used this to prove a number of results in Section 3.3 demonstrating that the definitions of discrete spatial relations have properties appropriate to the spatial concepts involved. We have also provided a tableau calculus for the logic, and proved that this is equivalent to the Hilbert-style axiomatisation. While spatial relations in discrete space have been studied before, the novelty in our work here is the use of reasoning in a formal logic together with an implementation of a theorem-proving procedure for the logic.

There are several directions for further work. Our use of **UBiSKT** to formulate a notion of coarsening fits in with existing work observing that both rough set theory and mathematical morphology are closely connected with modal logic [3]. Our definitions of coarse spatial relations in this setting are, however, a novelty. We have been able to indicate the semantic basis and some basic properties of these relations. In future work we will investigate the use of the axiomatisation in establishing more general forms of connection. For example, by measuring the connection between two regions at two levels of detail, that is the value of $(C(p, q), C_G(p, q))$, we anticipate based on the evidence in [20] (which considered granularity but not the connection relation) that spatial relations able to make finer distinctions can be obtained.

References

1. Blackburn, P., de Rijke, M., Venema, Y.: *Modal Logic*. Cambridge Tracts in Theoretical Computer Science, Cambridge University Press, Cambridge (2001)
2. Bloch, I.: Modal logics based on mathematical morphology for qualitative spatial reasoning. *Journal of Applied Non-Classical Logics* **12**(3–4), 399–423 (2002). <https://doi.org/10.3166/jancl.12.399-423>
3. Bloch, I.: Spatial reasoning under imprecision using fuzzy set theory, formal logics and mathematical morphology. *International Journal of Approximate Reasoning* **41**(2), 77–95 (2006)
4. Chen, J., Cohn, A.G., Liu, D., Wang, S., Ouyang, J., Yu, Q.: A survey of qualitative spatial representations. *The Knowledge Engineering Review* **30**(1), 106–136 (2015)
5. Cohn, A.G., Varzi, A.C.: Mereotopological connection. *Journal of Philosophical Logic* **32**, 357–390 (2003)
6. Cousty, J., Najman, L., Dias, F., Serra, J.: Morphological filtering on graphs. *Computer Vision and Image Understanding* **117**, 370–385 (2013)
7. Egenhofer, M.J., Herring, J.: Categorizing binary topological relations between regions, lines, and points in geographic databases. *Department of Surveying Engineering, University of Maine, Orono, ME* **9**(94-1), 76 (1991)
8. Galton, A.: The mereotopology of discrete space. In: Freksa, C., Mark, D. (eds.) *COSIT'99 proceedings*. LNCS, vol. 1661, pp. 251–266. Springer (1999)
9. Galton, A.: Discrete mereotopology. In: Calosi, I.C., Graziani, P. (eds.) *Mereology and the Sciences: Parts and Wholes in the Contemporary Scientific Context*, pp. 293–321. Springer (2014)

10. Goranko, V., Passy, S.: Using the universal modality: Gains and questions. *Journal of Logic and Computation* **2**(1), 5–30 (1992). <https://doi.org/doi:10.1093/logcom/2.1.5>
11. Harary, F.: *Graph theory*. Addison-Wesley (1969)
12. Najman, L., Talbot, H.: *Mathematical Morphology. From theory to applications*. Wiley (2010)
13. Randell, D.A., Cui, Z., Cohn, A.G.: A spatial logic based on regions and connection. In: Nebel, B., Rich, C., Swartout, W. (eds.) *Principles of Knowledge Representation and Reasoning. Proceedings of the Third International Conference (KR92)*. pp. 165–176. Morgan Kaufmann (1992)
14. Randell, D.A., Galton, A., Fouad, S., Mehanna, H., Landini, G.: Mereotopological correction of segmentation errors in histological imaging. *Journal of Imaging* **3**(4), 63 (2017)
15. Rosenfeld, A.: Digital topology. *American Mathematical Monthly* pp. 621–630 (1979)
16. Sano, K., Stell, J.G.: Strong completeness and the finite model property for bi-intuitionistic stable tense logics. In: *Electronic Proceedings in Theoretical Computer Science*. Open Publishing Association (2016)
17. Sindoni, G., Sano, K., Stell, J.G.: Axiomatizing discrete spatial relations (extended version with omitted proofs). <https://doi.org/10.5518/427> (2018)
18. Sindoni, G., Stell, J.G.: The logic of discrete qualitative relations. In: *COSIT'17 proceedings*. vol. 86. Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik (2017)
19. Stell, J., Schmidt, R., Rydeheard, D.: A bi-intuitionistic modal logic: Foundations and automation. *J. Logical and Algebraic Methods in Programming* **85**(4), 500–519 (2016)
20. Stell, J.G.: Granular description of qualitative change. In: Rossi, F. (ed.) *Proceedings of the 23rd International Joint Conference on Artificial Intelligence*. pp. 1111–1117 (2013)
21. Tishkovsky, D., Schmidt, R.A., Khodadadi, M.: Mettel2: Towards a tableau prover generation platform. In: *PAAR@ IJCAR*. pp. 149–162 (2012)