

This is a repository copy of Fat crystallite thickness distribution based on SAXD peak shape analysis.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/139105/

Version: Supplemental Material

### Article:

den Adel, R., van Malssen, K., van Duynhoven, J. et al. (2 more authors) (2018) Fat crystallite thickness distribution based on SAXD peak shape analysis. European Journal of Lipid Science and Technology, 120 (9). 1800222. ISSN 1438-7697

https://doi.org/10.1002/ejlt.201800222

This is the peer reviewed version of the following article: den Adel, R., van Malssen, K., van Duynhoven, J., Mykhaylyk, O. O. and Voda, A. (2018), Fat Crystallite Thickness Distribution Based on SAXD Peak Shape Analysis. Eur. J. Lipid Sci. Technol., 120: 1800222, which has been published in final form at https://doi.org/10.1002/ejlt.201800222. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Self-Archiving.

#### Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

#### Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



# Supporting information





Figure S1. Synchrotron SAXD patterns of tripalmitin crystallized at different thermal conditions.



## Williamson-Hall plot of tripalmitin

Figure S2. Williamson-Hall plot of long spacing peak broadening of tripalmitin obtained from synchrotron SAXD patterns (Figure S1).