UNIVERSITY of York

This is a repository copy of Our bones: strength, flexibility and ... fractals!.

White Rose Research Online URL for this paper: <u>https://eprints.whiterose.ac.uk/139999/</u>

Version: Published Version

Article:

Kröger, Roland orcid.org/0000-0002-5070-0297 and Reznikov, Natalie (2018) Our bones:strength, flexibility and...fractals! TheScienceBreaker. ISSN 2571-9262

Reuse

This article is distributed under the terms of the Creative Commons Attribution-ShareAlike (CC BY-SA) licence. This licence allows you to remix, tweak, and build upon the work even for commercial purposes, as long as you credit the authors and license your new creations under the identical terms. All new works based on this article must carry the same licence, so any derivatives will also allow commercial use. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/





November 16, 2018

Math, Physics & Chemistry Our bones: strength, flexibility and...fractals!

by Roland Kröger¹ | Professor; Natalie Reznikov² | Research Fellow

1: Department of Physics, University of York, York, UK

²: Imperial College, UK

This Break was edited by Max Caine, Editor-in-chief - TheScienceBreaker

The combined hardness and toughness of bone cannot be explained by the mere mixture of proteins and calcium phosphate mineral. To solve this conundrum, a deeper insight into the structure of this remarkable material is required. Using advanced three-dimensional nanoscale imaging of the mineral in human bone, we highlighted the importance of its structural organization.



Image credits: Pixabay - CC0

Each of us has a skeleton – that is ordinary. However, the bone of which a skeleton is made is anything but ordinary. From an engineering perspective bone provides an incredibly versatile support structure that performs remarkably well in a circus contortionist, a sumo wrestler, a toddler who is climbing up a bookshelf, and in the toddler's grandfather leaping forward to prevent a bonebreaking fall. However, after fracture, bones can heal without traces, and they are preserved as fossils for millions of years. Until adulthood, bones increase in size a thousand-fold. But after all, bones consist of abundant bioavailable elements such as calcium, phosphorus, and carbon. The secret of bones is that they are both strong and flexible at the

1

same time. In fact, many biological objects are strong and flexible: for example, wood, antlers, spider webs. Over millions of years of evolution, nature developed a strategy to obtain maximal functional efficacy from the cheapest inventory – something called "hierarchical organization".

How do we study hierarchical materials? One important point is to keep track of the context of observations. With modern characterization methods, it is possible to image at high magnification and thus to identify details all the way down to the level of individual atoms. However, our high-resolution information only makes sense if we know about its hierarchical context. Like when using



interactive maps, zooming into a beautiful remote town you want to visit won't help you to get there unless you also carefully look at the roads that lead to that town. In materials science, an important tool used for precise sampling is a focused ion beam coupled to an electron microscope. The ion beam acts as a fine knife and cuts samples a few hundred atoms thick from an interesting area of a larger specimen. This smaller sample from a known location and context can be further used for highresolution imaging. The second crucial factor in the research of hierarchical materials is that all such materials are three-dimensional. Therefore, in order to understand and correctly interpret imaging data, it must obtained in 3D. An important technique for this is electron tomography, where a tiny sample as thin as one thousandth of the thickness of a human hair is imaged in a sequence of hundreds of projections, each one being slightly rotated with respect to the other. These projection images can be digitally assembled into a 3D image of the object this digital replica can then be viewed from any angle at any level and analyzed in detail.

In fact, our ability to combine these modern methods of sampling and imaging into a smooth workflow became possible only fairly recently. For more than 300 years bone is known to be hierarchically structured (the first description of 5 levels of bone hierarchical organization was made by the English surgeon and scientist Clopton Havers in 1691). When we obtained a tiny specimen of bone from a known location and of a known orientation, and when we looked at the bone crystallites with the aim of revealing their 3D shape and size, we discovered that these crystallites were already hierarchical at the nanometer scale (one billionth of a meter)! Moreover, the thin crystals were slightly curved, like delicate petals splaying away from the pedicle, or like loosely braided hair.

Beyond this, the hierarchy repeated itself: curved and needle-shaped crystals were merging sideways into a platelet (like fingers and a palm), and several platelets were stacked together (like 2, 3 or 4 hands pressed together). These intricate hierarchical aggregates merged and further split.

@ () @

When zooming out whilst recalling the context of these curved crystallites in bone, an intriguing picture emerges: entire bones such as a rib, or the collar bone, have a clearly twisted shape, as the grooves and ridges in long bones follow a slight screw-like course. Tiny capillaries, which nourish the bone, pierce the bone shaft with a delicate, screwlike trajectory. Around the capillaries, bone material is organized into osteons - concentric layers, reminiscent of leek stems. These layers are made of narrow bundles twisting around the central capillaries with a varying angle. The bundles are composed of mineralized collagen fibrils gently twisting around the bundle axis, like threads of a rope. Collagen is a fibrous protein that exists in triple helices, and the mineral crystallites, as our study showed, are also twisted. Thus, the organization of bones is self-similar, with the repeating pattern being a helix. Therefore we call this organization of bone fractal-like.

At all levels, the organization of bone components follows a helical motif. This makes bone both resilient and strong, as is essentially required in real life so that indeed the toddler could fall from the shelf, and the grandfather would drop his newspaper and leap towards the baby, and both would not sustain skeletal injuries. Nature endlessly reuses successful design strategies, and skeletons are not an exception: down to the bone, we are fractals.