



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/154517/>

Version: Accepted Version

Article:

Field, M. and Kersbergen, I. (2019) Response to commentaries. *Addiction*, 115 (1). pp. 17-18. ISSN: 0965-2140

<https://doi.org/10.1111/add.14854>

This is the peer reviewed version of the following article: Field, M., and Kersbergen, I. (2019) Response to commentaries. *Addiction*, which has been published in final form at <https://doi.org/10.1111/add.14854>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

Response to commentaries

Matt Field

Department of Psychology, University of Sheffield

Inge Kersbergen

School of Health and Related Research, University of Sheffield

Declarations of interest: None

Running head: Response to commentaries

Word count: 533, summary 51 words

Correspondence to:

Matt Field, Department of Psychology, Cathedral Court, 1 Vicar Lane, Sheffield, S1 2LT.

Email: matt.field@sheffield.ac.uk

Telephone: 0114 2226510

The commentaries reinforce our claim that humans' ability to verbalize their desire to change and treatment goals are core features of addiction that cannot be modelled in animals. We agree that preclinical research is important, but we remain skeptical about the value of animal models of addiction, no matter how sophisticated.

An anonymous reviewer of our paper stated: "I hope that addiction researchers who have built (or are building) their career and reputation on developing, testing and using animal models of addiction will take the time to seriously ponder the authors' arguments and appraise them constructively before engaging in the debate". We thank the commentators for doing so, and we found common ground with each of them who highlighted issues that we discussed in our paper. Specifically, the importance of distinguishing animal models of addiction from models of drug instrumentalization (Müller(1)), the possibilities afforded by the 0 / 3 crit model and its combination with alternative reinforcers including social interaction (Deroche-Gamonet (2)), and the important role for preclinical models in delineating brain adaptations associated with chronic drug use or vulnerability to addiction (Perry & Lawrence (3)).

Despite these areas of consensus, our argument that addiction may be a uniquely human phenomenon was not convincingly challenged by any of the commentators. Building on previous work (4-7), we argued (8) that a defining feature of addiction may be the persistent failure to refrain from or reduce drug use despite prior intentions to do so. This construct is dependent on language and therefore impossible to model in non-human animals. Rebuttals to this argument reiterated the features of addiction that *can* be modelled in animals using

the 0 / 3 crit model (2), or the need to apply the 0 / 3 crit model to vulnerable subpopulations of animals (1). Both counterpoints sidestep our argument that animal models may never be able to capture the essential features of addiction in humans, no matter how sophisticated. Indeed, two commentators referred to the role of language in their rebuttals: by acknowledging that drug users “ask for support when their drug taking becomes maladaptive” (2), or by pointing out that humans with addiction may want different things from treatment (complete abstinence versus moderation)(1). Indeed, moderation of drinking is a desirable and achievable goal for many people with alcohol dependence (9), but clinical research depends on patients’ ability to verbalize their treatment goal.

Deroche-Gamonet (2) offers the example of molecular and biological research on diabetes, which sits comfortably alongside research on social and commercial determinants of the disease, as a defense of the importance of studying basic processes in preclinical research. Unfortunately this analogy between diabetes and addiction is undermined by network models of *psychiatric disorders* that emphasize the redundancy of any reductionist approach that fails to consider the relations *between subjective symptoms* (10). This may be particularly relevant to addiction (11).

Finally, Perry and Lawrence (3) discuss ways in which animal models can be useful for probing the individual differences that predispose to drug use, or the neural mechanisms that underlie neuroadaptations that occur after chronic drug exposure. We agree. All commentators argued that the future for animal model of addiction looks rosy if one considers more sophisticated models that are able to model multiple features of addiction. Time will tell if this optimistic forecast is justified, but we hope that our paper has stimulated consideration

that a useful animal model of addiction may be unattainable, and the continued pursuit of one can mislead and ultimately be a waste of resources.

REFERENCES

1. Müller CP. Lasting translation: How to improve animal models for addiction treatment. *Addiction*, 2019. doi: 10.1011/add.14788
2. Deroche-Gamonet V. The relevance of animal models of addiction. *Addiction*, 2019.
3. Perry CJ, Lawrence AJ. An imperfect model is still useful. *Addiction*, 2019.
4. Heather N. Rethinking addiction, *Psychologist*, 2018: 31: 24-28.
5. Ahmed SH. "A walk on the wild side" of addiction: The history and significance of animal models. In: Pickard H. & Ahmed S. H., editors. *Routledge Handbook on Philosophy and Science of Addiction*: Routledge; 2018.
6. Bickel WK, Crabbe JC, Sher KJ. What Is Addiction? How Can Animal and Human Research Be Used to Advance Research, Diagnosis, and Treatment of Alcohol and Other Substance Use Disorders? *Alcoholism: Clinical and Experimental Research*, 2019: 43: 6-21.
7. Frankfurt HG. Freedom of the will and the concept of a person, *The Journal of Philosophy* 1971: 68: 5-20.
8. Field M, Kersbergen I. Are animal models of addiction useful? *Addiction*, 2019.
9. Mann K, Aubin HJ, Witkiewitz K Reduced Drinking in Alcohol Dependence Treatment, What Is the Evidence? *European Addiction Research*, 2017: 23: 219-230.
10. Borsboom D, Cramer AOJ, Kalis A. Brain disorders? Not really: Why network structures block reductionism in psychopathology research, *Behavioral and Brain Sciences*, 2019: 42: e2.

11. Field M, Heather N, Wiers RW. Indeed, not really a brain disorder: Implications for reductionist accounts of addiction, *Behavioral and Brain Sciences*, 2019: 42.