



This is a repository copy of *Insights on uranium uptake mechanisms by ion exchange resins with chelating functionalities: Chelation vs. anion exchange*.

White Rose Research Online URL for this paper:
<https://eprints.whiterose.ac.uk/157798/>

Version: Supplemental Material

Article:

Amphlett, J.T.M., Choi, S., Parry, S.A. et al. (3 more authors) (2020) Insights on uranium uptake mechanisms by ion exchange resins with chelating functionalities: Chelation vs. anion exchange. *Chemical Engineering Journal*, 392. 123712. ISSN 1385-8947

<https://doi.org/10.1016/j.cej.2019.123712>

Article available under the terms of the CC-BY-NC-ND licence
(<https://creativecommons.org/licenses/by-nc-nd/4.0/>).

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>




Figure S1. Collected EXAFS spectra in K-space




Figure S2. Collected EXAFS spectra in R-space