



This is a repository copy of *Electronic personal assessment questionnaire for vascular patients (ePAQ-VAS): development and validity*.

White Rose Research Online URL for this paper:
<https://eprints.whiterose.ac.uk/159201/>

Version: Supplemental Material

Article:

Aber, A., Phillips, P., Hughes, J. et al. (7 more authors) (2020) Electronic personal assessment questionnaire for vascular patients (ePAQ-VAS): development and validity. *British Journal of Surgery*, 107 (8). pp. 1004-1012. ISSN 0007-1323

<https://doi.org/10.1002/bjs.11531>

This is the peer reviewed version of the following article: Aber, A., Phillips, P., Hughes, J., Keetharuth, A.D., Rooney, G., Radley, S., Walters, S., Nawaz, S., Jones, G. and Michaels, J. (2020), Electronic personal assessment questionnaire for vascular conditions (ePAQ-VAS): development and validity. *Br J Surg.*, which has been published in final form at <https://doi.org/10.1002/bjs.11531>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Table 1: Number of respondents and mean score for each scale of ePAQ-VAS

| Scale | Number of respondents | Mean score (out of 100) | Standard deviation |
|--|------------------------------|--------------------------------|---------------------------|
| AAA related anxiety | 121 | 23.74 | 21.84 |
| AAA impact on ADL | 121 | 17.41 | 20.82 |
| CAD related anxiety | 50 | 44.17 | 29.61 |
| CAD impact on ADL | 50 | 32.40 | 30.29 |
| PAD Symptoms | 308 | 47.08 | 26.86 |
| PAD impact on ADL | 308 | 50.28 | 30.88 |
| VLU symptoms | 122 | 34.97 | 24.37 |
| VLU impact on ADL | 122 | 55.46 | 30.91 |
| VVs symptoms | 248 | 36.86 | 18.91 |
| VV impact on ADL | 248 | 28.52 | 26.69 |
| PAD impact on ADL, VLU impact on ADL and VVs impact on ADL was measured by the lower limb vascular disease impact on ADL scale in ePAQ-VAS | | | |