



UNIVERSITY OF LEEDS

This is a repository copy of *Supplementation with omega-3 polyunsaturated fatty acids and effects on reproductive performance of sows*.

White Rose Research Online URL for this paper:
<https://eprints.whiterose.ac.uk/161007/>

Version: Accepted Version

Article:

McDermott, K orcid.org/0000-0001-6618-5560, Icely, S, Jagger, S et al. (4 more authors) (2020) Supplementation with omega-3 polyunsaturated fatty acids and effects on reproductive performance of sows. *Animal Feed Science and Technology*, 267. 114529. ISSN 0377-8401

<https://doi.org/10.1016/j.anifeedsci.2020.114529>

© 2020 Elsevier B.V. All rights reserved. This manuscript version is made available under the CC-BY-NC-ND 4.0 license <http://creativecommons.org/licenses/by-nc-nd/4.0/>

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: <https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>




Figure 3 Average litter pre-weaning mortality for sows supplemented with omega-3 or a soya oil control. Supplementation was provided across reproductive period 1 (omega 3 n = 199, soya oil control n = 192) and sows were returned to a commercial diet for reproductive period 2 (previously supplemented with omega 3 n = 139, previously supplemented with soya oil control n = 138). Error bars represent ± 1 standard error