

This is a repository copy of *In anti-CCP+ at-risk individuals, radiographic bone erosions* are uncommon and are not associated with the development of clinical arthritis.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/166595/

Version: Accepted Version

## Article:

Di Matteo, A orcid.org/0000-0003-0867-7051, Mankia, K, Nam, JL et al. (5 more authors) (2020) In anti-CCP+ at-risk individuals, radiographic bone erosions are uncommon and are not associated with the development of clinical arthritis. Rheumatology. ISSN 1462-0324

https://doi.org/10.1093/rheumatology/keaa761

© 2020, Oxford University Press. This is an author produced version of an article published in Rheumatology. Uploaded in accordance with the publisher's self-archiving policy.

## Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

## **Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



**Table 1.** Baseline demographic and clinical characteristics of the CCP+ atrisk individuals (n=418).

Age (years, mean and ±SD)		51.2 ±13.4
Sex (F/M)		300/118
Smoking exposure	current	99 (23.7%)
	past	151 (36.1%)
	never	168 (40.2%)
Tenderness in the hands		134 (32.1%)
Tenderness in the feet		94 (22.5%)
Early morning stiffness (min, median and IQR)		10 (0.0-30.0)
Anti-CCP2 Ab titre	high titre	297 (71.1%)
	low titre	121 (28.9%)
RF	positive	157 (37.5%)

**Legend**. **Ab**: antibodies, **CCP**: cyclic citrullinated peptide, **F**: female, **M**: male, **min**: minutes, **RF**: rheumatoid factor.