White Rose Research Online

eprints@whiterose.ac.uk
https://eprints.whiterose.ac.uk
Universities of Leeds, Sheffield and York

Deposited via The University of Leeds.

White Rose Research Online URL for this paper:
https://eprints.whiterose.ac.uk/id/eprint/168704/

Version: Accepted Version

Article:
Matthews, HD, Tokarska, KB, Nicholls, ZRJ et al. (2020) Opportunities and challenges in using remaining carbon budgets to guide climate policy. Nature Geoscience, 13 (12). pp. 769-779. ISSN: 1752-0894

https://doi.org/10.1038/s41561-020-00663-3

© Springer Nature Limited 2020. This is an author produced version of a article published in Nature Geoscience. Uploaded in accordance with the publisher's self-archiving policy.

Reuse
Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown
If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

UNIVERSITY OF LEEDS
University of Sheffield
UNIVERSITY of York

Opportunities and challenges in using remaining carbon budgets to guide climate policy

H. Damon Matthews[1*], Katarzyna B. Tokarska[2], Zebedee R. J. Nicholls[3,4], Joeri Rogelj[5,6], Josep G. Canadell[7], Pierre Friedlingstein[8,9], Thomas L. Frölicher[10,11], Piers M. Forster[12], Nathan P. Gillett[13], Tatiana Ilyina[14], Robert B. Jackson[15], Chris D. Jones[16], Charles Koven[17], Reto Knutti[2], Andrew H. MacDougall[18], Malte Meinshausen[3], Nadine Mengis[19,20], Roland Séférian[21], and Kirsten Zickfeld[20]

[1] Department of Geography, Planning and Environment, Concordia University, Montréal, Canada

[2] Institute for Atmospheric and Climate Science, ETH Zürich, Zürich, Switzerland

[3] Australian–German Climate and Energy College, The University of Melbourne, Parkville, Victoria, Australia

[4] School of Earth Sciences, The University of Melbourne, Parkville, Victoria, Australia

[5] Grantham Institute, Imperial College London, UK

[6] International Institute for Applied Systems Analysis (IIASA), Laxenburg, Austria

[7] Global Carbon Project, CSIRO Oceans and Atmosphere, Canberra, ACT, Australia

[8] College of Engineering, Mathematics and Physical Sciences, University of Exeter, UK

[9] Laboratoire de Météorologie Dynamique, Département de géosciences, École Normale Supérieure, PSL Research University, Sorbonne Université, École polytechnique, CNRS, F-75005 Paris, France

[10] Climate and Environmental Physics, Physics Institute, University of Bern, Switzerland

[11] Oeschger Centre for Climate Change Research, University of Bern, Switzerland

[12] Priestley International Centre for Climate, University of Leeds, Leeds, UK.

[13] Canadian Centre for Climate Modelling and Analysis, Environment and Climate Change Canada, Victoria, Canada.

[14] Max Planck Institute for Meteorology, Hamburg, Germany

[15] Department of Earth System Science, Woods Institute for the Environment, and Precourt Institute for Energy, Stanford University, US

[16] Met Office Hadley Centre, Exeter, UK

[17] Earth and Environmental Sciences, Lawrence Berkeley National Lab, US

[18] St. Francis Xavier University, Antigonish, Canada

[19] GEOMAR, Helmholtz Centre for Ocean Research, Kiel, Germany

[20] Simon Fraser University, Burnaby, British Columbia, Canada

[21] CNRM, Université de Toulouse, Météo-France, CNRS, Toulouse, France

***corresponding author: damon.matthews@concordia.ca**

The remaining carbon budget represents the total amount of CO_2 that can still be emitted in the future while limiting global warming to a given temperature target. Carbon budget estimates range widely, however, and this uncertainty can be used to either trivialize the most ambitious mitigation targets as by characterizing them as impossible, or to argue that there is ample time to allow for a gradual transition to a low-carbon economy. Neither of these extremes is consistent with our best understanding of the policy implications of carbon budgets. Understanding the scientific and socio-economic uncertainties affecting the size of the remaining carbon budgets, as well as the methodological choices and assumptions that underlie their calculation, is essential before applying them as a policy tool. Here we provide recommendations on how to calculate remaining carbon budgets in a traceable and transparent way, and discuss their uncertainties and implications for both international and national climate policies.

Remaining carbon budgets are defined as the allowable future CO_2 emissions that are consistent with meeting climate targets such as those of the Paris Agreement (see **Box 1**). Conceptually, the idea of a global emissions budget is a compelling way to frame and communicate the climate mitigation challenge: a finite cap on total CO_2 emissions implies clearly that global CO_2 emissions must eventually reach net-zero to stabilize global temperatures. Estimates of the remaining carbon budget are subject to large uncertainty, but have also varied considerably among studies owing to the lack of a consistently applied definition, as well as different methodological approaches used to calculate the remaining budgets[1,2]. Furthermore, additional uncertainties are introduced in the process of disaggregating the global budget into national shares for domestic climate policy[3–5]. Given the increasing adoption of carbon budget estimates as a benchmark for national policy discussions, the full range of uncertainties and choices surrounding carbon budget estimates must be articulated and understood.

In this Perspective, we present an overview of the state of our understanding of the remaining carbon budget, with the intent of charting a tractable path through the scientific, policy and ethical considerations required when applying the carbon budget concept to climate policy decisions. We characterize the uncertainties and other factors affecting estimates of the remaining carbon budget across four broad categories: (1) *geophysical uncertainties* associated with physical climate and carbon cycle processes that determine the climate response to

emissions; (2) *socioeconomic uncertainties* that reflect the societal choices and dynamics that determine future emission scenarios; (3) *methodological approaches* that reflect choices and assumptions made when estimating the global remaining carbon budget; and (4) *allocation choices* that emerge from the range of ethical and fairness principles that can be used to allocate a portion of the global budget to individual countries, economic sectors and entities such as individual industries and corporations. We discuss each of these in turn, and then offer some concluding thoughts on the robust policy implications of a finite remaining carbon budget.

Box 1: What is a "remaining carbon budget"?

Here, a **carbon budget** is the quantity of cumulative or total CO_2 emissions that is consistent with limiting global mean warming to a given temperature level. The term "budget" is analogous to a fixed total financial budget, in that spending in excess of annual budget amounts in the near-term requires decreased spending in the future to not exceed the total budget. Here, we distinguish between the total and the remaining carbon budget: (1) the **total carbon budget** is defined as the total amount of CO_2 emissions since the pre-industrial reference period that is consistent with a specified peak temperature increase; and (2) the **remaining carbon budget**, which represents the amount of CO_2 that can still be emitted from present-day onwards while staying below the temperature target[1,2]. In both cases, these budgets refer to a total quantity of CO_2 emissions (from fossil fuels and land-use change) up to the point in time that CO_2 emissions reach net-zero. Importantly, this quantity applies to only CO_2 emissions, and does not apply to allowable CO_2-equivalent emissions of other gases and aerosols (e.g., methane and nitrous oxide, as calculated using global warming potentials).

There are several variants of carbon budgets that have been used in the literature (e.g. **threshold exceedance budget**, **threshold avoidance budget**, **threshold return budget** and **overshoot budget;** see Ref.[1] and Ref.[6] for a discussion of these variants). We do not use these terms further, and we recommend that they be used only if necessary to explore the sensitivity of carbon budget estimates to different types of emission scenarios or estimation methods.

Another common but distinct use of the term "carbon budget" is to describe the balance of historical sources and sinks of CO_2 in the Earth system or for a particular region. In this alternative usage, the term "budget" is similar to annual financial accounting in a closed system without deficits, whereby the sum of the individual positive and negative line items must equal zero. As a prominent example, the Global Carbon Project annually publishes a **historical global carbon budget**, defined as the mean, variations and trends associated with the human perturbation to the global carbon cycle up to present-day[7]. This historical global carbon budget combines fossil fuel and land-use CO_2 emissions (or sources) with increases in atmospheric, land and ocean carbon reservoirs (also referred to as sinks) and places these sources and sinks in the context of natural carbon cycle processes.

Geophysical basis of carbon budgets

The proportionality between cumulative CO_2 emissions and CO_2-induced temperature change is the primary geophysical basis for a finite remaining carbon budget: each additional tonne of CO_2 emitted leads to an incremental temperature increase, which implies that CO_2 emissions must decrease to net-zero to stabilize global temperature[8]. This proportionality is quantified by the Transient Climate Response to cumulative CO_2 Emissions (TCRE), which defines the transient warming per unit cumulative CO_2 emissions in a scenario with increasing CO_2 emissions (**see Box 2**). The allowable cumulative CO_2 emissions for a given amount of warming are therefore proportional to the inverse of the TCRE[1,9]. However, this relationship only holds for the warming caused by CO_2, and not for additional warming (or cooling) caused by other emissions or forcings (e.g., methane, aerosols, or nitrous oxide).

Using the TCRE to estimate the remaining carbon budget for a given temperature target therefore requires an additional estimate of the non-CO_2 contribution to future warming[1,9–11]. One approach is to define an "Effective TCRE" to estimate the total anthropogenic warming at a given amount of cumulative CO_2 emissions[11–13] (see Box 2). However, unlike the TCRE, there is no geophysical basis for the Effective TCRE to remain constant in time. In particular, where the TCRE is approximately scenario-independent[14,15], this does not hold for the Effective TCRE which is affected by the changing rate of emissions of non-CO_2 forcers with mostly shorter atmospheric lifetimes than that of CO_2[16]. Consequently, while the Effective TCRE can be used to estimate the total carbon budget directly[12], it is important to use an estimated value of the Effective TCRE at the time that the temperature target is reached in a given scenario (**Figure 1**).



Figure 1: Relationship between the TCRE, the Effective TCRE, and the total and remaining carbon budgets. ***(a)*** *Idealized representation of the TCRE, Effective TCRE and related total and remaining carbon budgets. Here, we show the central estimate of the TCRE (0.45 °C per 1000 Gt CO_2) and an Effective TCRE value of 0.53 °C per 1000 Gt CO_2 at 1.5°C, which corresponds to the median (50th percentile) remaining carbon budget of 580 Gt CO_2 from 2018 onwards reported in the IPCC Special Report on 1.5°C (SR1.5; Ref.[9], Table 2.2 therein). The 67th (420 Gt CO_2) and 33rd (840 Gt CO_2) percentile budgets are shown in lighter red, reflecting uncertainty in the TCRE only. Other contributions to uncertainty are shown by bars below the plot, showing the amount by which these additional processes affect the median budget estimate (Ref. [9], Table 2.2 therein).* ***(b)*** *Simulated climate response to CO_2 emissions only (purple) and all anthropogenic drivers (red) for scenarios from the SR1.5 scenario database[17,18], using the simple model emulator MAGICC7 (Refs. [19,20]) with parameter settings corresponding to a TCRE of 0.44°C per Gt CO_2. Temperature change is shown relative to the 1850-1900 period, and cumulative CO_2 emissions are calculated from the central year of that period (year 1875). Dots mark the peak warming and the lines end at the point of net-zero CO_2 emissions in each scenario. The larger spread of red dots relative to purple shows the additional effect of socioeconomic uncertainty on the Effective TCRE as a result of differing non-CO_2 emission scenarios.*

Box 2: The Transient Climate Response to cumulative CO_2 Emissions

A close to proportional relationship between CO_2-induced global warming and cumulative CO_2 emissions is an emergent property of a range of Earth system models[14,15,21–23]. The Transient Climate Response to cumulative CO_2 Emissions (TCRE) quantifies the temperature change per unit of cumulative CO_2 emissions (often expressed as °C per 1000 Gt C or per 1000 Gt CO_2 emitted). In a climate model, the TCRE defines the temperature change per unit CO_2 emissions at the time of doubled atmospheric CO_2 concentration, in an idealized experiment where atmospheric CO_2 concentration increases at a rate of 1% per year[24,25]. This TCRE value can then be used to describe the general linear relationship between cumulative CO_2 emissions and CO_2-induced temperature change (**Figure Box 1a**, solid line, where the value of the TCRE defines the slope of this line).

The TCRE has been shown to be a good predictor of warming caused by a given quantity of cumulative CO_2 emissions across a range of emissions scenarios[15], though is subject to many uncertain processes that affect both its magnitude (the slope of the line) and its constancy in time (the robustness of the linear response to additional cumulative emissions) (**Figure Box 2a**). Among Earth system models, the magnitude of the TCRE is strongly related to the transient climate response (TCR) which accounts for at least half of the variation in TCRE values[26,27]; remaining TCRE variation is caused by varying carbon cycle sensitivity to global warming and increasing CO_2[27] (**Figure Box 2b**). Model TCRE values are also (though to a lesser extent) related to their Equilibrium Climate Sensitivity (ECS; the long-term global surface warming that is expected to occur in response to a doubling of the atmospheric CO_2 concentration). Several models in the recent Sixth Coupled Model Intercomparison Project[28] (CMIP6) have higher ECS values than the previous generation of models[29] (CMIP5), most of which are also associated with high TCR and TCRE values. However, some of these high-ECS CMIP6 models have TCR and TCRE values that fall outside of estimates of the observationally-constrained 5-95% range[24,30,31] (**Figure Box 2b**). Consequently, while these high-ECS models would predict smaller remaining carbon budgets, this should be considered a low-probability outcome given their current lower consistency with observed warming[30,32]. Such results can nevertheless be used to guide quantitative risk assessment of the implications of our imperfect knowledge of climate processes and the associated risks of low-probability outcomes[33].

Importantly, the TCRE applies only to warming caused by CO_2 emissions, and does not include the additional warming or cooling caused by non-CO_2 emissions and other climate drivers. A common approach to incorporate the effect of non-CO_2 forcing is to use simulations forced by all anthropogenic drivers, and plot the resulting total anthropogenic warming as a function of cumulative CO_2 emissions. This results in a representation of total anthropogenic warming per unit cumulative CO_2 emission that includes the effect of all climate drivers[34,35]. Here, we label this the "Effective TCRE" (following Ref.[12]), to define the total anthropogenic warming at a given quantity of cumulative CO_2 emissions (**Figure Box 2a**, slope of dashed black line). The Effective TCRE is a measure of warming per unit cumulative CO_2 emissions, equal to the TCRE plus an additional amount of scenario-dependent non-CO_2 warming. This metric has been used conceptually or explicitly in several previous

studies to directly infer remaining carbon budgets associated with a given future emission scenario[11–13,35–38]. However, this needs to be done with an understanding that the Effective TCRE is not expected to remain constant in time (see manuscript **Figure 1**) due to its strong dependence on non-CO_2 scenario variation and in particular on the potential unmasking of aerosol cooling in scenarios with rapid decreases in aerosol emissions[16].



Figure Box 2. Uncertain processes affecting the relationship between warming and cumulative CO_2 emissions. ***(a)*** *Conceptual representation of the Transient Climate Response to cumulative CO_2 Emissions (TCRE; the slope of the solid black line), and the Effective TCRE (represented by the dashed black line). Solid coloured arrows indicate scientific uncertainties affecting the value of the TCRE due to the climate (pink) and carbon cycle (orange) response to CO_2 emissions[24,26]. Solid coloured lines indicate processes that may lead to deviations from a linear temperature response to cumulative emissions. Notable processes are the additional unrealized warming (or cooling) due past emissions that could occur as CO_2 emissions approach zero[39,40] (CO_2 commitment; purple), permafrost carbon feedbacks[41,42] (green), and the increasing saturation of CO_2 radiative forcing at high CO_2 levels[43] (dark blue). Other nonlinear climate or carbon cycle processes act in both directions and tend to compensate each other (turquoise) leading to an approximately constant TCRE value across a wide range of cumulative CO_2 emissions[14,15,24,44,45]. Dashed coloured lines indicate additional uncertainties affecting the Effective TCRE as a result of societal choices leading to different non-CO_2 greenhouse gas emission scenarios[9,10,16,35] (dashed blue) and the warming response to decreased aerosol emissions[46,47] (dashed red).* ***(b)*** *Relationship between model TCRE and TCR values in the CMIP5 models[24,48,49] (triangles) and CMIP6 models[26,30] (circles). Grey shading indicates the observationally-constrained TCR median (dashed line), likely range (>66%; dark grey) and 5-95% range (light grey), based on the 1981-2017 observed warming trend as a constraint based on Ref.[30]. The blue bar and blue dotted lines indicate observationally-constrained TCRE range (5-95%) reported by Ref [24].*

Geophysical uncertainties

Geophysical uncertainties affecting the TCRE (see Box 2) will propagate directly to uncertainties in estimates of the remaining carbon budget[50]. In general, there are three types of geophysical uncertainties relevant to the TCRE that affect its robustness as a predictor of the remaining carbon budget. First, differing physical climate and carbon cycle responses to CO_2 emissions alter the magnitude of the TCRE. Across Earth system models, TCRE values are generally proportional to models' Transient Climate Response (TCR), though different carbon cycle responses will also produce a range of TCRE values among models with similar TCR values[26,27] (see Box 2). Better constraints on the TCR value as well as on the carbon cycle response to climate change and increasing CO_2 would therefore have the effect of constraining both the TCRE and the remaining carbon budget.

Second, the linearity of the TCRE relationship results from the compensation of individual non-linear processes that act to both increase and decrease the sensitivity of the temperature response to additional cumulative CO_2 emissions[43,44,51,52]. However, there is nevertheless the potential for strong non-linear changes in the strength of particular feedbacks to cause deviations from the TCRE-predicted linearity with increasing emissions. Examples include potential changes to the strength of physical climate feedbacks as a result of changing warming patterns[53–55] or the behaviour of biogeochemical permafrost and wetland feedbacks that are currently poorly represented in Earth system models[42,56].

Third, while the TCRE has been shown to be a robust predictor of CO_2-induced warming in scenarios with increasing CO_2 emissions[24,25], it is less clear that the TCRE will adequately capture the climate response to scenarios that rapidly decline to net-zero and/or net-negative CO_2 emissions[41,57]. In the event that there is unrealized warming or cooling from past CO_2 emissions, this lagged temperature change would manifest during the time that CO_2 emissions ramp down to zero, causing the temperature response to cumulative emissions to bend upwards or downwards relative to the linear TCRE line. This unrealized commitment from past CO_2 emissions has recently been quantified across Earth system models[40], and is likely an important contributor to uncertainty in the remaining carbon budget[50].

Finally, the climate response to non-CO_2 forcing changes is an important additional source of geophysical uncertainty affecting carbon budget estimates that is distinct from the contributions

to TCRE uncertainty discussed above (see "non-CO_2 forcing and climate response" bar below **Figure 1a**; Ref.[9]). Given the prominence of aerosol forcing uncertainty in affecting the overall non-CO_2 forcing uncertainty, this speaks to the importance of improved estimates of the climate response to present-day aerosol forcing in order to improve our ability to constrain estimates of the remaining carbon budget.

Socioeconomic scenario uncertainty

Remaining carbon budget estimates are also strongly affected by socioeconomic uncertainties related to our ability to predict the dynamics of socio-political systems and the technological changes that determine the evolution of emissions in future scenarios[50]. Given that the TCRE is relatively robust to variation in CO_2 emission scenarios[15,43,52], the relationship between the TCRE and the remaining carbon budget is only affected by socioeconomic uncertainty in the case of a large positive or negative ZEC. However, the effect of socioeconomic uncertainty is considerably more pronounced for estimates of future non-CO_2 warming (see spread of total warming as a function of cumulative emissions across scenarios in Figure 1b, red dots). This relates to the shorter atmospheric lifetimes of many non-CO_2 emissions, such that rapid decreases in emissions of short-lived positive climate forcers (such as methane, black carbon and ozone precursors) would effectively limit near-term warming caused by non-CO_2 emissions[16]. Conversely, however, rapid decreases in aerosol emissions that produce a negative forcing would amplify non-CO_2 warming[16], a scenario that is likely to occur as a result of decarbonization efforts[46,47,58].

Although both geophysical and socioeconomic uncertainties can be reduced by further research, socioeconomic uncertainties are also sensitive to human decisions and choices regarding technological development and mitigation actions[59]. This means that policy decisions about where to focus mitigation efforts have the potential to influence the size of the remaining carbon budget by affecting the amount of warming that is caused by CO_2 vs. other anthropogenic climate drivers[6,59]. The balance of effective mitigation of positive short-lived forcers and the potential aerosol warming commitment may be one of the most important determinants of the size of the remaining carbon budget.

178 **Methodological choices and assumptions**

179 Using a consistent and transparent set of assumptions to calculate the remaining carbon budget is
180 crucial in order to provide clear guidelines for climate policy. Yet, inconsistent choices are often
181 used among different studies that report remaining carbon budget estimates, which unnecessarily
182 inflates the spread of estimates[1,2]. Here, we provide guidelines and recommendations to estimate
183 carbon budgets in a transparent and policy-relevant way, given the many choices and
184 assumptions typically required (**Table 1**).

185 First, we recommend estimating carbon budgets for anthropogenic warming only, independent of
186 natural variability (e.g. as estimated by Ref.[60]); while this may seem like an obvious statement, it
187 is nevertheless the case that climate policy temperature goals have not been consistently
188 interpreted across different studies[61]. The ultimate objective of the United Nations Framework
189 Convention on Climate Change (UNFCCC) is to prevent "dangerous anthropogenic interference
190 in the climate system" (Article 2)[62]. This framing provides a clear rationale for limiting warming
191 caused by all anthropogenic drivers, rather than that caused by the combined effect of
192 anthropogenic warming and natural variability[61,63,64].

193 Second, we recommend that carbon budgets be defined in relation to a particular policy-relevant
194 climate target. The Paris Agreement[65] aims to keep global temperatures to "*well below 2 °C*" and
195 to "*pursue efforts to limit warming to 1.5 °C above pre-industrial temperatures*". Consequently,
196 carbon budgets associated with a range of temperature increases between 1.5 °C and "well below
197 2 °C" are those with direct relevance for the Paris Agreement goal. Budgets for 2°C or higher
198 can be used to gauge the amount of effort needed to stay below higher warming levels, but are
199 outside the current policy framing of the Paris Agreement.

200 Third, choices about the desired level of risk avoidance must be defined when estimating carbon
201 budgets. Carbon budgets have typically been reported as corresponding to a 50% or 67% percent
202 probability of staying below a given temperature target when the carbon budget is fully emitted,
203 given known and quantified uncertainties[35].

204 Fourth, the proxy for the pre-industrial reference period that has been used in recent IPCC
205 reports[9,66] is the 1850-1900 average, which we recommend adopting for consistency with these
206 analyses. We recognize that temperatures during this period may have already increased relative
207 to the previous century[60,67,68], though adopting an earlier baseline period is currently difficult

208 owing to limited observational data on both temperature and cumulative CO_2 emissions prior to
209 1850.

210 Fifth, it is important to be explicit about the choice of temperature change metric. The relative
211 merits of using a blended air-water temperature that is masked according to observational
212 coverage (global mean surface temperature, GMST), a full-coverage global surface air
213 temperature (GSAT), or a combination of the two, to represent observed historical warming have
214 been discussed extensively elsewhere[1,2,69]; we do not offer a specific recommendation here other
215 than that the choice of metric be clear and justified, both for historical warming and for the value
216 of the TCRE.

217 Sixth, we recommend adopting our carbon budget definition of total emissions up to the point in
218 time that CO_2 emissions reach net-zero (see **Box 1**), which is likely to correspond closely to the
219 timing of peak temperature change[9]. This choice also avoids the need for assumptions regarding
220 the potential feasibility of net negative CO_2 emissions to reverse temperature overshoots. For
221 model simulations, this requires using emissions scenarios that contain internally-consistent CO_2
222 and non-CO_2 emissions, which are also broadly consistent with a desired peak temperature
223 target, rather than scenarios where temperature exceeds the target indefinitely or exceeds
224 (overshoots) and returns to the target in question.

225 For the other methodological choices listed in **Table 1**, our key recommendation is for each
226 choice to be documented to clarify the assumptions embedded in analyses, and to discuss
227 (quantitatively if possible) how choices may affect the results. Lack of clarity with respect to
228 these assumptions and choices can result in widely varying carbon budget estimates that risk
229 being applied inappropriately to policy questions. For example, carbon budget estimates that
230 assume non-CO_2 forcing will follow a high-emission scenario should not be applied uncritically
231 to the case of ambitious mitigation scenarios with decreasing non-CO_2 emissions. Similarly,
232 budget estimates using the GMST temperature metric are not well suited to estimate the
233 requirements for avoiding climate impacts that have been calculated using GSAT change.
234 Consistent and clear methodological choices are therefore critical to minimize the risk of misuse
235 of carbon budget estimates in policy applications.

236

237

Table 1: Choices and assumptions that are typically required when estimating total or remaining carbon budgets for global temperature targets. Where appropriate, recommended choices are marked with an asterisk (*).

Choice	**Options**	**Issues to consider**
Definition of global warming	(*) Anthropogenic warming only	Relevant to international climate targets aimed at limiting global temperature increase[61]; requires a method to isolate the anthropogenic contribution to observed or model-simulated temperature change[24,60].
	Anthropogenic warming + natural climate variability	Directly observable and simulated by global climate models; however, natural climate variability, whether externally forced (by volcanoes or solar activity) or unforced (i.e. internal variability of the climate system), causes inter-annual to decadal-scale warming or cooling trends that are not relevant to international climate goals[61,63,64].
Target temperature	(*) 1.5 °C	Most ambitious target level in the Paris Agreement.
	(*) "well below 2 °C"	Primary Paris Agreement target, but not precisely defined.
	2 °C or higher	Warming levels that exceed the Paris Agreement target range.
Probability of not exceeding the target	50%, 67%, 90% …	Remaining carbon budgets are typically estimated to be in line with a 50%, 67% or sometimes 90% probability of successfully limiting warming to the temperature threshold of interest. The choice of which budget to adopt as a global target depends on societal risk avoidance preferences.
Pre-industrial reference period	(*) 1850-1900 average	Current proxy for pre-industrial climate[66], corresponding with the beginning of available instrumental temperature records.
	1860-1880 average	Period representing the first 20 years available in the HadCRUT temperature dataset[70], at times used because no major volcanic eruption took place during these years.
	1720-1800 average	Suggested by Ref.[67] as a better estimate of climate conditions prior to human influence, but direct observations of global temperature are not available, and emissions uncertainty prior to 1850 is very large, posing difficulty for consistent estimates of historical cumulative emissions from earlier time periods.
Temperature change metric	Observed (blended air-water and/or masked) temperature (global mean surface temperature, or GMST)	Directly observable; calculated as a combination of surface air temperatures over land and sea ice, with surface water temperature over ocean; incomplete spatial coverage[71] unless infilling technique used to extrapolate to areas with no observations[72]; spatial definition changes over time as sea ice cover changes[2].
	Global surface air temperature (GSAT).	Average of surface air temperature with complete global coverage; typical output of global models, but not currently available from observational estimates of global temperature change; historical GSAT warming has been estimated to be about 0.1°C higher than that based on GMST[73,74], though recent improvements to spatial infilling techniques in GMST products have decreased this difference.
Nature of temperature change	(*) Peak temperature	The timing of peak temperature should match closely the timing of net-zero CO_2 emissions[9] which avoids the need for assumptions related to the reversibility of temperature overshoots.
	Temperature at some level of cumulative emissions	No strict limit on maximum temperature change: temperature may exceed the target after the point at which cumulative emissions are calculated.
	Temperature at some year (e.g. 2100)	No strict limit on maximum temperature change: temperature may exceed target either before (overshoot and return scenarios) or after selected year.
Non-CO_2 scenario choice	(*) Non-CO_2 scenario consistent with CO_2 emissions that decline to net-zero	Requires an internally-consistent CO_2 and non-CO_2 emission scenario that is also consistent with the desired target, and/or an embedded economic model that generates consistent CO_2 and non-CO_2 emissions[9,75].

	Non-CO_2 forcing consistent with high-emissions (or other arbitrary) emission scenario	Non-CO_2 forcing is not consistent with mitigation efforts to limit warming to the target, potentially leading to either an under- or overestimate of the remaining carbon budget[10,11,41].
Treatment of aerosol forcing uncertainty	Single model run for time-series of historical and future aerosol forcing	Results are contingent on the model and/or forcing scenario used and do not include uncertainty associated with aerosol forcing or the climate response to decreased future aerosol emissions[10].
	Assumed range of forcing	Requires many model simulations or other methods to sample uncertainty[9,22].
Treatment of land-use CO_2 emissions	Prescribed or treated as interchangeable with fossil fuel emissions	Cumulative emissions from land-use are known, but biophysical and indirect carbon cycle effects of land-use change are not accounted for.
	Simulated by model from prescribed land-use change scenario	Biophysical and other effects of land-use change accounted for, but cumulative emissions from land-use are complex to diagnose, often requiring additional simulations[76–78]. In the absence of diagnosed land-use emission information, some studies have assumed the same land-use change emissions in all model simulations[36–38].
Treatment of CO_2 zero emission commitment (ZEC)	Assumed to be zero or negligible	This is the approach taken by Ref. [9], but results in unquantified uncertainty associated with the ZEC.
	Assumed to have a positive or negative value	When combined with a method that uses TCRE directly, a positive ZEC would reduce the remaining carbon budget to account for unrealized warming after CO_2 emissions are halted[1,45]. Similarly, a negative ZEC would increase the remaining budget, but only if its timescale is shorter than the pace of emission reductions to net-zero CO_2.
	Simulated by model using scenarios where CO_2 emissions decrease to net-zero	The effect of the CO_2 ZEC is accounted for in simulations of ambitious mitigation scenarios, as any unrealized warming or cooling from past emissions would typically be realized during the time that emissions fall to zero.
Treatment of overshoot scenarios / reversibility	Climate response to carbon dioxide removal assumed to be the same as response to emissions	Many recent studies are based on this assumption (see Ref. 1 for a summary of different studies). This assumption is not supported if the CO_2 warming commitment (ZEC) is non-zero[79].
	Overshoot scenario simulated explicitly	Resulting budget is specific to overshoot scenarios[41,57].
	Overshoot scenarios excluded	Resulting budget may not apply to overshoot scenarios[42].
Treatment of permafrost feedback	Included in model simulation, or using TCRE from models that include this feedback	Resulting budget does not need to be adjusted for this feedback[41], but timescale is important as permafrost feedbacks have a long time constant[80,81].
	Not included in model or using TCRE range from CMIP5 models	Budget should be adjusted to account for the effect of this feedback, and timescale needs to be stated given the feedback's time dependency[9].
Treatment of other under- or unrepresented feedbacks	Clarity about which feedbacks are included and which are not	Representation and strength of feedbacks vary among models, which is part of the explanation for the existing TCRE range. In general, any new positive (amplifying) feedback would increase the TCRE (and decrease the budget), and a new negative (attenuating) feedback would decrease the TCRE (and increase the budget)[1].

Application to international and national climate policy

Carbon budgets are a powerful guide for international policy, providing a way to gauge the consistency of national emission targets with global temperature goals. To do so, the total quantity of remaining CO_2 emissions must first be distributed over time so as to align with the target years of national emission pledges. **Figure 2** illustrates one such time distribution, in which a scenario of linearly decreasing CO_2 emissions to zero at 2040 (for a 1.5 °C carbon budget) or 2060 (for "well below 2 °C" budget) is discretized into 5-year budgets that are compatible with the remaining carbon budget. Such subdivided budgets could be tracked and used to inform the 5-year global stocktake process as part of the implementation of the Paris Agreement, whose mandate is to assess the consistency of emissions targets with the long-term temperature goal. Currently, emissions from national pledges are expected to exceed the near-term budget allowances shown in **Figure 2**[82,83]. This raises important questions of intergenerational equity as we are either accruing an emissions debt to future generations by borrowing allowable emissions from the future allowance, tasking future generations with the challenge of removing anthropogenic CO_2 from the atmosphere, or we are committing these future generations to climate change in excess of our stated climate target.

To be useful as a benchmark for national climate policy, the global remaining carbon budget must be further subdivided among nations. There are many choices involved in the distribution of the remaining global carbon budget to individual nations; such decisions often reflect different ways of accounting for unequal national circumstances[3,4,84–87] (see **Box 3**). Given the contentious and highly context-specific nature of such distributions, the UNFCCC has chosen not to develop rules or instruct nations as to how to set their own emissions targets. National carbon budgets are therefore currently unilateral choices that can help nations to organize their mitigation efforts, but may not bear any real resemblance to or consistency with the overall global budget. Currently, many nations have designed their NDCs using the most generous of available allocation principles for their country[85]. This suggests a need for international mechanisms to promote the evaluation and iterative reassessment of national budget allowances to ensure consistency with the global budget (**Box 3**).

Despite the challenges associated with fairly allocating the global budget to nations, the idea of a finite national carbon budget nevertheless has enormous conceptual importance for national

policy decisions. For example, short-term carbon budgets could be adopted and reported on in a manner similar to fiscal budgets[88]; the simple act of doing so has the potential to embed national climate targets in a much more tangible way across government decision-making processes. The recent adoption of national carbon budgets in the United Kingdom and the EU, including commitments to net-zero emissions by 2050, are good examples of such an approach. The adoption of finite national budgets would also lend new weight to discussions surrounding new infrastructure construction, and particularly new fossil fuel energy infrastructure. Two recent analyses suggest that global "committed emissions" associated with existing infrastructure (i.e. the future emissions that are expected to occur over the typical operating lifetime of existing infrastructure) are close to or exceed the remaining carbon budgets for our most ambitious climate targets[89,90]. The committed emissions associated with new infrastructure projects could therefore be weighed against a country's remaining carbon budget to determine whether the infrastructure in question is consistent with our climate targets. Furthermore, should a given nation's emissions exceed their share of the global budget, the resulting emission debts[4,91] could be used as a metric to inform decision-making related to international climate finance.



Figure 2. Illustrative example of distributing the remaining carbon budget over time into 5-year discrete time intervals. *The years of net-zero* CO_2 *emissions shown here are approximately consistent with the estimates of the 67th percentile remaining budgets from SR1.5*[9] *for 1.5 °C (420 Gt*CO_2 *after 2017; area under the blue line) and for an illustrative "well below 2 °C" interpretation, here taken to be 1.75 °C (800 Gt*CO_2 *after 2017; area under the yellow line). The red shaded regions indicate projected amounts over budget, reflecting estimates of global* CO_2 *emissions between now and 2030 following current national emission pledges (Nationally-Determined Contributions, or NDCs)*[83]*. We note that the linearly decreasing trajectories illustrated here are clearly an idealized scenario and do not incorporate aspects of cost-effectiveness; however, the small size of remaining carbon budgets for the Paris Agreement goal clearly requires stronger reductions in global* CO_2 *emissions in the next decades than are captured by current NDCs*[83].

299

Box 3: Issues of fairness and equity when allocating the remaining carbon budget to countries

Estimates of the remaining carbon budget provide a global envelope within which future societies have to operate if we intend to limit global warming to a specific level. However, translating this **global budget** to **national allocations** that define what would be an appropriate or fair share of this budget for a single country is an exercise fraught with value judgments which have little relation to the geophysical underpinnings of carbon budgets. Here, science can at best inform and quantify the implications of what are largely subjective choices by individual countries.

Over time, many so-called fairness or equity principles have been suggested and explored to try to understand what would be a fair allocation of the remaining carbon budget. These principles are largely based on concepts of responsibility, equality and capability across nations[92] (**Figure Box 3**). **Responsibility** addresses the fact that countries have contributed differently to the warming we are currently experiencing, and have also had access to varying levels of understanding over time about the impact of greenhouse gas emissions on the climate. **Equality** reflects the idea of the human right to development, and that each individual is entitled to equal access to the means of development. This principle can be used to imply an equal entitlement to the production of greenhouse gas emissions, though it is also the case that development can be achieved via low-emission technologies and activities. **Capability** reflects the fact that different countries can be in quite different positions regarding their capacity to address the challenge of climate change mitigation, be it in terms of financial resources, technical expertise or institutional context. Historically, this capability has been closely related to a country's degree of industrialization, and its associated greenhouse gas emissions. These various principles are well established in the United Nationals Framework Convention on Climate Change which states that countries should participate in responding to climate change "in accordance with their common but differentiated responsibilities and respective capabilities and their social and economic conditions"[62].

A wide variety of ways exist to translate these equity principles by means of quantitative proxies into a distribution method to allocate the global remaining carbon budget to particular countries[85]. The resulting allocations can be positive or negative; that is, they can represent either an emissions allowance or an emissions debt. Allocation methods also vary considerably in their degree of fairness, and some are generally considered to be explicitly unfair. For example, an equal-shares (sometimes called grandfathering) allocation approach is often used to claim future emissions rights based on the current distribution of emissions among countries. This allocation method does not account for differing historical responsibility or the history of colonial relationships among countries, and instead rewards historical polluters for their current high share of global emissions.

Translating the global remaining carbon budget to country allocations is thus not a science-driven choice but one that represents an interplay and continuous discussion between ethics, justice, society and geophysics[93,94] (**Figure Box 3**). Currently, when either implicitly or explicitly selecting a fairness principle, countries almost exclusively

choose an approach that provides them with a disproportionately large share of the remaining carbon budget when seen from the perspective of another country[95]. This suggests an ongoing need for international cooperation and oversight to achieve consistency between national emissions budgets and international climate targets.



Figure Box 3. Allocating the global remaining carbon budget to individual nations. *Any such allocation requires subjective choices and application of fairness principles related to a country's responsibility for climate changes, its capability to achieve mitigation goals, and the importance of equality among countries. Coherence between the sum of national allocations and the global allowable budget is unlikely to emerge from this allocation process, though could be achieved with additional evaluation and iterative reassessment of national allocations.*

300

301

Policy implications of a finite remaining carbon budget

The most important policy implication of a finite carbon budget is the need to achieve net-zero CO_2 emissions in order to stabilize global temperature. This framing has been used to inform ongoing and ambitious mitigation efforts in 71 countries and over 100 cities, as well as over 500 businesses that have set net-zero emission targets for a specified year[83]. The concept of a carbon budget has therefore been an effective communication tool in mobilizing individual countries or regions to set net-zero emission reduction targets. However, it is important to reiterate that in order to be consistent with Paris temperature goals, a net-zero CO_2 emission target must also be accompanied by aggressive mitigation of non-CO_2 emissions such as methane, nitrous oxide and black carbon. Both net-zero CO_2 emissions and decreasing non-CO_2 forcing are likely required to achieve stable global temperatures[75].

Another important policy implication is that the size of the remaining carbon budget is sensitive to societal choices for mitigating non-CO_2 emissions, as well as the effect of CO_2 mitigation efforts on co-emitted non-CO_2 species[10,11,59]. However, while the remaining carbon budget is sensitive to non-CO_2 emission scenarios, it does not dictate a particular CO_2 mitigation pathway over time. This, in turn, highlights the important question of whether CO_2 emissions exceeding the budget can be reversed via carbon dioxide removal (CDR) technologies. While the global climate response to positive and negative CO_2 emissions has been shown to be approximately symmetrical for moderate amounts of negative emissions[57,79], CDR technologies are expensive and challenging to deploy at scale[96,97], and will also need to remove CO_2 that oceans and lands will release again in response to declining atmospheric CO_2[98–100]. Furthermore, the technologies used to produce and remove CO_2 emissions will likely not produce (or remove) the same types or quantities of co-emitted non-CO_2 emissions. Current scientific understanding therefore suggests that it will neither be easy nor necessarily possible to achieve the level of CDR required to swiftly reverse the effect of substantial emissions in excess of the available budget[100,101], particularly with respect to long-timescale responses such as sea level[100] or other changes in the marine environment[102–104].

Finally, there remain substantial challenges associated with how to equitably share the remaining carbon budget among nations[85,95]. Issues of fairness have been interpreted differently across nations, with the result that the sum of all current national targets would produce emissions that

exceed the global budget for limiting warming to 1.5 °C or "well below 2 °C" [85,95]. This in turn suggests means that many of the countries who have presented their current targets as "fair and ambitious"[65] have in fact adopted targets that are neither. To achieve a coherent set of national allocations that reflect principles of fairness and are also consistent with the global budget, it will be essential to empower and strengthen international cooperation to achieve an iterative process of evaluating and strengthening national carbon budgets.

Remaining carbon budgets are a powerful conceptual tool with clear potential to inform climate policy. Estimates of the remaining carbon budget can be used as a benchmark for international targets, and as a rationale for setting and monitoring progress towards net-zero national CO_2 emissions targets. The latest estimates of the remaining carbon budget suggest that while the global budget is small and rapidly decreasing, there is nevertheless a reasonable chance that the Paris Agreement goals remain within reach. However, this window of opportunity is closing with each passing year of tentative and insufficient action. Halting climate change at acceptable levels will require large and rapid increases in effort on the part of both international and national players in the climate mitigation challenge.

Acknowledgements

We are grateful for the opportunity to have discussed these and other issues at the International Workshop on the Remaining Carbon Budget, organized with the support of the Global Carbon Project, the CRESCENDO project, Stanford University, the University of Melbourne, and Simon Fraser University. HDM has been supported by funding from the Concordia University Research Chair program and the Natural Sciences and Engineering Research Council of Canada (NSERC Discovery Grant: RGPIN-2017-04159). KBT, JR, PMF, and RS were supported by the European Union's Horizon 2020 research and innovation programme under grant agreement No 820829 (CONSTRAIN project). JGC was supported by the Australian National Environmental Science Program - Earth Systems and Climate Change Hub. PF and TLF were supported by the European Union's Horizon 2020 research and innovation programme under grant agreement No 821003 (4C project). TLF was also supported by the Swiss National Science Foundation under grant PP00P2_170687. AHMD and KZ are supported by the Natural Sciences and Engineering Research Council of Canada Discovery Grant Program. CDJ was supported by the Joint UK BEIS/Defra Met Office Hadley Centre Climate Programme (GA01101) and by H2020 EU project CRESCENDO under grant agreement No 641816. RBJ and JGC acknowledge support from the Gordon and Betty Moore Foundation (GBMF5439).

Author contributions

HDM initiated the study and wrote the manuscript with inputs from KBT, ZN, JR, MM, NM, JGC, TLF, and suggestions from other authors. HDM, KBT and ZN made the figures. All authors participated in discussions at the International Workshop on the Remaining Carbon budget which initiated this work, as well as in manuscript editing and revisions.

Competing Interests

The authors declare no competing interests.

Data availability

SR1.5 scenarios have been made available through Refs 17,18 at:
https://data.ene.iiasa.ac.at/iamc-1.5c-explorer/

Code availability

The MAGICC7 model emulator is available from ZRJN upon request.
Codes for producing the figures are available from HDM or KBT upon request.

References

1. Rogelj, J., Forster, P. M., Kriegler, E., Smith, C. J. & Séférian, R. Estimating and tracking the remaining carbon budget for stringent climate targets. *Nature* **571**, 335–342 (2019).
2. Tokarska, K. B. *et al.* Recommended temperature metrics for carbon budget estimates, model evaluation and climate policy. *Nat. Geosci.* **12**, 964–971 (2019).
3. Raupach, M. R. *et al.* Sharing a quota on cumulative carbon emissions. *Nat. Clim. Change* **4**, 873 (2014).
4. Gignac, R. & Matthews, H. D. Allocating a 2 °C cumulative carbon budget to countries. *Environ. Res. Lett.* **10**, 075004 (2015).
5. CONSTRAIN, 2019: ZERO IN ON the remaining carbon budget and decadal warming rates. The CONSTRAIN Project Annual Report 2019, DOI: https://doi.org/10.5518/100/20.
6. Rogelj, J. *et al.* Differences between carbon budget estimates unravelled. *Nat. Clim. Change* **6**, 245–252 (2016).
7. Friedlingstein, P. *et al.* Global Carbon Budget 2019. *Earth System Science Data* **11**, 1783–1838 (2019).
8. Matthews, H. D. & Caldeira, K. Stabilizing climate requires near-zero emissions. *Geophys. Res. Lett.* **35**, (2008).
9. Rogelj, J. *et al.* Mitigation pathways compatible with 1.5°C in the context of sustainable development. In: Global warming of 1.5°C. An IPCC special report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty [V. Masson-Delmotte, P. Zhai, H. O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J. B. R. Matthews, Y. Chen, X. Zhou, M. I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, T. Waterfield (eds.)]. In Press. (2018).
10. Mengis, N., Partanen, A.-I., Jalbert, J. & Matthews, H. D. 1.5 °C carbon budget dependent on carbon cycle uncertainty and future non-CO_2 forcing. *Sci Rep* **8**, 5831 (2018).
11. Tokarska, K. B., Gillett, N. P., Arora, V. K., Lee, W. G. & Zickfeld, K. The influence of non-CO_2 forcings on cumulative carbon emissions budgets. *Environ. Res. Lett.* **13**, 034039 (2018).
12. Matthews, H. D. *et al.* Estimating Carbon Budgets for Ambitious Climate Targets. *Curr Clim Change Rep* **3**, 69–77 (2017).
13. Millar, R. J. & Friedlingstein, P. The utility of the historical record for assessing the transient climate response to cumulative emissions. *Phil. Trans. R. Soc. A* **376**, 20160449 (2018).
14. Matthews, H. D., Gillett, N. P., Stott, P. A. & Zickfeld, K. The proportionality of global warming to cumulative carbon emissions. *Nature* **459**, 829–832 (2009).
15. Zickfeld, K., Arora, V. K. & Gillett, N. P. Is the climate response to CO2 emissions path dependent? *Geophys. Res. Lett.* **39**, (2012).
16. Mengis, N. & Matthews, D. Non-CO_2 forcing changes will likely decrease the remaining carbon budget for 1.5°C.*npj Climate and Atmospheric Science* **3**, 1–7 (2020).
17. Huppmann, D., Rogelj, J., Kriegler, E., Krey, V. & Riahi, K. A new scenario resource for integrated 1.5 °C research. *Nature Clim Change* **8**, 1027–1030 (2018).
18. Huppmann, D. *et al.* IAMC 1.5°C Scenario Explorer and Data hosted by IIASA. International Institute for Applied Systems Analysis & Integrated Assessment Modeling Consortium. (2018) doi:10.22022/SR15/08-2018.15429.

19. Meinshausen, M., Raper, S. C. B. & Wigley, T. M. L. Emulating coupled atmosphere-ocean and carbon cycle models with a simpler model, MAGICC6 – Part 1: Model description and calibration. *Atmospheric Chemistry and Physics* **11**, 1417–1456 (2011).
20. Meinshausen, M. *et al.* The shared socio-economic pathway (SSP) greenhouse gas concentrations and their extensions to 2500. *Geosci. Model Dev.* **13**, 3571–3605 (2020).
21. Allen, M. R. *et al.* Warming caused by cumulative carbon emissions towards the trillionth tonne. *Nature* **458**, 1163–1166 (2009).
22. Meinshausen, M. *et al.* Greenhouse-gas emission targets for limiting global warming to 2 °C. *Nature* **458**, 1158–1162 (2009).
23. Zickfeld, K., Eby, M., Matthews, H. D. & Weaver, A. J. Setting cumulative emissions targets to reduce the risk of dangerous climate change. *Proc. Natl. Acad. Sci. USA* **106**, 16129–16134 (2009).
24. Gillett, N. P., Arora, V. K., Matthews, D. & Allen, M. R. Constraining the Ratio of Global Warming to Cumulative CO_2 Emissions Using CMIP5 Simulations. *J. Clim.* **26**, 6844–6858 (2013).
25. Collins, M., R. Knutti, J. Arblaster, J.-L. Dufresne, T. Fichefet, P. Friedlingstein, X. Gao, W.J. Gutowski, T. Johns, G. Krinner, M. Shongwe, C. Tebaldi, A.J. Weaver and M. Wehner, 2013: Long-term Climate Change: Projections, Commitments and Irreversibility. In: Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. (2013).
26. Arora, V. K. et al., Carbon–concentration and carbon–climate feedbacks in CMIP6 models and their comparison to CMIP5 models. *Biogeosciences* **17**, 4173–4222 (2020).
27. Jones, C. D. & Friedlingstein, P. Quantifying process-level uncertainty contributions to TCRE and Carbon Budgets for meeting Paris Agreement climate targets. *Environ. Res. Lett.* **15,** 074019 (2020).
28. Eyring, V. *et al.* Overview of the Coupled Model Intercomparison Project Phase 6 (CMIP6) experimental design and organization. *Geosci. Model Dev.* **9**, 1937–1958 (2016).
29. Taylor, K. E., Stouffer, R. J. & Meehl, G. A. An Overview of CMIP5 and the Experiment Design. *Bull. Amer. Meteor. Soc.* **93**, 485–498 (2011).
30. Tokarska, K. B. *et al.* Past warming trend constrains future warming in CMIP6 models. *Sci. Adv* **6**, eaaz9549 (2020).
31. Jiménez-de-la-Cuesta, D. & Mauritsen, T. Emergent constraints on Earth's transient and equilibrium response to doubled CO_2 from post-1970s global warming. *Nat. Geosci.* (2019).
32. Forster, P. M., Maycock, A. C., McKenna, C. M. & Smith, C. Latest climate models confirm need for urgent mitigation. *Nat. Clim. Chang.* **10**, 7–10 (2020).
33. Sutton, R. T. ESD Ideas: a simple proposal to improve the contribution of IPCC WGI to the assessment and communication of climate change risks. *Earth Syst. Dynam.* **9**, 1155–1158 (2018).
34. IPCC, 2013. Summary for Policymakers. In: Climate Change 2013: The Physical Science Basis.Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley

(eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA. (2013).
35. Knutti, R. & Rogelj, J. The legacy of our CO_2 emissions: a clash of scientific facts, politics and ethics. *Climatic Change* **133**, 361–373 (2015).
36. IPCC AR5. Stocker, T. F., D. Qin, G.-K. Plattner, L. V. Alexander, S. K. Allen, N. L. Bindoff, F.-M. Bréon, J. A. Church, U. Cubasch, S. Emori, P. Forster, P. Friedlingstein, N. Gillett, J. M. Gregory, D. L. Hartmann, E. Jansen, B. Kirtman, R. Knutti, K. K. Kumar, P. Lemke, J. Marotzke, V. Masson-Delmotte, G. A. Meehl, I. I. Mokhov, S. Piao, V. Ramaswamy, D. Randall, M. Rhein, M. Rojas, C. Sabine, D. Shindell, L. D. Talley, D. G. Vaughan and S.-P. Xie (2013). Technical Summary. Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex and P.M. Midgley. Cambridge, United Kingdom and New York, NY, USA, Cambridge University Press: 33-115. (2013).
37. Millar, R. J. *et al.* Emission budgets and pathways consistent with limiting warming to 1.5 °C. *Nat. Geosci.* **10**, 741–747 (2017).
38. Tokarska, K. B. & Gillett, N. P. Cumulative carbon emissions budgets consistent with 1.5 °C global warming. *Nat. Clim. Change* **8**, 296–299 (2018).
39. Jones, C. D. *et al.* The Zero Emissions Commitment Model Intercomparison Project (ZECMIP) contribution to C4MIP: quantifying committed climate changes following zero carbon emissions. *Geosci. Model Dev.* **12**, 4375–4385 (2019).
40. MacDougall, A. H. *et al.* Is there warming in the pipeline? A multi-model analysis of the Zero Emissions Commitment from CO_2. *Biogeosciences* **17**, 2987–3016 (2020).
41. MacDougall, A. H., Zickfeld, K., Knutti, R. & Matthews, H. D. Sensitivity of carbon budgets to permafrost carbon feedbacks and non-CO_2 forcings. *Environ. Res. Lett.* **10**, 125003 (2015).
42. Gasser, T. *et al.* Path-dependent reductions in CO_2 emission budgets caused by permafrost carbon release. *Nature Geoscience*, **11**, 830–835 (2018).
43. Leduc, M., Matthews, H. D. & de Elía, R. Quantifying the Limits of a Linear Temperature Response to Cumulative CO_2 Emissions. *J. Clim.* **28**, 9955–9968 (2015).
44. Tokarska, K. B., Gillett, N. P., Weaver, A. J., Arora, V. K. & Eby, M. The climate response to five trillion tonnes of carbon. *Nat. Clim. Change* **6**, 851–855 (2016).
45. Frölicher, T. L. & Paynter, D. J. Extending the relationship between global warming and cumulative carbon emissions to multi-millennial timescales. *Environ. Res. Lett.* **10**, 075002 (2015).
46. Hienola, A. *et al.* The impact of aerosol emissions on the 1.5 °C pathways. *Environ. Res. Lett.* **13**, 044011 (2018).
47. Lelieveld, J. *et al.* Effects of fossil fuel and total anthropogenic emission removal on public health and climate. *Proc. Natl. Acad. Sci. USA* **116**, 7192–7197 (2019).
48. Forster, P. M. *et al.* Evaluating adjusted forcing and model spread for historical and future scenarios in the CMIP5 generation of climate models. *Journal of Geophysical Research: Atmospheres* **118**, 1139–1150 (2013).
49. Grose, M. R., Gregory, J., Colman, R. & Andrews, T. What Climate Sensitivity Index Is Most Useful for Projections? *Geophys. Res. Lett.* **45**, 1559–1566 (2018).

50. Matthews, H. D. *et al.* A new framework for understanding and quantifying uncertainties in the remaining carbon budget. *Communications Earth & Environment* (2020/accepted/in press).
51. Leduc, M., Matthews, H. D. & de Elía, R. Regional estimates of the transient climate response to cumulative CO_2 emissions. *Nat. Clim. Change* **6**, 474 (2016).
52. Herrington, T. & Zickfeld, K. Path independence of climate and carbon cycle response over a broad range of cumulative carbon emissions. *Earth Syst. Dynam.* **5**, 409–422 (2014).
53. Winton, M., Takahashi, K. & Held, I. M. Importance of Ocean Heat Uptake Efficacy to Transient Climate Change. *J. Clim.* **23**, 2333–2344 (2010).
54. Armour, K. C., Bitz, C. M. & Roe, G. H. Time-Varying Climate Sensitivity from Regional Feedbacks. *J. Clim.* **26**, 4518–4534 (2013).
55. Andrews, T. *et al.* Accounting for Changing Temperature Patterns Increases Historical Estimates of Climate Sensitivity. *Geophys. Res. Lett.* **45**, 8490–8499 (2018).
56. Comyn-Platt, E. *et al.* Carbon budgets for 1.5 and 2 °C targets lowered by natural wetland and permafrost feedbacks. *Nat. Geosci.* **11**, 568–573 (2018).
57. Tokarska, K. B., Zickfeld, K. & Rogelj, J. Path independence of carbon budgets when meeting a stringent global mean temperature target after an overshoot. *Earth's Future* **7**, 1283-1295 (2019).
58. Rogelj, J. *et al.* Air-pollution emission ranges consistent with the representative concentration pathways. *Nat. Clim. Change* **4**, 446–450 (2014).
59. Rogelj, J. *et al.* Mitigation choices impact carbon budget size compatible with low temperature goals. *Environ. Res. Lett.* **10**, 075003 (2015).
60. Haustein, K. *et al.* A real-time Global Warming Index. *Scientific Reports* **7**, 15417 (2017).
61. Rogelj, J., Schleussner, C.-F. & Hare, W. Getting It Right Matters: Temperature Goal Interpretations in Geoscience Research. *Geophys. Res. Lett.* **44**, 10,662-10,665 (2017).
62. United Nations Framework Convention on Climate Change, 1992. FCCC/INFORMAL/84 - GE.05-62220. United Nations.
63. Schleussner, C.-F. *et al.* Science and policy characteristics of the Paris Agreement temperature goal. *Nat. Clim. Change* **6**, 827–835 (2016).
64. Tokarska, K. B. *et al.* Uncertainty in carbon budget estimates due to internal climate variability. *Environ. Res. Lett.*, **15**, 104064 (2020).
65. UNFCC. UNFCC, 2015. FCCC/CP/2015/L.9/Rev.1: Adoption of the Paris Agreement (pp. 1–32). UNFCCC, Paris, France. (2015).
66. Allen, M.R., O.P. Dube, W. Solecki, F. Aragón-Durand, W. Cramer, S. Humphreys, M. Kainuma, J. Kala, N. Mahowald, Y. Mulugetta, R. Perez, M. Wairiu, and K. Zickfeld, 2018: Framing and Context. In: Global Warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty [Masson-Delmotte, V., P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P.R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J.B.R. Matthews, Y. Chen, X. Zhou, M.I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, and T. Waterfield (eds.)]. In Press. Cambridge, United Kingdom and New York, NY, USA. (2018).
67. Hawkins, E. *et al.* Estimating Changes in Global Temperature since the Preindustrial Period. *Bull. Amer. Meteor. Soc.* **98**, 1841–1856 (2017).

68. Schurer, A. P., Mann, M. E., Hawkins, E., Tett, S. F. B. & Hegerl, G. C. Importance of the pre-industrial baseline for likelihood of exceeding Paris goals. *Nat. Clim. Change* **7**, 563 (2017).
69. Richardson, M., Cowtan, K., Hawkins, E. & Stolpe, M. B. Reconciled climate response estimates from climate models and the energy budget of Earth. *Nat. Clim. Change* **6**, 931 (2016).
70. Morice, C. P., Kennedy, J. J., Rayner, N. A. & Jones, P. D. Quantifying uncertainties in global and regional temperature change using an ensemble of observational estimates: The HadCRUT4 data set. *Journal of Geophysical Research: Atmospheres* **117**, (2012).
71. Cowtan, K. Coverage bias in the HadCRUT4 temperatureseries and its impact on recent temperaturetrends. Update: COBE-SST2 based land-ocean dataset. *Unpub* (2017).
72. Cowtan, K. *et al.* Robust comparison of climate models with observations using blended land air and ocean sea surface temperatures. *Geophys. Res. Lett.* **42**, 6526–6534 (2015).
73. Pfleiderer, P., Schleussner, C.-F., Mengel, M. & Rogelj, J. Global mean temperature indicators linked to warming levels avoiding climate risks. *Environ. Res. Lett.* **13**, 064015 (2018).
74. Schurer, A. *et al.* Estimating the Transient Climate Response from Observed Warming. *J. Clim.* **31**, 8645–8663 (2018).
75. Rogelj, J. *et al.* A new scenario logic for the Paris Agreement long-term temperature goal. *Nature* **573**, 357–363 (2019).
76. Kumar, S. *et al.* Land use/cover change impacts in CMIP5 climate simulations: A new methodology and 21st century challenges. *Journal of Geophysical Research: Atmospheres* **118**, 6337–6353 (2013).
77. Simmons, C. T. & Matthews, H. D. Assessing the implications of human land-use change for the transient climate response to cumulative carbon emissions. *Environ. Res. Lett.* **11**, 035001 (2016).
78. Lawrence, D. M. *et al.* The Land Use Model Intercomparison Project (LUMIP) contribution to CMIP6: rationale and experimental design. *Geosci. Model Dev.* **9**, 2973–2998 (2016).
79. Zickfeld, K., MacDougall, A. H. & Matthews, H. D. On the proportionality between global temperature change and cumulative CO_2 emissions during periods of net negative CO_2 emissions. *Environ. Res. Lett.* **11**, 055006 (2016).
80. Koven, C. D., Lawrence, D. M. & Riley, W. J. Permafrost carbon−climate feedback is sensitive to deep soil carbon decomposability but not deep soil nitrogen dynamics. *Proc. Natl. Acad. Sci. USA* **112**, 3752 (2015).
81. McGuire, A. D. *et al.* Dependence of the evolution of carbon dynamics in the northern permafrost region on the trajectory of climate change. *Proc Natl Acad Sci USA* **115** (15), 3882-3887 (2018).
83. United Nations Environment Programme. *The emissions gap report 2019*. (2019).
84. den Elzen, M., Janssen, M., Rotmans, J., Swart, R. & Vries, B. Allocating constrained global carbon budgets: Inter-regional and inter-generational equity for a sustainable world. *Int. J. Global Energy Issues* **4**, 287–301 (1992).
85. Robiou du Pont, Y., Jeffery, M. L., Gütschow, J., Christoff, P. & Meinshausen, M. National contributions for decarbonizing the world economy in line with the G7 agreement. *Environ. Res. Lett.* **11**, 054005 (2016).

86. Höhne, N., den Elzen, M. & Escalante, D. Regional GHG reduction targets based on effort sharing: a comparison of studies. *Climate Policy* **14**, 122–147 (2014).
87. Gibson, R. B. *et al. From Paris to Projects: Clarifying the implications of Canada's climate change mitigation commitments for the planning and assessment of projects and strategic undertakings.* (University of Waterloo: Paris to Projects Research Initiative, 2019).
88. Crownshaw, T. *et al.* Over the horizon: Exploring the conditions of a post-growth world. *The Anthropocene Review* **6**, 117–141 (2019).
89. Smith, C. J. *et al.* Current fossil fuel infrastructure does not yet commit us to 1.5 °C warming. *Nature Communications* **10**, 101 (2019).
90. Tong, D. *et al.* Committed emissions from existing energy infrastructure jeopardize 1.5 °C climate target. *Nature* **572**, 373–377 (2019).
91. Matthews, H. D. Quantifying historical carbon and climate debts among nations. *Nature Clim Change* **6**, 60–64 (2016).
92. Höhne, N., den Elzen, M. & Escalante, D. Regional GHG reduction targets based on effort sharing: a comparison of studies. *Climate Policy* **14**, 122–147 (2014).
93. McKinnon, C. Climate justice in a carbon budget. *Climatic Change* **133**, 375–384 (2015).
94. Samson, J., Berteaux, D., McGill, B. J. & Humphries, M. M. Geographic disparities and moral hazards in the predicted impacts of climate change on human populations. *Global Ecology and Biogeography* **20**, 532–544 (2011).
95. Meinshausen, M. *et al.* National post-2020 greenhouse gas targets and diversity-aware leadership. *Nat. Clim. Change* **5**, 1098 (2015).
96. Smith, P. *et al.* Biophysical and economic limits to negative CO_2 emissions. *Nat. Clim. Change* **6**, 42–50 (2016).
97. Fuss, S. *et al.* Negative emissions—Part 2: Costs, potentials and side effects. *Environ. Res. Lett.* **13**, 063002 (2018).
98. Cao, L. & Caldeira, K. Atmospheric carbon dioxide removal: long-term consequences and commitment. *Environ. Res. Lett.* **5**, 024011 (2010).
99. Jones, C. D. *et al.* Simulating the Earth system response to negative emissions. *Environ. Res. Lett.* **11**, 095012 (2016).
100. Tokarska, K. B. & Zickfeld, K. The effectiveness of net negative carbon dioxide emissions in reversing anthropogenic climate change. *Environ. Res. Lett.* **10**, 094013 (2015).
101. Nemet, G. F. *et al.* Negative emissions—Part 3: Innovation and upscaling. *Environ. Res. Lett.* **13**, 063003 (2018).
102. Frölicher, T. L. & Joos, F. Reversible and irreversible impacts of greenhouse gas emissions in multi-century projections with the NCAR global coupled carbon cycle-climate model. *Clim Dyn* **35**, 1439–1459 (2010).
103. Mathesius, S., Hofmann, M., Caldeira, K. & Schellnhuber, H. J. Long-term response of oceans to CO_2 removal from the atmosphere. *Nat. Clim. Change* **5**, 1107–1113 (2015).
104. Li, X., Zickfeld, K., Mathesius, S., Kohfeld, K. & Matthews, J. B. R. Irreversibility of Marine Climate Change Impacts Under Carbon Dioxide Removal. *Geophys. Res. Lett.* **47**, e2020GL088507 (2020).