

This is a repository copy of *Development and critical evaluation of a condition-specific preference-based measure sensitive to binaural hearing in adults:the York Binaural Hearing-related Quality of Life System.*

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/175566/

Article:

Summerfield, Quentin orcid.org/0000-0002-7391-0959, Kitterick, Pádraig and Goman, Adele (2022) Development and critical evaluation of a condition-specific preference-based measure sensitive to binaural hearing in adults:the York Binaural Hearing-related Quality of Life System. Ear and Hearing. pp. 379-397. ISSN 1538-4667

https://doi.org/10.1097/AUD.000000000001101

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Supplementary Digital Content 4

Example of a Response Booklet for Experiment 1b

(This document is supplementary to the paper by Summerfield, Kitterick, and Goman entitled 'Development and critical evaluation of a condition-specific preference-based measure sensitive to binaural hearing in adults: the York Binaural Hearing-related Quality of Life System'.)

Consent Form V01a (09.10.15)

The Value of Hearing

Thank you for considering whether to take part in this study.

Please read the pages that follow this one.

If anything is not clear, please ask the person who gave you this pack.

Please turn to the next page

Consent Form V01a (09.10.15)

Consent Form

Purpose of this study

We are measuring the value of hearing with two ears, rather than one, and the effect that quality of sight has on this. We hope that the results of this study will help policy makers in the health service make decisions about treatments for people with hearing and vision problems.

Who are the participants?

We are recruiting university undergraduates, clinicians, and adults from the general public.

What is involved?

We would like you to complete a questionnaire in which you will imagine that you are experiencing different combinations of hearing problems. We expect that it will take you approximately 30 minutes to complete the questionnaire. You do not have to take part and have the right to withdraw from the study at any time. Please could you read the attached instructions, examples, and questionnaire. Then, if you would like to take part, please could you sign the consent below.

What should you do with the questionnaire when you have completed it?

Please hand this consent form and the questionnaire back to the person who gave them to you.

About your data

Your consent form will be kept in a secure location to ensure your confidentiality. The personal details you provide will be kept separately from your data. Your data will only be identifiable by a participant number.

Declaration of Consent

I understand the aims and procedures of the experiment I am about to participate in.

I reserve the right to withdraw at any stage in the proceedings. If I do so, I understand that any information that I have provided as part of the study will be destroyed and my identity removed unless I agree otherwise.

Name:	 	
Signed:	 	
Date:	 	

The researchers are Alice Smith (als560@york.ac.uk) Abigail Llewelyn (arl523@york.ac.uk) Stephanie Bill (sb1396@york.ac.uk) Anna Wilson (arw519@york.ac.uk). Their supervisor is Professor Quentin Summerfield (Quentin.summerfield@york.ac.uk).

Please let us know if the questionnaire causes you any concern. If you wish you can contact the chair of the Research Ethics Committee in the Department of Psychology at the University of York (Dr Philip Quinlan, E-Mail: Philip.quinlan@york.ac.uk).

Please turn to the next page

Consent Form V01a (09.10.15)

Information about You

Please could you provide the following information about yourself:	
Your age:	
Your date of birth: DD/MM/YYYYY	
Your gender: Male / Female / Other	
What is your main occupation (or previous occupation if you are retired or current working)?	ntly not
Have you ever worked with people who have hearing loss or deafness?	Yes / No
Do you have any problems with your own hearing?	Yes / No
Do any of your close friends or family have any problems with their hearing?	Yes / No
Have you ever worked with people who have serious problems with their sight?	Yes / No
Do you have serious problems with your own sight?	Yes / No
Do any of your close friends or family have serious problems with their sight?	Yes / No
Do you consider yourself to have any other disabilities?	Yes / No
If you answered yes, please could you tell us a little about your disability?	
Do any of your close friends or family have any other disabilities?	Yes / No
If you answered yes, please could you tell us a little about their disability?	

Please turn to the next page

Information about you V01a (09.10.15)

Instructions

This questionnaire consists of 27 'scenarios'. Each scenario is a description of three aspects of a person's ability to **hear**. We want you to imagine that we are describing **you**.

First, we describe your ability to understand speech when there is background noise.

Second, we describe your ability to work out where sounds are coming from; that is, to 'localise' sounds.

Third, we describe the amount of effort that you have to make in order to hear. Also, we describe how tired this makes you feel by the end of the day.

Now imagine that you are told that you have a maximum of 10 years left to live. You can choose *either* to live these 10 years with the hearing difficulties that are described in the scenario, and then die, *or* to live with no hearing difficulties, but for less time.


We want you to tell us the number of years living with no difficulties that you think would be equal to living 10 years with the difficulties described in the scenario.

When thinking about each scenario, we want you to imagine that your sight is seriously impaired and will not change.

Here is an example of a scenario from a different questionnaire

You have had a stroke. You have lost the ability to control your hands and to speak clearly. You are regularly forgetting to do things. As a result, you are struggling to cope with day-to-day living. Your condition is stable, and will neither get better, nor get worse.

Imagine that you have a maximum of 10 years left to live. Please indicate with a cross on the line the number of years living with no difficulties that you think would be equal to living the full 10 years with the consequences of a stroke.



In our experience, most people consider the consequences of a stroke to be a major problem. In the example shown here, the respondent has put their cross at 3 years. This means that they think that living for 3 years with no difficulties, and then dying, would be equal to living the full 10 years with the consequences of a stroke, and then dying.


Please turn to the next page

Instructions V01a (09.10.15)

Here is another example

You suffer from hay fever. Although you take medication, you still experience sneezing and itchy and watery eyes every summer. Your condition is stable, and will neither get better, nor get worse.

Imagine that you have a maximum of 10 years left to live. Please indicate with a cross on the line the number of years living with no hay fever that you think would be equal to living the full 10 years with hay fever.



In our experience, most people consider hay fever to be a minor problem. In the example shown here, the respondent has put their cross at 9 and a half years. This means that they think that living for 9 and a half years with no hay fever, and then dying, would be equal to living the full 10 years with hay fever, and then dying.

Now, please work your way through all 27 scenarios, one at a time. When you reach the end of the questionnaire, please check that you have answered all of the scenarios.

There are no right or wrong answers. We are simply trying to find out how people value different aspects of the ability to hear.

Please turn to the next page

Instructions V01a (09.10.15)

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing : Scenario 1

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 2

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 3

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 4

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 5

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 6

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 7

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 8

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 9

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 10

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 11

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 12

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 13

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 14

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 15

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 16

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 17

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 18

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 19

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 20

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 21

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 22

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 23

Effort and Fatigue

You have to concentrate very hard when you are trying to hear something or someone. You have to put in a great deal of effort to hear what people are saying. By the end of the day, you are extremely mentally and physically tired because of your hearing.


Localisation

You have great difficulty working out where sounds are coming from. You cannot even tell if a sound is coming from the right- or left-hand side without looking around. As a result, you find it very difficult to tell who is speaking when you are in a group with several people. You are also worried about your safety outdoors because of your difficulty working out where sounds are coming from.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 24

Effort and Fatigue

You have to concentrate quite hard when you are trying to hear something or someone. You have to put in some effort to hear what people are saying. By the end of the day, you are moderately mentally and physically tired because of your hearing.


Localisation

You can work out where sounds are coming from accurately. You can point to where a sound is coming from easily.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 25

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking, but you can only pick out some of the words they say. This can lead to confusion if you miss an important word. Sometimes you need them to repeat themselves or to turn the volume down for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 26

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you can hear your friend speaking easily, usually picking up all of the words they say.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page

Your Sight

You have great problems with your sight. You need help getting around outside and in unfamiliar buildings. You cannot read printed text in books and newspapers. You cannot drive a car. You cannot see what is happening on the television or a computer screen.

Your Hearing: Scenario 27

Effort and Fatigue

You have to concentrate a little when you are trying to hear something or someone. You can hear what people are saying with only a little effort. By the end of the day, you are not mentally or physically tired because of your hearing.


Localisation

You have some difficulty working out where sounds are coming from. You can usually tell if a sound is coming from the right- or left-hand side, but you cannot be more accurate than that. As a result, you are not always sure who is speaking when you are in a group with several people.

Speech Perception in Noise

When a friend speaks to you while the TV is on or other people are chatting in the same room, you find it very difficult to hear your friend speaking. You are usually unable to pick out the words they say. This regularly leads to misunderstanding and confusion. The room needs to be completely quiet for you to understand them.

Imagine that you have a maximum of 10 years left to live. The difficulties with your sight will **not** change. Please indicate with a cross on the line the number of years living with no **hearing** difficulties that you think would be equal to living the full 10 years with the **hearing** difficulties described in the scenario.



Please turn to the next page