

This is a repository copy of Anomalous grain boundary conduction in BiScO3-BaTiO3 high temperature dielectrics.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/176898/

Version: Supplemental Material

Article:

Li, L, Roncal-Herrero, T, Harrington, J et al. (4 more authors) (2021) Anomalous grain boundary conduction in BiScO3-BaTiO3 high temperature dielectrics. Acta Materialia, 216. 117136. ISSN 1359-6454

https://doi.org/10.1016/j.actamat.2021.117136

© 2021, Elsevier. This manuscript version is made available under the CC-BY-NC-ND 4.0 license http://creativecommons.org/licenses/by-nc-nd/4.0/.

Reuse

This article is distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivs (CC BY-NC-ND) licence. This licence only allows you to download this work and share it with others as long as you credit the authors, but you can't change the article in any way or use it commercially. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Supplementary Information




Figure S1. (a-c) Observed (open circles), calculated (continuous line) plots for $x(BiScO_3)-(1-x)(BaTiO_3)$ (BS_xBT) crushed ceramics refinement in the Pm-3m space group and (d) associated refinement statistics.




Figure S2. Expanded scale of the low frequency region in impedance Z* plots of $x(BiScO_3)-(1-x)(BaTiO_3)$ (BS_xBT) ceramics: BS_{0.2}BT ceramics at (a) 600 °C and (b) 900 °C; (c) BS_{0.3}BT ceramics at 600 °C; (d) BS_{0.4}BT ceramics at 600 °C.