

This is a repository copy of *A high-resolution picture of kinship practices in an Early Neolithic tomb*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/185799/>

Version: Accepted Version

---

**Article:**

Fowler, Chris, Olalde, Inigo, Cummings, Vicki et al. (7 more authors) (2022) A high-resolution picture of kinship practices in an Early Neolithic tomb. *Nature*. pp. 584-587. ISSN 0028-0836

<https://doi.org/10.1038/s41586-021-04241-4>

---

**Reuse**

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.

Unique identifier	Age-at-death	MtDNA haplogroup	Taphonomy & pathology	Main lineage key relationships
NC1m	Adult	N1b1b	-	Father of SC2m & SP1m by SC1f; father of NC4m with NC2f(C); father of NE2m(A) with NC3f(F); father of SC3m(ix) by U3f.
NC2f(C)	17–25	U8b1b	Gn; CO, PH	Mother of NC4m by NC1m; mother of SE1m by U1m.
NC3f(F)	40+	K1a3a1	OA, ankle trauma	Mother of NE2m(A) by NC1m & NE1m(2) by U2m.
NC4m	17–25	U8b1b	-	Son of NC2f(C) & NC1m; half-brother of SE1m.
NC5m(G)	3–4	T2e1	Gn	Fourth degree relative of SP4m.
NC6m(H)	2–3	J2b1a	Gn; DA	Second-degree relative of NC3f(F); third degree relative of NE2m(A) & NE1m(2)
NC7f	Child	K1b1a	-	Daughter of NE2m(A) & U6f; sister of SP3m & NC8m; half-sister of SC5m(E).
NC8m	Infant, 18–24 months	K1b1a	-	Son of NE2m(A) & U6f; brother of NC7f & SP3m; half-brother of SC5m(E).
NC9m	Adult	K1b1a	-	Son of U6f & U11m.
NC10m	Adult	U3a1	-	None
NE1m(2)	33–60	K1a3a1	AMTL, OA, OD, TB?, DA	Son of NC3f(F) and U2m; half-brother of NE2m(A); ‘stepson’ of NC1m.
NE2m(A)	23–57	K1a3a1	Gn; DISH, SA, OA	Son of NC1m & NC3f(F); half-brother of NE1m(2); father of SC5m by U5f & of NC7f, SP3m & NC8m by U6f.
NE3m(B)	3-6 mths	V	-	None
NE4m(1)	c. 40	K1a4	Fr. L fibula, OA, DA, AMTL	None
SC1f	Adult	K2b1	-	Mother of SC2m and SP1m by NC1m.
SC2m	Adult	K2b1	-	Son of NC1m & SC1f, brother of SP1m.
SC3m(ix)	45+	W5	Skull fr., OA, PD, DA, AMTL	Son of NC1m & U3f; father of U13m & SE2m(v) by SC4f.
SC4f	48–56	K1d	-	Mother of SE2m(v) & U13m by SC3m(ix); mother of SE3m by U10m.
SC5m(E)	9–15	H1	-	Son of NE2m(A) & U5f; half-brother of SP3m, NC8m & NC7f.
SC6m	5–6	U5b1+16189+@16192	Scurvy	Son of U8f & U9m, brother of SC7m.
SC7m	Adult	U5b1+16189+@16192	-	Son of U8f & U9m; brother of SC6m.
SC8m	25-35	J1c1b1	PD	Son of U14f and SE2m; sister of SC9f.
SC9f	6–9	J1c1b1	Scurvy	Daughter of U14f and SE2m; sister of SC8m.
SC10f(viii)	23-35	K1b1a1d	CO, PH, AMTL	None
SE1m	Older adult	U8b1b	-	NC1m reproduced with his mother NC2f(C); father of SP2m(vi) by U4f; ‘stepson’ of NC1m.
SE2m(v)	Adult	Too little data	-	Son of SC4f & SC3m(ix); father of SC8m & SC9f.
SE3m	35-45	K1d	-	SC3m(ix) reproduced with his mother SC4f; ‘stepson’ of SC3m.
SE4m(D)	Adult	J1c1	Fr. R ulna; polio?, twisted spine	None
SE5m	Adult	U5a2d	-	None
SE6f	Adult	U5b1+16189	-	None
SP1m(ii)	33-45	K2b1	-	Son of NC1m & SC1f, brother of SC2m.
SP2m(vi)	25-35	H5	-	Son of SE1m (who was ‘stepson’ of NC1m).
SP3m	45+	K1b1a	PD, AMTL, DA	Son of NE2m(A) & U6f; brother of NC7f & NC8m; half-brother of SC5m(E).
SP4m(i)	Child	T2e1	-	Son of U16m & U15f.
HN1f	-	K1b1a1	-	None