

This is a repository copy of *Editorial:* Machine learning and signal processing for neurotechnologies and brain-computer interactions out of the lab.

White Rose Research Online URL for this paper: <u>https://eprints.whiterose.ac.uk/204124/</u>

Version: Published Version

Article:

Arvaneh, M. orcid.org/0000-0002-5124-3497, Tanaka, T., Raza, H. et al. (2 more authors) (2023) Editorial: Machine learning and signal processing for neurotechnologies and braincomputer interactions out of the lab. Frontiers in Neuroergonomics, 4. 1305482. ISSN 2673-6195

https://doi.org/10.3389/fnrgo.2023.1305482

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/

Check for updates

OPEN ACCESS

EDITED AND REVIEWED BY Stephen Fairclough, Liverpool John Moores University, United Kingdom

*CORRESPONDENCE Haider Raza M.raza@essex.ac.uk Mahnaz Arvaneh M.m.arvaneh@sheffield.ac.uk Tomas Emmanuel Ward M. tomas.ward@dcu.ie

[†]PRESENT ADDRESS Tomas Emmanuel Ward, Dublin City University, Dublin, Ireland

RECEIVED 01 October 2023 ACCEPTED 10 October 2023 PUBLISHED 09 November 2023

CITATION

Arvaneh M, Tanaka T, Raza H, Nakanishi M and Ward TE (2023) Editorial: Machine learning and signal processing for neurotechnologies and brain-computer interactions out of the lab. *Front. Neuroergon.* 4:1305482. doi: 10.3389/fnrgo.2023.1305482

COPYRIGHT

© 2023 Arvaneh, Tanaka, Raza, Nakanishi and Ward. This is an open-access article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Machine learning and signal processing for neurotechnologies and brain-computer interactions out of the lab

Mahnaz Arvaneh^{1*}, Toshihisa Tanaka², Haider Raza^{3*}, Masaki Nakanishi⁴ and Tomas Emmanuel Ward^{5*†}

¹Automatic Control and Systems Engineering, University of Sheffield, Sheffield, United Kingdom, ²Tokyo University of Agriculture and Technology, Tokyo, Japan, ³School of Computer Science and Electronics Engineering, University of Essex, Colchester, United Kingdom, ⁴Institute for Neural Computation, University of California, San Diego, La Jolla, CA, United States, ⁵Insight SFI Research Centre for Data Analytics, Dublin, Ireland

KEYWORDS

brain computer interface, machine learning, neurotechnologies, signal processing, neuroscience

Editorial on the Research Topic

Machine learning and signal processing for neurotechnologies and brain-computer interactions out of the lab

The merging of neuroscience with technology gives rise to Brain-Computer Interfaces (BCIs), a groundbreaking domain driving innovation in signal processing, machine learning, biomedical instrumentation and wearable sensors. BCIs (Vidal, 1973) hold the promise of direct mind-machine communication, offering empowerment to individuals with paralysis, and augmenting cognitive abilities, and are in the vanguard of a new era of human-computer symbiosis.

This Research Topic aims to present the latest research findings in Machine Learning and Signal Processing for neurotechnologies. It explores progress toward transitioning this technology from controlled laboratory and clinical settings to real-world applications, often referred to as "in the wild" deployments. By enabling real-world applications, BCIs can enhance accessibility for various fields, including healthcare and assistive technology, unlocking the potential for widespread societal benefits and fostering innovation beyond controlled settings (Pirondini et al., 2017). The pursuit of new and improved machine learning and signal processing for neurotechnologies attracts a lot of new researchers as it presents very challenging problems which require innovative solutions and transdisciplinary approaches. Extending these technologies beyond the laboratory context into real-world applications promises groundbreaking new solution areas for BCIs. This fusion holds the key to enhancing lives through accessible healthcare, assistive devices, and augmented human capabilities, inspiring us to contribute to this transformative frontier.

This editorial topic discusses four significant research papers, each contributing to the advancement of BCIs and signal denoising techniques for real-world applications, which may lead to bringing BCIs out of the lab in the near future. Pham Xuan et al. explore the potential use of Passive Brain-Computer Interfaces (pBCIs) to detect cognitive processes related to face recognition. The aim is to apply this technology in autonomous vehicles to interpret facial mimicry and nonverbal communication in complex real-world scenarios. The pBCI achieved an accuracy of over 70% in distinguishing responses to faces from other stimuli in a single trial, demonstrating promise for enhancing safety and communication in autonomous vehicles.

Brophy et al. address the challenge of noise in EEG signals, which is crucial for BCIs. The study employs Generative Adversarial Networks (GANs) to denoise EEG data, enhancing BCI performance in practical settings. This GAN-based approach offers versatility, making it adaptable to low-resource scenarios. The research validates the effectiveness of GANs in EEG artefact removal, advancing the state-of-the-art in EEG signal enhancement. This has promising implications for more accurate and stable brain signal measurements in BCIs.

Giles et al. introduce a transfer learning algorithm, r-KLwDSA, designed to reduce the calibration time required for motor imagerybased BCIs, particularly for long-term users. The algorithm aligns EEG data from previous sessions with the current session, leading to a significant enhancement in classification accuracy, especially for sessions initially below 60%. This development has implications for improving BCI rehabilitation, particularly for stroke patients. Additionally, it addresses the challenge of domain adaptation in non-stationary settings, which may help in bringing BCI out of the lab.

Awais et al. presents the AMBER dataset, designed to facilitate the development of signal-denoising techniques for EEG measurements in real-world settings. The AMBER dataset combines EEG recordings with synchronized video data, enhancing analysis with rich contextual cues such as facial expressions and body movements, enriching research insights. This dataset is a significant advancement in BCI research, addressing the critical issue of signal denoising in EEG data, and serves as a valuable resource for exploring and advancing signal-denoising techniques, enhancing the reliability of BCIs in real-world environments.

In summary, these studies collectively contribute to the practicality and efficiency of BCIs in real-world applications, ranging from autonomous vehicles to rehabilitation and signal denoising, ultimately improving the quality and reliability of brain signal measurements and enhancing the potential of BCIs in various domains.

Author contributions

HR: Writing—original draft, Writing—review and editing. MA: Writing—original draft, Writing—review and editing. TT: Writing—original draft, Writing—review and editing. MN: Writing—review and editing. TW: Writing—original draft, Writing—review and editing.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

The author(s) declared that they were an editorial board member of Frontiers, at the time of submission. This had no impact on the peer review process and the final decision.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

Pirondini, E., Coscia, M., Minguillon, J., Millán, J. D. R., Van De Ville, D., and Micera, S. (2017). EEG topographies provide subject-specific correlates of motor control. *Scien. Rep.* 7, 13229. doi: 10.1038/s41598-017-13482-1

Vidal, J. J. (1973). Toward direct brain-computer communication. Ann. Rev. Biophy. Bioeng. 2, 157–180. doi: 10.1146/annurev.bb.02.060173. 001105