



Deposited via The University of Sheffield.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/id/eprint/211070/>

Version: Published Version

Article:

Alshdaifat, A., Moadab, N. and Fotios, S. (2023) Alert to the problem? *Lighting Journal*, 88 (5). pp. 6-8.

© 2024 The Institute of Lighting Professionals. Reproduced with permission from the copyright holder.

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.

ALERT TO THE PROBLEM

It stands to reason that if both drivers and pedestrians are more alert that will make our roads safer. But can this be achieved through better (or just different) highway lighting? An innovative research project is looking for answers

By Aysheh Alshdaifat, Nima Hafezparast Moadab, and Professor Steve Fotios

This article is about the non-visual effects of road lighting on pedestrians and drivers when travelling after dark. It is based on research being conducted by two University of Sheffield PhD students, working within the LightCAP project.

The LightCAP project is a European consortium led by Eindhoven Technical University. Aysheh Alshdaifat's work is focusing on pedestrians, while Nima Hafezparast Moadab's research is more focused on drivers.

Non-visual effects are the biological and behavioural responses to light rather than direct visual responses, such as the ability to detect and identify an object.

Non-visual responses include the synchronisation of circadian rhythms to the 24-hour cycle of light and dark and hormone activation. In combination, these can result

in changes of mood and sleepiness. This work is concerned with alertness, in other words the state of being ready to see, understand, and act in a particular situation.

Alertness is impaired by factors including sleepiness and cognitive workload and, in this work, we are investigating the degree to which these effects can be mitigated by road lighting.

RISKS OF IMPAIRED ALERTNESS

Impaired alertness may lead to a potential hazard being unseen or seen, but not so quickly and hence with less time for avoiding action. In turn, this can lead to increases in the frequency and/or severity of road-traffic collisions or to pedestrian trip and slip accidents.

Sleepiness, as most of us will be well aware, is the state of being tired and wanting to

sleep. Sleepiness can negatively affect risk-taking, impulsivity, attention, and decision-making. For drivers, sleepiness at the wheel interferes with driving skills and diminishes a driver's ability to react.

Cognitive workload is the dynamic relationship between the resources required to carry out a task and one's ability to supply those resources.

Cognitive workload when driving has increased in recent years with the introduction of in-vehicle information technologies and a rise in traffic intensity. Drivers with higher levels of cognitive workload are less likely to anticipate hazards; they may fail to identify objects in their line of sight and are slower to take evasive action when it is needed.

Enhancing alertness can make both pedestrians and drivers more aware of potential hazards. Our research is investigating the degree to which light is able to enhance alertness in the context of road lighting after dark in the evening, in other words when the natural circadian rhythm is for us to become more sleepy and therefore less alert.

We can expect light to affect alertness through two pathways, by suppression of melatonin release in the evening and by activating regions of the brain associated with cognitive performance and alertness.

Any alerting effect of light will vary according to factors including the duration of exposure (for road users, this is the duration of their journey), the intensity and spectral power distribution of light, and the timing of light exposure (for example, whether in the morning or the evening). From previous work we know that short wavelength (blue) light is particularly effective at inducing non-visual responses.

However, while previous studies have



Highway lighting

demonstrated that light affects measures of alertness, those studies have not represented typical exposure to road lighting.

For example, the test participants were first adapted to dark conditions followed by exposure to bright test lighting. Our work is concerned with travel in the evenings, where the pattern of exposure is reversed. In other words, adaptation first to interior lighting (in the home or office) followed by driving or walking after dark under road lighting, from bright to dark rather than from dark to bright.

EVENING ALERTNESS

An experiment was conducted in November evenings (starting at 9pm) when the body starts to prepare for sleep.

Test participants were first exposed for two hours (the adaptation phase) of lighting typical domestic situations (2700K, 25 lux vertical illuminance at eye level) whilst seated.

For the next hour (the test phase) they were exposed to one of four lighting conditions, with half the participants remaining seated and the other half walking on a

treadmill to measure the impact on alertness of physical activity.

The four lighting conditions in the test phase are shown in Table 1 (overleaf). The non-visual effect of road lighting is characterised by its 'Melanopic Equivalent Daylight Illuminance' (EDI), the circadian metric adopted by the CIE [1].

Four measures were recorded to establish the state of alertness, repeated at intervals of about 30 minutes throughout the experiment.

These were: melatonin levels (from saliva



