

This is a repository copy of Examining the hospital costs of children born into relative deprivation in England.

White Rose Research Online URL for this paper: https://eprints.whiterose.ac.uk/211782/

Version: Submitted Version

Article:

Dale, Veronica Mary orcid.org/0000-0003-3783-2030, Gutacker, Nils orcid.org/0000-0002-2833-0621, Bradshaw, Jonathan Richard orcid.org/0000-0001-9395-6754 et al. (1 more author) (2024) Examining the hospital costs of children born into relative deprivation in England. Journal of Epidemiology & Community Health. ISSN 1470-2738

Reuse

Items deposited in White Rose Research Online are protected by copyright, with all rights reserved unless indicated otherwise. They may be downloaded and/or printed for private study, or other acts as permitted by national copyright laws. The publisher or other rights holders may allow further reproduction and re-use of the full text version. This is indicated by the licence information on the White Rose Research Online record for the item.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Appendix

Table 1 - Number of records linked using each method

		2003/04 Cohort N=567,347		2013/14 N=634,293	
		N % of Cohort		N	% of Cohort
Deterministically		271,111		413,870	
linked	Valid IMD	269,719	47.5	410,870	64.8
Probabilistically		210,011			
linked	Valid IMD	209,020	36.8	-	-
IMD – baby		37,150	6.5	165,754	26.1
Final		515,889	90.9	576,624	90.9

Table 2 - Linking Variables

Variable		Deterministic	Probabilistic
Provider Code	procode	✓	✓
GP practice	gpprac	✓	✓
Maternal Age	matage	✓	✓
Birth Weight	birweit	✓	✓
Gestation	gestat	√	✓
Birth Order	birordr	√	✓
Baby Sex	babysex	√	✓
Estimated delivery date	opdte/birthdate	X	✓
First Antenatal Assessment data	anasdate	X	✓
Gestation at first antenatal	anagest	X	✓
assessment			
Delivery method	delmeth	X	✓
Intended delivery place	delinten	Х	✓
Actual Delivery place	delplac	Х	✓
Method to induce labour	delonset	Х	✓
Anaesthetic given during labour/delivery	delprean	Х	√
Anaesthetic given post labour/delivery	delposan	Х	√
Status person conducting delivery	delstat	Х	√
Birth status	birstat	Х	✓
Resuscitation method	biresus	Х	✓
Ethnic category	ethnos	X	✓
Postcode district	postdist	X	✓
Episode start Date	epistart	X	√
Episode end Date	epidend	X	√

Table 3 - Completion rate of variables of important linking variables

	2003			2013			
	All Included		Not Included	All	Included	Not Included	
	N=576,347	N=515,889	N=51,458	N=634,293	N=576,624	N=57,669	
Provider	100%	100%	100%	100%	100%	100%	
Code							
GP Practice	99.7%	99.7%	99.7%	99.9%	99.9%	98.9%	
Maternal	61.4%	64.7%	28.7%	66.3%	71.1%	18.8%	
age							
Birth	58.3%	60.8%	32.7%	82.4%	82.6%	80.3%	
Weight							
Gestation	55.6%	58.6%	26.6%	76.7%	79.8%	45.2%	
Birth Order	65.7%	68.5%	37.4%	81.9%	82.7%	73.8%	
Baby Sex	99.9%	99.9%	99.9%	99.9%	99.9%	99.9%	

Table 4 – Cohort Characteristics

			2003		2013		
		Included	Not Included	Included	Not Included		
		N=515,889	N=51,458	N=576,624	N=57,669		
Maternal	Valid N	333,851	14,745	409,701	10,827		
age (years)	Mean (SD)	29.3 (6.0)	28.8 (6.0)	29.5 (5.8)	30.1(5.9)		
Gestation	Valid N	302,030	13,669	460,297	26,069		
(weeks)	Mean (SD)	39.1 (2.5)	38.6 (3.0)	39.0 (2.4)	39.0 (2.4)		
Birth	Valid N	313,723	16,827	476,423	46,277		
Weight (g)	Mean (SD)	3297.5 (652.2)	3130.3 (832.5)	3338.7 (597.3)	3313.6 (604.1)		
Ethnicity	White	250,062 (48%)	27,912 (54%)	407,586 (71%)	35,079 (61%)		
	Black	13,576 (3%)	1,438 (3%)	23,703 (4%)	2789 (5%)		
	Asian	27,488 (5%)	2,147 (4%)	60,993 (11%)	6702 (12%)		
	Mixed	8,384 (2%)	1,062 (2%)	26,506 (5%)	2951 (5%)		
	Other	12,723 (2%)	1,383 (3%)	20,383 (3.8%)	2057 (4%)		
	Missing	203,656 (39%)	17516 (34%)	37,453(6%)	8091 (14%)		
Region of	North East	25,974 (5%)	549 (1%)	29,812 (5%)	50 (<1%)		
Hospital	North West	72,749 (14%)	2,403 (5%)	76,114 (13%)	5,190 (9%)		
	Yorkshire and the Humber	55,564 (11%)	1,924 (4%)	58,455 (10%)	2,373 (4%)		
	East Midlands	31,911 (6%)	9,109 (18%)	37,836 (7%)	6,510 (11%)		
	West Midlands	60,748 (12%)	3,801 (7%)	55,208 (10%)	15,051 (26%)		
	East of England	44,699 (9%)	14,048 (27%)	59,894 (10%)	7,347 (13%)		
	London	98,439 (19%)	11,057 (21%)	113,207 (20%)	13,805 (24%)		
	South East	79,789 (15%)	6,969 (13%)	90,385 (16%)	6,933 (12%)		
	South West	46,016 (9%)	1,598 (3%)	55,713 (10%)	410 (1%)		

Table 5 - Comparison to ONS National Statistics

		2003		2013	
		ONS	Cohort	ONS	Cohort
Maternal age	Mean	29.4	29.3	30.0	29.5
(Years)					
Birth Weight(g)	Under 1500	1.3 %	1.9 %	1.1%	1.1%
	1500-1999	1.6 %	1.4 %	1.4%	1.4%
	2000 – 2499	4.8 %	4.7 %	4.6%	4.6%
	2500-2999	17.2 %	17.4 %	16.3%	16.6%
	3000-3499	35.6 %	35.7 %	35.3%	35.7%
	3500+	39.3 %	38.9 %	40.3%	40.7%
IMD	1 – Most deprived	14.6%	15.0%	14.3%	14.4%
	2	12.4%	12.8%	13.0%	13.2%
	3	10.9%	11.2%	12.0%	11.9%
	4	9.9%	10.0%	10.8%	10.9%
	5	9.3%	9.3%	9.6%	9.8%
	6	8.8%	8.8%	9.2%	8.9%
	7	8.5%	8.4%	8.3%	8.2%
	8	8.5%	8.3%	8.1%	7.8%
	9	8.5%	8.2%	7.7%	7.7%
	10 – Least	8.5%	7.9%	6.9%	7.2%
	Deprived				

ONS data obtained from ONS website

ONS. Number of live births by Index of Multiple Deprivation (IMD), 2003 to 2020, England 2022 [Available from:

https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarrages/livebirths/adhocs/14333numberoflivebirthsbyindexofmultipledeprivationimd2003to2020england.

ONS. Birth statistics. Review of the Registrar General on births and patterns of family building in England and Wales, 2003 2004 [Available from:

https://webarchive.nationalarchives.gov.uk/ukgwa/20150910114054/http://www.ons.gov.uk/ons/publications/re-reference-tables.html?edition=tcm%3A77-156297.

ONS. Characteristics of Birth 1, England and Wales, 2013 Edition 2014 [Available from: https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/livebirths/datasets/characteristicsofbirth1englandandwales.