This is a repository copy of *Azimuthal angle correlations of muons produced via heavy-flavor decays in 5.02 TeV Pb+Pb and pp collisions with the ATLAS detector*.

White Rose Research Online URL for this paper:
https://eprints.whiterose.ac.uk/216599/

Version: Published Version

eprints@whiterose.ac.uk
https://eprints.whiterose.ac.uk/

Azimuthal Angle Correlations of Muons Produced via Heavy-Flavor Decays in 5.02 TeV Pb + Pb and *pp* Collisions with the ATLAS Detector

G. Aad *et al.*[*]

(ATLAS Collaboration)

Angular correlations between heavy quarks provide a unique probe of the quark-gluon plasma created in ultrarelativistic heavy-ion collisions. Results are presented of a measurement of the azimuthal angle correlations between muons originating from semileptonic decays of heavy quarks produced in 5.02 TeV Pb + Pb and *pp* collisions at the LHC. The muons are measured with transverse momenta and pseudorapidities satisfying $p_T^\mu > 4$ GeV and $|\eta^\mu| < 2.4$, respectively. The distributions of azimuthal angle separation $\Delta\phi$ for muon pairs having pseudorapidity separation $|\Delta\eta| > 0.8$, are measured in different Pb + Pb centrality intervals and compared to the same distribution measured in *pp* collisions at the same center-of-mass energy. Results are presented separately for muon pairs with opposite-sign charges, same-sign charges, and all pairs. A clear peak is observed in all $\Delta\phi$ distributions at $\Delta\phi \sim \pi$, consistent with the parent heavy-quark pairs being produced via hard-scattering processes. The widths of that peak, characterized using Cauchy-Lorentz fits to the $\Delta\phi$ distributions, are found to not vary significantly as a function of Pb + Pb collision centrality and are similar for *pp* and Pb + Pb collisions. This observation will provide important constraints on theoretical descriptions of heavy-quark interactions with the quark-gluon plasma.

Heavy-flavor (HF) quarks have long been considered important probes of the quark-gluon plasma (QGP) created in ultrarelativistic heavy-ion collisions [1–10]. They are produced primarily in hard-scattering processes that occur at early times in the nuclear collisions with the result that heavy quarks experience the full evolution of the QGP. The interactions of the heavy quarks with the QGP can induce energy loss or "quenching" that is experimentally observed in the suppression of the yield of HF hadrons [11–15] and their decay products [16–25], or heavy-quark jets, especially bottom-tagged jets [26,27]. Separately, the coupling of the heavy quarks to collective expansion of the plasma [28,29], can be observed via the azimuthal anisotropy of HF hadrons [30–33] or their decay products [17,18,34].

Measurements sensitive to the angular deflection of heavy quarks in the plasma may provide an important, alternative probe of quark interactions in the plasma. On very general physics grounds, the interactions between the quarks and the hot plasma would be expected to induce some deflection of the quarks. Indeed, at momenta comparable to or less than the quark mass, HF quarks are

thought to undergo Brownian motion with their transport being characterized by a diffusion coefficient [35] (also see Ref. [8] and references therein). At momenta much higher than the quark mass, the quarks would, in a weak-coupling scenario [36,37], be expected to multiply scatter in the plasma and thereby be "collisionally" broadened. However, the scattering will also stimulate gluon emission [36–43] that may damp the collisional broadening. The relative importance of the multiple scattering and radiative damping on the propagation of the heavy quarks, especially bottom quarks, is not currently well-constrained by data.

The angular deflections of the quarks can be experimentally probed by measuring azimuthal angles between quarks and antiquarks created in the same hard-scattering process, where momentum conservation induces a strong angular correlation between the two particles. Indeed, theoretical calculations have shown that angular correlations of bottom quarks are very sensitive to the relative importance of collisional and radiative scattering processes [44] in the bottom quark-medium interaction. The direct detection of bottom hadron pairs is difficult due to their complex decays, but detection of pairs of leptons resulting from simultaneous semileptonic decays of *B* hadrons is experimentally feasible, though no such measurements have been made prior to this Letter.

At LHC collision energies, muons having transverse momenta greater than a few GeV predominantly result from, HF decays [45]. Both charm and bottom hadrons

---

[*]Full author list given at the end of the Letter.

contribute to single-muon production, but the contribution of charm quarks to the production of muon pairs where both muons have $p_T > 4$ GeV, was found to be kinematically suppressed relative to bottom quarks, by about an order of magnitude in a POWHEG+PYTHIA8 [46–50] study shown in the Supplemental Material, Ref. [51]. The charges of the muons provide a further handle to suppress the contributions from charm. Namely, pairs of charm hadrons produced in hard-scattering processes will generate, nearly exclusively, opposite-sign muon pairs. However, in decays of B hadrons, muons may be produced either from the bottom hadrons themselves or from the decay of the secondary charm hadrons, in which case, the sign of the resulting muon can be reversed. As a result, $b\bar{b}$ pairs can produce two muons of the same sign. Separately, the mixing of neutral B mesons provides an efficient mechanism for generating same-sign muon pairs. Because of the short oscillation time (compared to the decay time) of neutral B mesons [52], about half of the muon pairs produced when one or both parents is a neutral B meson are of the same sign. Thus, same-sign muon pairs provide a clean probe of $b\bar{b}$ production, and a comparison of measurements using opposite-sign and same-sign muons allows potential contributions from $c\bar{c}$ pairs to be estimated.

This Letter presents ATLAS measurements of angular correlations between muons in opposite- and same-sign pairs produced in both $Pb + Pb$ and pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV using datasets with integrated luminosities of 1.94 nb^{-1} and 0.26 fb^{-1}, respectively. The muons, which primarily result from semileptonic decays of charm and bottom hadrons, are measured over the transverse momentum (p_T^μ) and pseudorapidity [53] (η^μ) ranges, $p_T^\mu > 4$ GeV and $|\eta^\mu| < 2.4$. Additionally, the average p_T of the two muons in the pair, $\bar{p}_T$, is required to be larger than 5 GeV. The $\bar{p}_T > 5$ GeV requirement removes pairs with very small trigger and reconstruction efficiencies (described below) and improves the statistical precision of the measurements. To suppress contributions from quarkonia decays and from the production of heavy-quark pairs within jets, the two muons are required to have a pseudorapidity separation, $|\Delta\eta^\mu| = |\eta^{\mu_1} - \eta^{\mu_2}| > 0.8$ where μ_1 and μ_2 refer to the two muons in the pair with arbitrary ordering. Distributions of azimuthal angle separation, $\Delta\phi = \phi^{\mu_1} - \phi^{\mu_2}$, are measured in different $Pb + Pb$ collision centrality [54] intervals and in pp collisions. Backgrounds from Drell-Yan (DY) processes are estimated using Monte Carlo (MC) simulations, and are subtracted from the $\Delta\phi$ distributions. Results are obtained for same-sign, opposite-sign, and all pairs, all of which show clear enhancement on the "away side" (i.e., at $\Delta\phi = \pi$), consistent with contributions from hard-scattering processes. The widths of the away-side peaks are characterized by fitting the $\Delta\phi$ distributions with Cauchy-Lorentz functions which describe the data well. The centrality

dependence of the width is the focus of the measurements in this Letter.

The ATLAS experiment [55] at the LHC is a multipurpose particle detector with a forward-backward symmetric cylindrical geometry and a near 4π coverage in solid angle. It consists of an inner tracking detector (ID) surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field, electromagnetic and hadronic calorimeters, and a muon spectrometer. The ID covers the pseudorapidity range $|\eta| < 2.5$. The calorimeter system consists of a liquid-argon (LAr) electromagnetic calorimeter covering $|\eta| < 3.2$, a steel-scintillator sampling hadronic calorimeter covering $|\eta| < 1.7$, a LAr hadronic calorimeter covering $1.5 < |\eta| < 3.2$, and a LAr forward calorimeter (FCal) covering $3.1 < |\eta| < 4.9$. The muon spectrometer surrounds the calorimeters and is based on three large superconducting air-core toroidal magnets with eight coils each. It includes a system of precision tracking chambers and fast detectors for triggering. A two-level trigger system [56], the first [level-1 (L1)] implemented in hardware and the second [high-level trigger (HLT)], implemented in software, is used to select events for this measurement. An extensive software suite [57] is used in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

The $Pb + Pb$ events are classified into centrality percentiles based on the total transverse energy measured in the FCal [58,59]. In this classification, the 0%–10% centrality interval corresponds to the 10% of inelastic $Pb + Pb$ collisions with the smallest impact parameter [54]. Events selected by two dimuon triggers are used in this analysis. The first trigger required a single muon with $p_T > 4$ GeV at $L1$ and two muons having $p_T > 4$ GeV at the HLT. The second trigger required two muons with $p_T > 4$ GeV at both $L1$ and the HLT. Both triggers were used in the $Pb + Pb$ data, and are further described in Ref. [60]. In the pp data taking, the first trigger was not implemented and all data used here were recorded by the second trigger.

Events used in the analysis are required to be recorded during stable running conditions of the LHC, to have no detector hardware or readout error, and to have a reconstructed collision vertex. Charged-particle tracks and collision vertices are reconstructed from hits in the ID using standard methods [61]. Muons are reconstructed by combining ID tracks with tracks reconstructed in the muon spectrometer. The muons are required to satisfy the *tight* muon selection requirements [62], which reduce the fraction of pairs containing a muon resulting from pion or kaon decay to less than 5% across the measured centrality range (estimated via the procedure detailed in Ref. [19]). For events containing more than two muons that satisfy the selection and kinematic requirements (about 2% of all events), all possible pairs are considered.

As noted above, to suppress contributions from quarkonium decays, muon pairs used in the measurement are required to have $|\Delta\eta^\mu| > 0.8$. This selection essentially eliminates dimuons produced by light vector mesons and J/ψ decays, but still admits a contribution from Υ decays. To remove those as well as pairs from Z-decays, opposite-sign pairs having masses in the ranges [9.2, 10.4] GeV and [70, 110] GeV are excluded from the measurement. In the Pb + Pb data, dimuons produced in $\gamma\gamma \to \mu^+\mu^-$ scattering processes [60,63,64], are almost fully removed by requiring the opposite-sign muon pairs to have $|\Delta\phi - \pi|/\pi > 0.01$ or $|p_T^{\mu_1} - p_T^{\mu_2}|/(p_T^{\mu_1} + p_T^{\mu_2}) > 0.08$.

To account for the loss of muon pairs due to reconstruction and trigger inefficiencies, each pair is assigned a weight which is the inverse of the product of the reconstruction and trigger efficiencies for the pair [60]. The efficiencies are calculated as a function of the p_T and η of the two muons in the pair [60]. The average weight for the pairs is $\sim$2.3 ($\sim$2.4) in the pp (Pb + Pb) data set. A separate acceptance correction is applied to opposite-sign pairs to account for the losses resulting from the dimuon mass requirements to reject Υ and Z-bosons, and the requirements applied to suppress $\gamma\gamma \to \mu^+\mu^-$ events. These are obtained by applying the mass and $\gamma\gamma$ requirements to the same-sign pairs and evaluating the $\Delta\phi$-dependent fraction of pairs that survive. That fraction is taken to be the acceptance for opposite-sign pairs, $A^{\mathrm{opp}}(\Delta\phi)$, and is used to correct the measured distribution for the opposite-sign pairs. To check the sensitivity of the acceptance to possible differences in the single-muon and pair kinematics between same-sign and opposite-sign pairs, separate estimates of the pair acceptance are obtained using *mixed events*. In the mixed-event estimate, opposite-sign muon pairs are made using muons reconstructed in separate events, and $A^{\mathrm{opp}}(\Delta\phi)$ is estimated by evaluating what fraction of pairs satisfies the mass and $\gamma\gamma$ requirements. The events used to construct the mixed-event distributions only require a single muon in each event, as the pair is constructed by combining two events. Therefore, in order to have more statistics in the mixed-event distributions, the events used to make the mixed-event distributions are selected using a trigger that only required a single muon with $p_T > 4$ GeV at both $L1$ and the HLT. Differences between the two estimates of $A^{\mathrm{opp}}(\Delta\phi)$ affect the final observables by less than 0.5%, and are included as systematic uncertainties. Contributions to the $\Delta\phi$ distributions from DY processes are evaluated using a POWHEG +PYTHIA8 [46–49] MC setup, further described in Ref. [60]. The estimated DY contribution is then subtracted from the measured distributions.

The measurements of muon angular correlations are presented in the form of two-muon correlation functions: $C(\Delta\phi) \equiv (1/N_{\mathrm{tot}})(\Delta N/\Delta\phi)$, where ΔN represents the number of efficiency-corrected muon pairs in a given $\Delta\phi$ interval and N_{tot} represents the $\Delta\phi$-integrated total number of muon pairs. The correlation functions are constructed using 32 equal $\Delta\phi$ intervals spanning the range $[-\pi/2, 3\pi/2]$. Figure 1 shows results obtained for the Pb + Pb 0%–10% centrality interval (top), as an example, and for the pp data set (bottom). The correlation


FIG. 1. Measured two-muon correlation functions $C(\Delta\phi)$. Top row: results for Pb + Pb data in the 0%–10% centrality interval; bottom row: pp results; left column: same-sign pairs; middle column: opposite-sign pairs; right column: all pairs. Also shown are the results of fits of the correlation functions to Eq. (1), along with different components of the fits.

functions are symmetrized about $\Delta\phi = 0$, with proper accounting of the statistical uncertainties. All the correlation functions show a clear enhancement near $\Delta\phi = \pi$ superimposed on a pedestal. That pedestal is significantly enhanced in Pb + Pb collisions due to the geometric enhancement of hard-scattering processes that can yield multiple uncorrelated $c\bar{c}$ or $b\bar{b}$ pairs in the same collision. Moreover, in Pb + Pb collisions, this combinatoric contribution is modified by the collective expansion of the QGP [19,65] with the result that the combinatoric background exhibits an elliptic ($\cos 2\Delta\phi$) modulation that is evident in Fig. 1.

To characterize the shape of the peak near $\Delta\phi = \pi$, the data are fit with the functional form

$$C^{\text{fit}}(\Delta\phi) = C_{\text{comb}}[1 + 2v_{2,2}^{\text{eff}}\cos(2\Delta\phi)] + C_{\text{corr}}(\Delta\phi), \quad (1)$$

with

$$C_{\text{corr}}(\Delta\phi) = \frac{C_{\text{corr}}^{\max}\Gamma^2}{(\Delta\phi - \pi)^2 + \Gamma^2}. \quad (2)$$

Here, C_{comb} represents the combinatoric contribution to $C(\Delta\phi)$, $v_{2,2}^{\text{eff}}$ represents the Fourier coefficient for the elliptic modulation [66] of the combinatoric contribution, and C_{corr} represents the correlated contribution, which is centered at $\Delta\phi = \pi$, and is parametrized using a Cauchy-Lorentz distribution specified in Eq. (2). $C_{\text{corr}}^{\max}$ represents the maximum value of C_{corr} and Γ the half width at half maximum of the Cauchy-Lorentz distribution. Here, C_{comb}, $v_{2,2}^{\text{eff}}$, $C_{\text{corr}}^{\max}$, and Γ, are fit parameters. $C_{\text{corr}}(\Delta\phi)$ is folded at $\Delta\phi = -\pi/2$ and $3\pi/2$ to make it periodic in $\Delta\phi$. Because of the long tails of the Cauchy-Lorentz distribution and the folding, there is a "pedestal" to C_{corr}, separate from the C_{comb} term in Eq. (1), that nonetheless represents correlated production of muon pairs. The integrals of C_{corr} for the opposite-sign pairs are found to be approximately twice that for the same-sign pairs, similar to expectations from PYTHIA8.

Results of fits of Eq. (1) to the measured correlation functions are shown in Fig. 1. Also shown on Fig. 1 are the individual components of the fit: the combinatorial pedestal (pink), the flow modulation (blue), and the signal component (green). The peaks at $\Delta\phi \sim \pi$ are well reproduced by the assumed form for C_{corr}. In contrast, Gaussian, generalized-Gaussian, or von Mises forms [67,68] for C_{corr} fail to describe the shape of the away-side correlation. The modulation of the combinatoric contribution in the data is well-described by the assumed $\cos(2\Delta\phi)$ dependence. In the Pb + Pb data, the $v_{2,2}^{\text{eff}}$ values are $\mathcal{O}(0.01)$ and are equal, within uncertainties, for same-sign and opposite-sign pairs. This result is consistent with the hypothesis that the modulation predominantly arises from an elliptic flow of muons produced in uncorrelated HF decays. While previous measurements [69] have demonstrated elliptic

modulation of HF yields in pp collisions, the $v_{2,2}^{\text{eff}}$ value in pp collisions measured here changes slightly if the $|\Delta\eta^{\mu}|$ requirement is increased from 0.8 indicating a residual near-side correlation that also contributes to the $v_{2,2}^{\text{eff}}$. The change in the Γ values when the pp data are fit constraining $v_{2,2}^{\text{eff}}$ to zero, are included in the systematic uncertainties.

The standard deviation of C_{corr} obtained from the fits, around $\Delta\phi = \pi$ is evaluated as $\sigma \equiv \sqrt{\int (\Delta\phi - \pi)^2[C_{\text{corr}}(\Delta\phi) - C_{\text{corr}}(0)]\mathrm{d}\phi}$, where the integral is performed over the interval $[0, 2\pi]$. When evaluating σ, the pedestal of $C_{\text{corr}}(\Delta\phi)$ i.e., $C_{\text{corr}}(0)$, is subtracted out. Statistical uncertainties on the extracted Γ and σ values are evaluated using resamplings of the measured correlation functions assuming Gaussian-distributed statistical uncertainties for each point. Each of the resampled correlations functions is fit to Eq. (1) and the standard deviation of the resulting Γ and σ distributions are taken as the statistical uncertainties.

Systematic uncertainties on the Γ or σ may arise from the muon selection, the trigger and reconstruction efficiency corrections, corrections for the mass selection on opposite-sign pairs, parametrization of the combinatorial background in Eq. (1), and from the method used to extract the widths of the away-side peak. Effects from the p_{T}, η, and ϕ resolution of the reconstructed tracks are negligible in this measurement, and not included in the systematic uncertainties. The effect of the muon selection is studied by using the *medium* working point [62] that is less pure and, thus, has a larger contamination from non-HF hadron (mostly pion and kaon) decays. The effects of the trigger and reconstruction efficiency uncertainties on the measurement are determined by varying the efficiencies systematically up or down within their uncertainties and repeating the analysis. For the corrections related to the dimuon photoproduction and mass restrictions placed on the opposite-sign pairs, the systematic uncertainty is obtained by using an alternate estimate of $A^{\text{opp}}(\Delta\phi)$ from mixed events, as described before. The sensitivity of the results to the parametrization of the modulation of the combinatoric background is done as follows: for the Pb + Pb measurements, this is done by including a $v_{3,3}^{\text{eff}}\cos(3\Delta\phi)$ term in the square brackets in Eq. (1), with $v_{3,3}^{\text{eff}}$ being an additional fit parameter; for the pp measurements, for reasons stated before, the data were instead fit constraining $v_{2,2}^{\text{eff}}$ to zero. This is the leading systematic uncertainty for both σ and Γ. This uncertainty is ~1% (2.5%) for σ and ~2% (5.5%) for Γ in the Pb + Pb (pp) measurements. The correction for the DY background pairs is evaluated using a POWHEG+PYTHIA8 MC sample that uses the nNNPDF2.0 [70] nuclear PDFs. Systematic uncertainties are evaluated using the nCTEQ15 [71] and NNPDF3.0 [72] PDFs. To evaluate the sensitivity of the σ results to the assumed form for C_{corr}, an alternative method for extracting the width is applied. Namely, the measured

correlation function over the range $[-\pi/2, \pi/2]$ is shifted by π and subtracted from that measured in the range $[\pi/2, 3\pi/2]$. Then, the standard deviation σ' is obtained directly from the subtracted correlation function, with $\Delta\phi$ restricted to $[\pi/2, 3\pi/2]$. This method produces a biased estimate of σ, as it assumes that the away-side correlation is restricted to $[\pi/2, 3\pi/2]$, while the observed away-side peak extends beyond this range. However, the results can be compared to a calculation of σ' from C_{corr} using the same shifted-subtraction method. The relative difference between the values of σ'—obtained directly from the measured correlation, and obtained from C_{corr} with this modified procedure—is taken to be the relative systematic uncertainty on σ.

Figure 2 shows the measured values of σ and Γ in Pb + Pb collisions as a function of centrality compared to the same quantity in pp collisions. The two quantities exhibit similar behavior. The widths are similar between same-sign and opposite-sign pairs; this behavior is expected if $b\bar{b}$ pairs dominate in the samples, as suggested by Ref. [51]. No significant variation of the σ and Γ is observed as a function of centrality over the 10%–80% centrality range. Over this centrality range, the Pb + Pb values are consistent with those measured in pp collisions. A significant decrease in σ and Γ is observed in the 0%–10% centrality interval. The interpretation of these results depends on the shape of the p_T spectra of the parent b

quarks [44], which is modified by the energy loss of the quarks in the plasma. However, the shapes of the $\bar{p}_T$ spectra in this measurement are found to be similar across the different centrality intervals, up to an overall normalization. The $\langle \bar{p}_T \rangle$, where the $\langle \ldots \rangle$ indicates averaging over all correlated pairs within a centrality interval, does not change significantly with centrality and is consistent with that measured in pp collisions, except for the 0%–10% centrality interval, where the $\langle \bar{p}_T \rangle$ is ∼3% higher [73]. This change in the $\bar{p}_T$ spectra may be partially responsible for the decrease in σ observed in the 0%–10% centrality interval. However, the expectation from Ref. [44] of a broadening in Γ that systematically increases from peripheral to central collisions, does not appear to be supported by the data. A POWHEG+PYTHIA8 study done as part of this analysis, shows that over the muon-p_T and η ranges used here, the angular correlation between the b hadron (c hadron) and the decay-muon has an rms width of 0.158 (0.058). These decay widths are significantly smaller than the angular correlation between the muons themselves (Fig. 2), and thus the impact of the decay on the measurements is small. The lower panels of Fig. 2 show the squared difference between the Pb + Pb and pp widths: $\sigma_{int}^2 = \sigma_{Pb+Pb}^2 - \sigma_{pp}^2$. This quantity represents the square of the additional angular broadening in Pb + Pb collisions, from interactions with the QGP [74]. Except for in the 0%–10% centrality interval, the Pb + Pb σ values are

FIG. 2.   Top panels: The measured widths σ of the away-side peak in the two-particle correlation functions in Pb + Pb collisions versus centrality. Also shown are the values of the Γ parameter in Eq. (1). The σ and Γ measured in pp collisions are also shown. The vertical lines (bands) on the data points represent the statistical (systematic) uncertainties. The horizontal lines indicate the nominal pp values. Bottom panels: The difference between the squared-widths of the Pb + Pb and pp measurements. Also shown are the upper limit on σ_{int}^2 and σ_{int} at the 90% C.L. As the 90% C.L. on σ_{int}^2 is negative for the 0%–10% centrality interval, the corresponding 90% C.L. on σ_{int} cannot be evaluated, and is not shown. The left, middle, and right panels correspond to same-sign pairs, opposite-sign pairs, and all pairs.

typically within about one standard deviation of the pp values. Figure 2 also shows the upper limit of σ_{int}^2 (and σ_{int}) at the 90% confidence level (C.L.), evaluated using the combined statistical + systematic uncertainties.

In summary, this Letter presented results of a novel measurement of the angular correlations between heavy quarks produced in pp and Pb + Pb collisions at the LHC using semileptonic decays of the HF hadrons to muons. Muons with $p_T^\mu > 4$ GeV and $|\eta^\mu| < 2.4$ were used in the analysis. Two-muon correlation functions were constructed from same-sign and opposite-sign pairs, with $\bar{p}_T > 5$ GeV, and studied as a function of azimuthal angle difference $\Delta\phi$ for $|\Delta\eta| > 0.8$. A strong enhancement is observed in the correlation functions at $\Delta\phi \sim \pi$, consistent with the production of the muon pairs from semileptonic decays of heavy-quark pairs—primarily $b\bar{b}$ pairs—created in hard-scattering processes. The widths of the peaks at $\Delta\phi \sim \pi$, characterized by the half width at half maximum (Γ) and the standard deviation σ show no significant difference between pp collisions and Pb + Pb collisions and no significant variation with centrality except in the 0%–10% most central collisions, where a significant decrease in the Pb + Pb widths is observed. The results are consistent between same-sign pairs, which have negligible charm contribution, and opposite-sign pairs for which bottom pairs contribute $\sim$90% of the yield in pp collisions. Limits, at the 90% confidence level, are placed on the standard deviation of additional angular deflection introduced by the QGP. For the all-pairs sample, the data limit the standard deviation of the additional *pair* broadening (σ_{int}) to $\lesssim 0.2$, except in the 0%–10% interval for which the measured narrowing of the distribution is significant at the $\sim 2\sigma$ level. These results provide a model-independent constraint on the stochastic deflection of bottom quarks in the QGP.

[1] E. Braaten and M. H. Thoma, Energy loss of a heavy quark in the quark-gluon plasma, Phys. Rev. D 44, R2625 (1991).

[2] H. van Hees, V. Greco, and R. Rapp, Heavy-quark probes of the quark-gluon plasma and interpretation of recent data taken at the BNL Relativistic Heavy Ion Collider, Phys. Rev. C 73, 034913 (2006).

[3] H. van Hees, M. Mannarelli, V. Greco, and R. Rapp, Nonperturbative heavy-quark diffusion in the quark-gluon plasma, Phys. Rev. Lett. 100, 192301 (2008).

[4] R. Rapp and H. van Hees, Heavy quark diffusion as a probe of the quark-gluon plasma, arXiv:0803.0901.

[5] R. Rapp and H. van Hees, Heavy quarks in the quark-gluon plasma, arXiv:0903.1096.

[6] P. B. Gossiaux and J. Aichelin, Tomography of the quark gluon plasma by heavy quarks, J. Phys. G 36, 064028 (2009).

[7] H. Berrehrah, P.-B. Gossiaux, J. Aichelin, W. Cassing, and E. Bratkovskaya, Dynamical collisional energy loss and transport properties of on- and off-shell heavy quarks in vacuum and in the Quark Gluon Plasma, Phys. Rev. C 90, 064906 (2014).

[8] A. Andronic et al., Heavy-flavour and quarkonium production in the LHC era: From proton-proton to heavy-ion collisions, Eur. Phys. J. C 76, 107 (2016).

[9] X. Dong and V. Greco, Heavy quark production and properties of Quark-Gluon Plasma, Prog. Part. Nucl. Phys. 104, 97 (2019).

[10] X. Dong, Y.-J. Lee, and R. Rapp, Open heavy-flavor production in heavy-ion collisions, Annu. Rev. Nucl. Part. Sci. 69, 417 (2019).

[11] STAR Collaboration, Observation of D^0 meson nuclear modifications in Au + Au collisions at $\sqrt{s_{NN}} = 200$ GeV, Phys. Rev. Lett. 113, 142301 (2014); 121, 229901(E) (2018).

[12] ALICE Collaboration, Centrality dependence of high-p_T D meson suppression in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, J. High Energy Phys. 11 (2015) 205.

[13] ALICE Collaboration, Transverse momentum dependence of D-meson production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, J. High Energy Phys. 03 (2016) 081.

[14] CMS Collaboration, Nuclear modification factor of D^0 mesons in PbPb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Lett. B 782, 474 (2018).

[15] CMS Collaboration, Measurement of the $B^{\pm}$ meson nuclear modification factor in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Rev. Lett. 119, 152301 (2017).

[16] PHENIX Collaboration, Nuclear modification of electron spectra and implications for heavy quark energy loss in Au + Au collisions at $\sqrt{s_{NN}} = 200$ GeV, Phys. Rev. Lett. 96, 032301 (2006).

[17] PHENIX Collaboration, Heavy-quark production in $p + p$ and energy loss and flow of heavy quarks in Au + Au collisions at $\sqrt{s_{NN}} = 200$ GeV, Phys. Rev. C 84, 044905 (2011).

[18] PHENIX Collaboration, Heavy-quark production and elliptic flow in Au + Au collisions at $\sqrt{s_{NN}} = 62.4$ GeV, Phys. Rev. C 91, 044907 (2015).

[19] ATLAS Collaboration, Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb + Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector, Phys. Rev. C 98, 044905 (2018).

[20] ALICE Collaboration, Measurement of electrons from beauty-hadron decays in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV and Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, J. High Energy Phys. 07 (2017) 052.

[21] ATLAS Collaboration, Measurement of the nuclear modification factor for muons from charm and bottom hadrons in Pb + Pb collisions at 5.02 TeV with the ATLAS detector, Phys. Lett. B 829, 137077 (2022).

[22] CMS Collaboration, Suppression of non-prompt J/ψ, prompt J/ψ, and $\Upsilon(1S)$ in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, J. High Energy Phys. 05 (2012) 063.

[23] CMS Collaboration, Suppression and azimuthal anisotropy of prompt and nonprompt J/ψ production in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, Eur. Phys. J. C 77, 252 (2017).

[24] ATLAS Collaboration, Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in 5.02 TeV Pb + Pb collisions with the ATLAS experiment, Eur. Phys. J. C 78, 762 (2018).

[25] CMS Collaboration, Studies of beauty suppression via nonprompt D^0 mesons in Pb-Pb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Rev. Lett. 123, 022001 (2019).

[26] CMS Collaboration, Evidence of b-jet quenching in PbPb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, Phys. Rev. Lett. 113, 132301 (2014).

[27] ATLAS Collaboration, Measurement of the nuclear modification factor of b-jets in 5.02 TeV Pb + Pb collisions with the ATLAS detector, Eur. Phys. J. C 83, 438 (2023).

[28] M. Nahrgang, J. Aichelin, S. Bass, P. B. Gossiaux, and K. Werner, Elliptic and triangular flow of heavy flavor in heavy-ion collisions, Phys. Rev. C 91, 014904 (2015).

[29] M. Hippert, D. D. Chinellato, M. Luzum, J. Noronha, T. Nunes da Silva, and J. Takahashi, Measuring momentum-dependent flow fluctuations in heavy-ion collisions, Phys. Rev. C 101, 034903 (2020).

[30] ALICE Collaboration, D meson elliptic flow in noncentral Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, Phys. Rev. Lett. **111**, 102301 (2013).

[31] ALICE Collaboration, Azimuthal anisotropy of D-meson production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV, Phys. Rev. C **90**, 034904 (2014).

[32] ALICE Collaboration, Transverse-momentum and event-shape dependence of D-meson flow harmonics in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Lett. B **813**, 136054 (2021).

[33] CMS Collaboration, Measurement of prompt D^0 meson azimuthal anisotropy in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Phys. Rev. Lett. **120**, 202301 (2018).

[34] ATLAS Collaboration, Prompt and non-prompt J/ψ elliptic flow in Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, Eur. Phys. J. C **78**, 784 (2018).

[35] J. Casalderrey-Solana and D. Teaney, Heavy quark diffusion in strongly coupled $N = 4$ Yang-Mills theory, Phys. Rev. D **74**, 085012 (2006).

[36] M. Djordjevic and M. Gyulassy, Heavy quark radiative energy loss in QCD matter, Nucl. Phys. **A733**, 265 (2004).

[37] S. Wicks, W. Horowitz, M. Djordjevic, and M. Gyulassy, Heavy quark jet quenching with collisional plus radiative energy loss and path length fluctuations, Nucl. Phys. **A783**, 493 (2007).

[38] G. D. Moore and D. Teaney, How much do heavy quarks thermalize in a heavy ion collision?, Phys. Rev. C **71**, 064904 (2005).

[39] P. Romatschke and M. Strickland, Collisional energy loss of a heavy quark in an anisotropic quark-gluon plasma, Phys. Rev. D **71**, 125008 (2005).

[40] M. Djordjevic, M. Gyulassy, and S. Wicks, Open charm and beauty at ultrarelativistic heavy ion colliders, Phys. Rev. Lett. **94**, 112301 (2005).

[41] S. Peigne and A. Peshier, Collisional energy loss of a fast heavy quark in a quark-gluon plasma, Phys. Rev. D **77**, 114017 (2008).

[42] P. B. Gossiaux, J. Aichelin, T. Gousset, and V. Guiho, Competition of heavy quark radiative and collisional energy loss in deconfined matter, J. Phys. G **37**, 094019 (2010).

[43] M. Djordjevic and M. Djordjevic, LHC jet suppression of light and heavy flavor observables, Phys. Lett. B **734**, 286 (2014).

[44] M. Nahrgang, J. Aichelin, P. B. Gossiaux, and K. Werner, Azimuthal correlations of heavy quarks in Pb + Pb collisions at $\sqrt{s} = 2.76$ TeV at the CERN Large Hadron Collider, Phys. Rev. C **90**, 024907 (2014).

[45] ATLAS Collaboration, Measurements of the electron and muon inclusive cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Phys. Lett. B **707**, 438 (2012).

[46] P. Nason, A new method for combining NLO QCD with shower Monte Carlo algorithms, J. High Energy Phys. 11 (2004) 040.

[47] S. Frixione, P. Nason, and C. Oleari, Matching NLO QCD computations with parton shower simulations: the POW-HEG method, J. High Energy Phys. 11 (2007) 070.

[48] S. Alioli, P. Nason, C. Oleari, and E. Re, A general framework for implementing NLO calculations in shower Monte Carlo programs: The POWHEG BOX, J. High Energy Phys. 06 (2010) 043.

[49] T. Sjöstrand, S. Mrenna, and P. Skands, A brief introduction to PYTHIA8.1, Comput. Phys. Commun. **178**, 852 (2008).

[50] T. Sjöstrand et al., An introduction to PYTHIA8.2, Comput. Phys. Commun. **191**, 159 (2015).

[51] See Supplemental Material at http://link.aps.org/supplemental/10.1103/PhysRevLett.132.202301 for details of a POWHEG+PYTHIA8 study of dimuon angular correlations in 5 TeV nucleon-nucleon collisions.

[52] LHCb Collaboration, Precise determination of the $B_s^0 - \bar{B}_s^0$ oscillation frequency, Nat. Phys. **18**, 1 (2022).

[53] ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the center of the detector and the z axis along the beam pipe. The x axis points from the IP to the centre of the LHC ring, and the y axis points upward. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z-axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln\tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

[54] M. L. Miller, K. Reygers, S. J. Sanders, and P. Steinberg, Glauber modeling in high energy nuclear collisions, Annu. Rev. Nucl. Part. Sci. **57**, 205 (2007).

[55] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. **3**, S08003 (2008).

[56] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C **77**, 317 (2017).

[57] ATLAS Collaboration, The ATLAS Collaboration software and firmware, Report No. ATL-SOFT-PUB-2021-001, CERN, 2021, https://cds.cern.ch/record/2767187.

[58] ATLAS Collaboration, Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb + Pb collisions with the ATLAS detector, Eur. Phys. J. C **78**, 997 (2018).

[59] ATLAS Collaboration, Measurement of the nuclear modification factor for inclusive jets in Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, Phys. Lett. B **790**, 108 (2019).

[60] ATLAS Collaboration, Measurement of muon pairs produced via $\gamma\gamma$ scattering in nonultraperipheral Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, Phys. Rev. C **107**, 054907 (2023).

[61] ATLAS Collaboration, Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2, Eur. Phys. J. C **77**, 673 (2017).

[62] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **76**, 292 (2016).

[63] ATLAS Collaboration, Observation of centrality-dependent acoplanarity for muon pairs produced via two-photon scattering in Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, Phys. Rev. Lett. **121**, 212301 (2018).

[64] ATLAS Collaboration, Exclusive dimuon production in ultraperipheral Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with ATLAS, Phys. Rev. C **104**, 024906 (2021).

[65] ATLAS Collaboration, Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in

Pb + Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector, Phys. Lett. B **807**, 135595 (2020).

[66] The notation, $v_{2,2}$, follows that used in many two-particle correlation measurements in heavy-ion collisions, but due to the presence of a residual near-side correlation seen in pp collisions, the effective $v_{2,2}$ obtained from the fits, $v_{2,2}^{\text{eff}}$, may not be the true elliptic-flow Fourier coefficient.

[67] ALICE Collaboration, Investigating charm production and fragmentation via azimuthal correlations of prompt D mesons with charged particles in pp collisions at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C **82**, 335 (2022).

[68] ALICE Collaboration, Azimuthal correlations of heavy-flavor hadron decay electrons with charged particles in pp and p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV, Eur. Phys. J. C **83**, 741 (2023).

[69] ATLAS Collaboration, Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. Lett. **124**, 082301 (2020).

[70] R. Abdul Khalek, J. J. Ethier, J. Rojo, and G. van Weelden, nNNPDF2.0: Quark flavor separation in nuclei from LHC data, J. High Energy Phys. 09 (2020) 183.

[71] K. Kovarik et al., nCTEQ15: Global analysis of nuclear parton distributions with uncertainties in the CTEQ framework, Phys. Rev. D **93**, 085037 (2016).

[72] R. D. Ball et al., Parton distributions for the LHC run II, J. High Energy Phys. 04 (2015) 040.

[73] The mean-$\bar{p}_T$ in the pp measurements is 7.36 ± 0.10 GeV for the combined-sign case. The mean-$\bar{p}_T$ is evaluated by integrating over the 5–20 GeV $\bar{p}_T$ range.

[74] The effect of the angular broadening from the hadron decay should drop out in the evaluation of σ_{int}^2.

[75] ATLAS Collaboration, ATLAS computing acknowledgements, Report No. ATL-SOFT-PUB-2023-001, CERN, 2023, https://cds.cern.ch/record/2869272.

G. Aad[102] B. Abbott[120] K. Abeling[55] N. J. Abicht[49] S. H. Abidi[29] A. Aboulhorma[35e] H. Abramowicz[151] H. Abreu[150] Y. Abulaiti[117] B. S. Acharya[69a,69b,b] C. Adam Bourdarios[4] L. Adamczyk[86a] S. V. Addepalli[26] M. J. Addison[101] J. Adelman[115] A. Adiguzel[21c] T. Adye[134] A. A. Affolder[136] Y. Afik[36] M. N. Agaras[13] J. Agarwala[73a,73b] A. Aggarwal[100] C. Agheorghiesei[27c] A. Ahmad[36] F. Ahmadov[38,c] W. S. Ahmed[104] S. Ahuja[95] X. Ai[62a] G. Aielli[76a,76b] A. Aikot[163] M. Ait Tamlihat[35e] B. Aitbenchikh[35a] I. Aizenberg[169] M. Akbiyik[100] T. P. A. Åkesson[98] A. V. Akimov[37] D. Akiyama[168] N. N. Akolkar[24] S. Aktas[21a] K. Al Khoury[41] G. L. Alberghi[23b] J. Albert[165] P. Albicocco[53] G. L. Albouy[60] S. Alderweireldt[52] Z. L. Alegria[121] M. Aleksa[36] I. N. Aleksandrov[38] C. Alexa[27b] T. Alexopoulos[10] F. Alfonsi[23b] M. Algren[56] M. Alhroob[120] B. Ali[132] H. M. J. Ali[91] S. Ali[148] S. W. Alibocus[92] M. Aliev[145] G. Alimonti[71a] W. Alkakhi[55] C. Allaire[66] B. M. M. Allbrooke[146] J. F. Allen[52] C. A. Allendes Flores[137f] P. P. Allport[20] A. Aloisio[72a,72b] F. Alonso[90] C. Alpigiani[138] M. Alvarez Estevez[99] A. Alvarez Fernandez[100] M. Alves Cardoso[56] M. G. Alviggi[72a,72b] M. Aly[101] Y. Amaral Coutinho[83b] A. Ambler[104] C. Amelung[36] M. Amerl[101] C. G. Ames[109] D. Amidei[106] S. P. Amor Dos Santos[130a] K. R. Amos[163] V. Ananiev[125] C. Anastopoulos[139] T. Andeen[11] J. K. Anders[36] S. Y. Andrean[47a,47b] A. Andreazza[71a,71b] S. Angelidakis[9] A. Angerami[41,d] A. V. Anisenkov[37] A. Annovi[74a] C. Antel[56] M. T. Anthony[139] E. Antipov[145] M. Antonelli[53] F. Anulli[75a] M. Aoki[84] T. Aoki[153] J. A. Aparisi Pozo[163] M. A. Aparo[146] L. Aperio Bella[48] C. Appelt[18] A. Apyan[26] N. Aranzabal[36] S. J. Arbiol Val[87] C. Arcangeletti[53] A. T. H. Arce[51] E. Arena[92] J-F. Arguin[108] S. Argyropoulos[54] J.-H. Arling[48] O. Arnaez[4] H. Arnold[114] G. Artoni[75a,75b] H. Asada[111] K. Asai[118] S. Asai[153] N. A. Asbah[61] K. Assamagan[29] R. Astalos[28a] S. Atashi[160] R. J. Atkin[33a] M. Atkinson[162] H. Atmani[35f] P. A. Atmasiddha[128] K. Augsten[132] S. Auricchio[72a,72b] A. D. Auriol[20] V. A. Austrup[101] G. Avolio[36] K. Axiotis[56] G. Azuelos[108,e] D. Babal[28b] H. Bachacou[135] K. Bachas[152,f] A. Bachiu[34] F. Backman[47a,47b] A. Badea[61] T. M. Baer[106] P. Bagnaia[75a,75b] M. Bahmani[18] D. Bahner[54] A. J. Bailey[163] V. R. Bailey[162] J. T. Baines[134] L. Baines[94] O. K. Baker[172] E. Bakos[15] D. Bakshi Gupta[8] V. Balakrishnan[120] R. Balasubramanian[114] E. M. Baldin[37] P. Balek[86a] E. Ballabene[23b,23a] F. Balli[135] L. M. Baltes[63a] W. K. Balunas[32] J. Balz[100] E. Banas[87] M. Bandieramonte[129] A. Bandyopadhyay[24] S. Bansal[24] L. Barak[151] M. Barakat[48] E. L. Barberio[105] D. Barberis[57b,57a] M. Barbero[102] M. Z. Barel[114] K. N. Barends[33a] T. Barillari[110] M-S. Barisits[36] T. Barklow[143] P. Baron[122] D. A. Baron Moreno[101] A. Baroncelli[62a] G. Barone[29] A. J. Barr[126] J. D. Barr[96] L. Barranco Navarro[47a,47b] F. Barreiro[99] J. Barreiro Guimarães da Costa[14a] U. Barron[151] M. G. Barros Teixeira[130a] S. Barsov[37] F. Bartels[63a] R. Bartoldus[143] A. E. Barton[91] P. Bartos[28a] A. Basan[100] M. Baselga[49] A. Bassalat[66,g] M. J. Basso[156a] C. R. Basson[101] R. L. Bates[59] S. Batlamous[35e] J. R. Batley[32] B. Batool[141] M. Battaglia[136] D. Battulga[18]

M. Bauce,[75a,75b] M. Bauer,[36] P. Bauer,[24] L. T. Bazzano Hurrell,[30] J. B. Beacham,[51] T. Beau,[127] J. Y. Beaucamp,[90] P. H. Beauchemin,[158] F. Becherer,[54] P. Bechtle,[24] H. P. Beck,[19,h] K. Becker,[167] A. J. Beddall,[82] V. A. Bednyakov,[38] C. P. Bee,[145] L. J. Beemster,[15] T. A. Beermann,[36] M. Begalli,[83d] M. Begel,[29] A. Behera,[145] J. K. Behr,[48] J. F. Beirer,[36] F. Beisiegel,[24] M. Belfkir,[159] G. Bella,[151] L. Bellagamba,[23b] A. Bellerive,[34] P. Bellos,[20] K. Beloborodov,[37] D. Benchekroun,[35a] F. Bendebba,[35a] Y. Benhammou,[151] M. Benoit,[29] J. R. Bensinger,[26] S. Bentvelsen,[114] L. Beresford,[48] M. Beretta,[53] E. Bergeaas Kuutmann,[161] N. Berger,[4] B. Bergmann,[132] J. Beringer,[17a] G. Bernardi,[5] C. Bernius,[143] F. U. Bernlochner,[24] F. Bernon,[36,102] A. Berrocal Guardia,[13] T. Berry,[95] P. Berta,[133] A. Berthold,[50] I. A. Bertram,[91] S. Bethke,[110] A. Betti,[75a,75b] A. J. Bevan,[94] N. K. Bhalla,[54] M. Bhamjee,[33c] S. Bhatta,[145] D. S. Bhattacharya,[166] P. Bhattarai,[143] V. S. Bhopatkar,[121] R. Bi,[29,i] R. M. Bianchi,[129] G. Bianco,[23b,23a] O. Biebel,[109] R. Bielski,[123] M. Biglietti,[77a] M. Bindi,[55] A. Bingul,[21b] C. Bini,[75a,75b] A. Biondini,[92] C. J. Birch-sykes,[101] G. A. Bird,[20,134] M. Birman,[169] M. Biros,[133] S. Biryukov,[146] T. Bisanz,[49] E. Bisceglie,[43b,43a] J. P. Biswal,[134] D. Biswas,[141] A. Bitadze,[101] K. Bjørke,[125] I. Bloch,[48] A. Blue,[59] U. Blumenschein,[94] J. Blumenthal,[100] G. J. Bobbink,[114] V. S. Bobrovnikov,[37] M. Boehler,[54] B. Boehm,[166] D. Bogavac,[36] A. G. Bogdanchikov,[37] C. Bohm,[47a] V. Boisvert,[95] P. Bokan,[48] T. Bold,[86a] M. Bomben,[5] M. Bona,[94] M. Boonekamp,[135] C. D. Booth,[95] A. G. Borbély,[59] I. S. Bordulev,[37] H. M. Borecka-Bielska,[108] G. Borissov,[91] D. Bortoletto,[126] D. Boscherini,[23b] M. Bosman,[13] J. D. Bossio Sola,[36] K. Bouaouda,[35a] N. Bouchhar,[163] J. Boudreau,[129] E. V. Bouhova-Thacker,[91] D. Boumediene,[40] R. Bouquet,[165] A. Boveia,[119] J. Boyd,[36] D. Boye,[29] I. R. Boyko,[38] J. Bracinik,[20] N. Brahimi,[62d] G. Brandt,[171] O. Brandt,[32] F. Braren,[48] B. Brau,[103] J. E. Brau,[123] R. Brener,[169] L. Brenner,[114] R. Brenner,[161] S. Bressler,[169] D. Britton,[59] D. Britzger,[110] I. Brock,[24] G. Brooijmans,[41] W. K. Brooks,[137f] E. Brost,[29] L. M. Brown,[165] L. E. Bruce,[61] T. L. Bruckler,[126] P. A. Bruckman de Renstrom,[87] B. Brüers,[48] A. Bruni,[23b] G. Bruni,[23b] M. Bruschi,[23b] N. Bruscino,[75a,75b] T. Buanes,[16] Q. Buat,[138] D. Buchin,[110] A. G. Buckley,[59] O. Bulekov,[37] B. A. Bullard,[143] S. Burdin,[92] C. D. Burgard,[49] A. M. Burger,[40] B. Burghgrave,[8] O. Burlayenko,[54] J. T. P. Burr,[32] C. D. Burton,[11] J. C. Burzynski,[142] E. L. Busch,[41] V. Büscher,[100] P. J. Bussey,[59] J. M. Butler,[25] C. M. Buttar,[59] J. M. Butterworth,[96] W. Buttinger,[134] C. J. Buxo Vazquez,[107] A. R. Buzykaev,[37] S. Cabrera Urbán,[163] L. Cadamuro,[66] D. Caforio,[58] H. Cai,[129] Y. Cai,[14a,14e] Y. Cai,[14c] V. M. M. Cairo,[36] O. Cakir,[3a] N. Calace,[36] P. Calafiura,[17a] G. Calderini,[127] P. Calfayan,[68] G. Callea,[59] L. P. Caloba,[83b] D. Calvet,[40] S. Calvet,[40] T. P. Calvet,[102] M. Calvetti,[74a,74b] R. Camacho Toro,[127] S. Camarda,[36] D. Camarero Munoz,[26] P. Camarri,[76a,76b] M. T. Camerlingo,[72a,72b] D. Cameron,[36] C. Camincher,[165] M. Campanelli,[96] A. Camplani,[42] V. Canale,[72a,72b] A. Canesse,[104] J. Cantero,[163] Y. Cao,[162] F. Capocasa,[26] M. Capua,[43b,43a] A. Carbone,[71a,71b] R. Cardarelli,[76a] J. C. J. Cardenas,[8] F. Cardillo,[163] G. Carducci,[43b,43a] T. Carli,[36] G. Carlino,[72a] J. I. Carlotto,[13] B. T. Carlson,[129,j] E. M. Carlson,[165,156a] L. Carminati,[71a,71b] A. Carnelli,[135] M. Carnesale,[75a,75b] S. Caron,[113] E. Carquin,[137f] S. Carrá,[71a] G. Carratta,[23b,23a] F. Carrio Argos,[33g] J. W. S. Carter,[155] T. M. Carter,[52] M. P. Casado,[13,k] M. Caspar,[48] F. L. Castillo,[4] L. Castillo Garcia,[13] V. Castillo Gimenez,[163] N. F. Castro,[130a,130e] A. Catinaccio,[36] J. R. Catmore,[125] V. Cavaliere,[29] N. Cavalli,[23b,23a] V. Cavasinni,[74a,74b] Y. C. Cekmecelioglu,[48] E. Celebi,[21a] F. Celli,[126] M. S. Centonze,[70a,70b] V. Cepaitis,[56] K. Cerny,[122] A. S. Cerqueira,[83a] A. Cerri,[146] L. Cerrito,[76a,76b] F. Cerutti,[17a] B. Cervato,[141] A. Cervelli,[23b] G. Cesarini,[53] S. A. Cetin,[82] D. Chakraborty,[115] J. Chan,[170] W. Y. Chan,[153] J. D. Chapman,[32] E. Chapon,[135] B. Chargeishvili,[149b] D. G. Charlton,[20] T. P. Charman,[94] M. Chatterjee,[19] C. Chauhan,[133] S. Chekanov,[6] S. V. Chekulaev,[156a] G. A. Chelkov,[38,l] A. Chen,[106] B. Chen,[151] B. Chen,[165] H. Chen,[14c] H. Chen,[29] J. Chen,[62c] J. Chen,[142] M. Chen,[126] S. Chen,[153] S. J. Chen,[14c] X. Chen,[62c,135] X. Chen,[14b,m] Y. Chen,[62a] C. L. Cheng,[170] H. C. Cheng,[64a] S. Cheong,[143] A. Cheplakov,[38] E. Cheremushkina,[48] E. Cherepanova,[114] R. Cherkaoui El Moursli,[35e] E. Cheu,[7] K. Cheung,[65] L. Chevalier,[135] V. Chiarella,[53] G. Chiarelli,[74a] N. Chiedde,[102] G. Chiodini,[70a] A. S. Chisholm,[20] A. Chitan,[27b] M. Chitishvili,[163] M. V. Chizhov,[38] K. Choi,[11] A. R. Chomont,[75a,75b] Y. Chou,[103] E. Y. S. Chow,[113] T. Chowdhury,[33g] K. L. Chu,[169] M. C. Chu,[64a] X. Chu,[14a,14e] J. Chudoba,[131] J. J. Chwastowski,[87] D. Cieri,[110] K. M. Ciesla,[86a] V. Cindro,[93] A. Ciocio,[17a] F. Cirotto,[72a,72b] Z. H. Citron,[169,n] M. Citterio,[71a] D. A. Ciubotaru,[27b] A. Clark,[56] P. J. Clark,[52] C. Clarry,[155] J. M. Clavijo Columbie,[48] S. E. Clawson,[48] C. Clement,[47a,47b] J. Clercx,[48] Y. Coadou,[102] M. Cobal,[69a,69c] A. Coccaro,[57b] R. F. Coelho Barrue,[130a] R. Coelho Lopes De Sa,[103] S. Coelli,[71a] A. E. C. Coimbra,[71a,71b] B. Cole,[41] J. Collot,[60] P. Conde Muíño,[130a,130g] M. P. Connell,[33c] S. H. Connell,[33c]

I. A. Connelly[59] E. I. Conroy[126] F. Conventi[72a,o] H. G. Cooke[20] A. M. Cooper-Sarkar[126]
A. Cordeiro Oudot Choi[127] L. D. Corpe[40] M. Corradi[75a,75b] F. Corriveau[104,p] A. Cortes-Gonzalez[18]
M. J. Costa[163] F. Costanza[4] D. Costanzo[139] B. M. Cote[119] G. Cowan[95] K. Cranmer[170] D. Cremonini[23b,23a]
S. Crépé-Renaudin[60] F. Crescioli[127] M. Cristinziani[141] M. Cristoforetti[78a,78b] V. Croft[114] J. E. Crosby[121]
G. Crosetti[43b,43a] A. Cueto[99] T. Cuhadar Donszelmann[160] H. Cui[14a,14e] Z. Cui[7] W. R. Cunningham[59]
F. Curcio[43b,43a] P. Czodrowski[36] M. M. Czurylo[63b] M. J. Da Cunha Sargedas De Sousa[57b,57a]
J. V. Da Fonseca Pinto[83b] C. Da Via[101] W. Dabrowski[86a] T. Dado[49] S. Dahbi[33g] T. Dai[106] D. Dal Santo[19]
C. Dallapiccola[103] M. Dam[42] G. D'amen[29] V. D'Amico[109] J. Damp[100] J. R. Dandoy[34] M. F. Daneri[30]
M. Danninger[142] V. Dao[36] G. Darbo[57b] S. Darmora[6] S. J. Das[29,i] S. D'Auria[71a,71b] C. David[156b]
T. Davidek[133] B. Davis-Purcell[34] I. Dawson[94] H. A. Day-hall[132] K. De[8] R. De Asmundis[72a] N. De Biase[48]
S. De Castro[23b,23a] N. De Groot[113] P. de Jong[114] H. De la Torre[115] A. De Maria[14c] A. De Salvo[75a]
U. De Sanctis[76a,76b] F. De Santis[70a,70b] A. De Santo[146] J. B. De Vivie De Regie[60] D. V. Dedovich[38] J. Degens[114]
A. M. Deiana[44] F. Del Corso[23b,23a] J. Del Peso[99] F. Del Rio[63a] L. Delagrange[127] F. Deliot[135]
C. M. Delitzsch[49] M. Della Pietra[72a,72b] D. Della Volpe[56] A. Dell'Acqua[36] L. Dell'Asta[71a,71b] M. Delmastro[4]
P. A. Delsart[60] S. Demers[172] M. Demichev[38] S. P. Denisov[37] L. D'Eramo[40] D. Derendarz[87] F. Derue[127]
P. Dervan[92] K. Desch[24] C. Deutsch[24] F. A. Di Bello[57b,57a] A. Di Ciaccio[76a,76b] L. Di Ciaccio[4]
A. Di Domenico[75a,75b] C. Di Donato[72a,72b] A. Di Girolamo[36] G. Di Gregorio[36] A. Di Luca[78a,78b]
B. Di Micco[77a,77b] R. Di Nardo[77a,77b] C. Diaconu[102] M. Diamantopoulou[34] F. A. Dias[114] T. Dias Do Vale[142]
M. A. Diaz[137a,137b] F. G. Diaz Capriles[24] M. Didenko[163] E. B. Diehl[106] L. Diehl[54] S. Díez Cornell[48]
C. Diez Pardos[141] C. Dimitriadi[161,24] A. Dimitrievska[17a] J. Dingfelder[24] I-M. Dinu[27b] S. J. Dittmeier[63b]
F. Dittus[36] F. Djama[102] T. Djobava[149b] J. I. Djuvsland[16] C. Doglioni[101,98] A. Dohnalova[28a] J. Dolejsi[133]
Z. Dolezal[133] K. M. Dona[39] M. Donadelli[83c] B. Dong[107] J. Donini[40] A. D'Onofrio[72a,72b] M. D'Onofrio[92]
J. Dopke[134] A. Doria[72a] N. Dos Santos Fernandes[130a] P. Dougan[101] M. T. Dova[90] A. T. Doyle[59]
M. A. Draguet[126] E. Dreyer[169] I. Drivas-koulouris[10] M. Drnevich[117] A. S. Drobac[158] M. Drozdova[56]
D. Du[62a] T. A. du Pree[114] F. Dubinin[37] M. Dubovsky[28a] E. Duchovni[169] G. Duckeck[109] O. A. Ducu[27b]
D. Duda[52] A. Dudarev[36] E. R. Duden[26] M. D'uffizi[101] L. Duflot[66] M. Dührssen[36] C. Dülsen[171]
A. E. Dumitriu[27b] M. Dunford[63a] S. Dungs[49] K. Dunne[47a,47b] A. Duperrin[102] H. Duran Yildiz[3a] M. Düren[58]
A. Durglishvili[149b] B. L. Dwyer[115] G. I. Dyckes[17a] M. Dyndal[86a] B. S. Dziedzic[87] Z. O. Earnshaw[146]
G. H. Eberwein[126] B. Eckerova[28a] S. Eggebrecht[55] E. Egidio Purcino De Souza[127] L. F. Ehrke[56] G. Eigen[16]
K. Einsweiler[17a] T. Ekelof[161] P. A. Ekman[98] S. El Farkh[35b] Y. El Ghazali[35b] H. El Jarrari[36]
A. El Moussaouy[108] V. Ellajosyula[161] M. Ellert[161] F. Ellinghaus[171] N. Ellis[36] J. Elmsheuser[29] M. Elsing[36]
D. Emeliyanov[134] Y. Enari[153] I. Ene[17a] S. Epari[13] J. Erdmann[49] P. A. Erland[87] M. Errenst[171] M. Escalier[66]
C. Escobar[163] E. Etzion[151] G. Evans[130a] H. Evans[68] L. S. Evans[95] M. O. Evans[146] A. Ezhilov[37]
S. Ezzarqtouni[35a] F. Fabbri[59] L. Fabbri[23b,23a] G. Facini[96] V. Fadeyev[136] R. M. Fakhrutdinov[37] S. Falciano[75a]
L. F. Falda Ulhoa Coelho[36] P. J. Falke[24] J. Faltova[133] C. Fan[162] Y. Fan[14a] Y. Fang[14a,14e] M. Fanti[71a,71b]
M. Faraj[69a,69b] Z. Farazpay[97] A. Farbin[8] A. Farilla[77a] T. Farooque[107] S. M. Farrington[52] F. Fassi[35e]
D. Fassouliotis[9] M. Faucci Giannelli[76a,76b] W. J. Fawcett[32] L. Fayard[66] P. Federic[133] P. Federicova[131]
O. L. Fedin[37,l] G. Fedotov[37] M. Feickert[170] L. Feligioni[102] D. E. Fellers[123] C. Feng[62b] M. Feng[14b]
Z. Feng[114] M. J. Fenton[160] A. B. Fenyuk[37] L. Ferencz[48] R. A. M. Ferguson[91] S. I. Fernandez Luengo[137f]
P. Fernandez Martinez[13] M. J. V. Fernoux[102] J. Ferrando[48] A. Ferrari[161] P. Ferrari[114,113] R. Ferrari[73a]
D. Ferrere[56] C. Ferretti[106] F. Fiedler[100] P. Fiedler[132] A. Filipčič[93] E. K. Filmer[1] F. Filthaut[113]
M. C. N. Fiolhais[130a,130c,q] L. Fiorini[163] W. C. Fisher[107] T. Fitschen[101] P. M. Fitzhugh[135] I. Fleck[141]
P. Fleischmann[106] T. Flick[171] M. Flores[33d,r] L. R. Flores Castillo[64a] L. Flores Sanz De Acedo[36]
F. M. Follega[78a,78b] N. Fomin[16] J. H. Foo[155] B. C. Forland[68] A. Formica[135] A. C. Forti[101] E. Fortin[36]
A. W. Fortman[61] M. G. Foti[17a] L. Fountas[9,s] D. Fournier[66] H. Fox[91] P. Francavilla[74a,74b] S. Francescato[61]
S. Franchellucci[56] M. Franchini[23b,23a] S. Franchino[63a] D. Francis,[36] L. Franco[113] V. Franco Lima[36]
L. Franconi[48] M. Franklin[61] G. Frattari[26] A. C. Freegard[94] W. S. Freund[83b] Y. Y. Frid[151] J. Friend[59]
N. Fritzsche[50] A. Froch[54] D. Froidevaux[36] J. A. Frost[126] Y. Fu[62a] S. Fuenzalida Garrido[137f] M. Fujimoto[102]
K. Y. Fung[64a] E. Furtado De Simas Filho[83b] M. Furukawa[153] J. Fuster[163] A. Gabrielli[23b,23a] A. Gabrielli[155]

P. Gadow[36] G. Gagliardi[57b,57a] L. G. Gagnon[17a] E. J. Gallas[126] B. J. Gallop[134] K. K. Gan[119] S. Ganguly[153] Y. Gao[52] F. M. Garay Walls[137a,137b] B. Garcia[29] C. García[163] A. Garcia Alonso[114] A. G. Garcia Caffaro[172] J. E. García Navarro[163] M. Garcia-Sciveres[17a] G. L. Gardner[128] R. W. Gardner[39] N. Garelli[158] D. Garg[80] R. B. Garg[143,t] J. M. Gargan[52] C. A. Garner[155] C. M. Garvey[33a] P. Gaspar[83b] V. K. Gassmann[158] G. Gaudio[73a] V. Gautam[13] P. Gauzzi[75a,75b] I. L. Gavrilenko[37] A. Gavrilyuk[37] C. Gay[164] G. Gaycken[48] E. N. Gazis[10] A. A. Geanta[27b] C. M. Gee[136] A. Gekow[119] C. Gemme[57b] M. H. Genest[60] S. Gentile[75a,75b] A. D. Gentry[112] S. George[95] W. F. George[20] T. Geralis[46] P. Gessinger-Befurt[36] M. E. Geyik[171] M. Ghani[167] M. Ghneimat[141] K. Ghorbanian[94] A. Ghosal[141] A. Ghosh[160] A. Ghosh[7] B. Giacobbe[23b] S. Giagu[75a,75b] T. Giani[114] P. Giannetti[74a] A. Giannini[62a] S. M. Gibson[95] M. Gignac[136] D. T. Gil[86b] A. K. Gilbert[86a] B. J. Gilbert[41] D. Gillberg[34] G. Gilles[114] N. E. K. Gillwald[48] L. Ginabat[127] D. M. Gingrich[2,e] M. P. Giordani[69a,69c] P. F. Giraud[135] G. Giugliarelli[69a,69c] D. Giugni[71a] F. Giuli[36] I. Gkialas[9,s] L. K. Gladilin[37] C. Glasman[99] G. R. Gledhill[123] G. Glemža[48] M. Glisic,[123] I. Gnesi[43b,u] Y. Go[29,i] M. Goblirsch-Kolb[36] B. Gocke[49] D. Godin[108] B. Gokturk[21a] S. Goldfarb[105] T. Golling[56] M. G. D. Gololo[33g] D. Golubkov[37] J. P. Gombas[107] A. Gomes[130a,130b] G. Gomes Da Silva[141] A. J. Gomez Delegido[163] R. Gonçalo[130a,130c] G. Gonella[123] L. Gonella[20] A. Gongadze[149c] F. Gonnella[20] J. L. Gonski[41] R. Y. González Andana[52] S. González de la Hoz[163] S. Gonzalez Fernandez[13] R. Gonzalez Lopez[92] C. Gonzalez Renteria[17a] M. V. Gonzalez Rodrigues[48] R. Gonzalez Suarez[161] S. Gonzalez-Sevilla[56] G. R. Gonzalvo Rodriguez[163] L. Goossens[36] B. Gorini[36] E. Gorini[70a,70b] A. Gorišek[93] T. C. Gosart[128] A. T. Goshaw[51] M. I. Gostkin[38] S. Goswami[121] C. A. Gottardo[36] S. A. Gotz[109] M. Gouighri[35b] V. Goumarre[48] A. G. Goussiou[138] N. Govender[33c] I. Grabowska-Bold[86a] K. Graham[34] E. Gramstad[125] S. Grancagnolo[70a,70b] M. Grandi[146] C. M. Grant,[1,135] P. M. Gravila[27f] F. G. Gravili[70a,70b] H. M. Gray[17a] M. Greco[70a,70b] C. Grefe[24] I. M. Gregor[48] P. Grenier[143] S. G. Grewe,[110] C. Grieco[13] A. A. Grillo[136] K. Grimm[31] S. Grinstein[13,v] J.-F. Grivaz[66] E. Gross[169] J. Grosse-Knetter[55] C. Grud[106] J. C. Grundy[126] L. Guan[106] W. Guan[29] C. Gubbels[164] J. G. R. Guerrero Rojas[163] G. Guerrieri[69a,69c] F. Guescini[110] R. Gugel[100] J. A. M. Guhit[106] A. Guida[18] E. Guilloton[167,134] S. Guindon[36] F. Guo[14a,14e] J. Guo[62c] L. Guo[48] Y. Guo[106] R. Gupta[48] R. Gupta[129] S. Gurbuz[24] S. S. Gurdasani[54] G. Gustavino[36] M. Guth[56] P. Gutierrez[120] L. F. Gutierrez Zagazeta[128] M. Gutsche[50] C. Gutschow[96] C. Gwenlan[126] C. B. Gwilliam[92] E. S. Haaland[125] A. Haas[117] M. Habedank[48] C. Haber[17a] H. K. Hadavand[8] A. Hadef[50] S. Hadzic[110] A. I. Hagan[91] J. J. Hahn[141] E. H. Haines[96] M. Haleem[166] J. Haley[121] J. J. Hall[139] G. D. Hallewell[102] L. Halser[19] K. Hamano[165] M. Hamer[24] G. N. Hamity[52] E. J. Hampshire[95] J. Han[62b] K. Han[62a] L. Han[14c] L. Han[62a] S. Han[17a] Y. F. Han[155] K. Hanagaki[84] M. Hance[136] D. A. Hangal[41,d] H. Hanif[142] M. D. Hank[128] R. Hankache[101] J. B. Hansen[42] J. D. Hansen[42] P. H. Hansen[42] K. Hara[157] D. Harada[56] T. Harenberg[171] S. Harkusha[37] M. L. Harris[103] Y. T. Harris[126] J. Harrison[13] N. M. Harrison[119] P. F. Harrison[167] N. M. Hartman[110] N. M. Hartmann[109] Y. Hasegawa[140] R. Hauser[107] C. M. Hawkes[20] R. J. Hawkings[36] Y. Hayashi[153] S. Hayashida[111] D. Hayden[107] C. Hayes[106] R. L. Hayes[114] C. P. Hays[126] J. M. Hays[94] H. S. Hayward[92] F. He[62a] M. He[14a,14e] Y. He[154] Y. He[48] N. B. Heatley[94] V. Hedberg[98] A. L. Heggelund[125] N. D. Hehir[94,a] C. Heidegger[54] K. K. Heidegger[54] W. D. Heidorn[81] J. Heilman[34] S. Heim[48] T. Heim[17a] J. G. Heinlein[128] J. J. Heinrich[123] L. Heinrich[110,w] J. Hejbal[131] L. Helary[48] A. Held[170] S. Hellesund[16] C. M. Helling[164] S. Hellman[47a,47b] R. C. W. Henderson[91] L. Henkelmann[32] A. M. Henriques Correia,[36] H. Herde[98] Y. Hernández Jiménez[145] L. M. Herrmann[24] T. Herrmann[50] G. Herten[54] R. Hertenberger[109] L. Hervas[36] M. E. Hesping[100] N. P. Hessey[156a] H. Hibi[85] E. Hill[155] S. J. Hillier[20] J. R. Hinds[107] F. Hinterkeuser[24] M. Hirose[124] S. Hirose[157] D. Hirschbuehl[171] T. G. Hitchings[101] B. Hiti[93] J. Hobbs[145] R. Hobincu[27e] N. Hod[169] M. C. Hodgkinson[139] B. H. Hodkinson[32] A. Hoecker[36] D. D. Hofer[106] J. Hofer[48] T. Holm[24] M. Holzbock[110] L. B. A. H. Hommels[32] B. P. Honan[101] J. Hong[62c] T. M. Hong[129] B. H. Hooberman[162] W. H. Hopkins[6] Y. Horii[111] S. Hou[148] A. S. Howard[93] J. Howarth[59] J. Hoya[6] M. Hrabovsky[122] A. Hrynevich[48] T. Hryn'ova[4] P. J. Hsu[65] S.-C. Hsu[138] Q. Hu[62a] Y. F. Hu[14a,14e] S. Huang[64b] X. Huang[14c] X. Huang[14a,14e] Y. Huang[139] Y. Huang[14a] Z. Huang[101] Z. Hubacek[132] M. Huebner[24] F. Huegging[24] T. B. Huffman[126] C. A. Hugli[48] M. Huhtinen[36] S. K. Huiberts[16] R. Hulsken[104] N. Huseynov[12] J. Huston[107] J. Huth[61] R. Hyneman[143] G. Iacobucci[56] G. Iakovidis[29] I. Ibragimov[141] L. Iconomidou-Fayard[66]

P. Iengo[72a,72b] R. Iguchi[153] T. Iizawa[126] Y. Ikegami[84] N. Ilic[155] H. Imam[35a] M. Ince Lezki[56]
T. Ingebretsen Carlson[47a,47b] G. Introzzi[73a,73b] M. Iodice[77a] V. Ippolito[75a,75b] R. K. Irwin[92] M. Ishino[153]
W. Islam[170] C. Issever[18,48] S. Istin[21a,x] H. Ito[168] J. M. Iturbe Ponce[64a] R. Iuppa[78a,78b] A. Ivina[169]
J. M. Izen[45] V. Izzo[72a] P. Jacka[131,132] P. Jackson[1] R. M. Jacobs[48] B. P. Jaeger[142] C. S. Jagfeld[109] G. Jain[156a]
P. Jain[54] K. Jakobs[54] T. Jakoubek[169] J. Jamieson[59] K. W. Janas[86a] M. Javurkova[103] F. Jeanneau[135]
L. Jeanty[123] J. Jejelava[149a,y] P. Jenni[54,z] C. E. Jessiman[34] S. Jézéquel[4] C. Jia[62b] J. Jia[145] X. Jia[61]
X. Jia[14a,14e] Z. Jia[14c] S. Jiggins[48] J. Jimenez Pena[13] S. Jin[14c] A. Jinaru[27b] O. Jinnouchi[154] P. Johansson[139]
K. A. Johns[7] J. W. Johnson[136] D. M. Jones[32] E. Jones[48] P. Jones[32] R. W. L. Jones[91] T. J. Jones[92]
H. L. Joos[55,36] R. Joshi[119] J. Jovicevic[15] X. Ju[17a] J. J. Junggeburth[103] T. Junkermann[63a] A. Juste Rozas[13,v]
M. K. Juzek[87] S. Kabana[137e] A. Kaczmarska[87] M. Kado[110] H. Kagan[119] M. Kagan[143] A. Kahn[41]
A. Kahn[128] C. Kahra[100] T. Kaji[153] E. Kajomovitz[150] N. Kakati[169] I. Kalaitzidou[54] C. W. Kalderon[29]
A. Kamenshchikov[155] N. J. Kang[136] D. Kar[33g] K. Karava[126] M. J. Kareem[156b] E. Karentzos[54]
I. Karkanias[152] O. Karkout[114] S. N. Karpov[38] Z. M. Karpova[38] V. Kartvelishvili[91] A. N. Karyukhin[37]
E. Kasimi[152] J. Katzy[48] S. Kaur[34] K. Kawade[140] M. P. Kawale[120] C. Kawamoto[88] T. Kawamoto[62a]
E. F. Kay[36] F. I. Kaya[158] S. Kazakos[107] V. F. Kazanin[37] Y. Ke[145] J. M. Keaveney[33a] R. Keeler[165]
G. V. Kehris[61] J. S. Keller[34] A. S. Kelly[96] J. J. Kempster[146] K. E. Kennedy[41] P. D. Kennedy[100] O. Kepka[131]
B. P. Kerridge[167] S. Kersten[171] B. P. Kerševan[93] S. Keshri[66] L. Keszeghova[28a] S. Ketabchi Haghighat[155]
R. A. Khan[129] M. Khandoga[127] A. Khanov[121] A. G. Kharlamov[37] T. Kharlamova[37] E. E. Khoda[138]
M. Kholodenko[37] T. J. Khoo[18] G. Khoriauli[166] J. Khubua[149b] Y. A. R. Khwaira[66] A. Kilgallon[123]
D. W. Kim[47a,47b] Y. K. Kim[39] N. Kimura[96] M. K. Kingston[55] A. Kirchhoff[55] C. Kirfel[24] F. Kirfel[24]
J. Kirk[134] A. E. Kiryunin[110] C. Kitsaki[10] O. Kivernyk[24] M. Klassen[63a] C. Klein[34] L. Klein[166]
M. H. Klein[106] M. Klein[92] S. B. Klein[56] U. Klein[92] P. Klimek[36] A. Klimentov[29] T. Klioutchnikova[36]
P. Kluit[114] S. Kluth[110] E. Kneringer[79] T. M. Knight[155] A. Knue[49] R. Kobayashi[88] D. Kobylianskii[169]
S. F. Koch[126] M. Kocian[143] P. Kodyš[133] D. M. Koeck[123] P. T. Koenig[24] T. Koffas[34] O. Kolay[50]
I. Koletsou[4] T. Komarek[122] K. Köneke[54] A. X. Y. Kong[1] T. Kono[118] N. Konstantinidis[96] P. Kontaxakis[56]
B. Konya[98] R. Kopeliansky[68] S. Koperny[86a] K. Korcyl[87] K. Kordas[152,aa] G. Koren[151] A. Korn[96] S. Korn[55]
I. Korolkov[13] N. Korotkova[37] B. Kortman[114] O. Kortner[110] S. Kortner[110] W. H. Kostecka[115]
V. V. Kostyukhin[141] A. Kotsokechagia[135] A. Kotwal[51] A. Koulouris[36] A. Kourkoumeli-Charalampidi[73a,73b]
C. Kourkoumelis[9] E. Kourlitis[110,w] O. Kovanda[146] R. Kowalewski[165] W. Kozanecki[135] A. S. Kozhin[37]
V. A. Kramarenko[37] G. Kramberger[93] P. Kramer[100] M. W. Krasny[127] A. Krasznahorkay[36] J. W. Kraus[171]
L. M. Krauth[41] J. A. Kremer[48] T. Kresse[50] J. Kretzschmar[92] K. Kreul[18] P. Krieger[155] S. Krishnamurthy[103]
M. Krivos[133] K. Krizka[20] K. Kroeninger[49] H. Kroha[110] J. Kroll[131] J. Kroll[128] K. S. Krowpman[107]
U. Kruchonak[38] H. Krüger[24] N. Krumnack[81] M. C. Kruse[51] O. Kuchinskaia[37] S. Kuday[3a] S. Kuehn[36]
R. Kuesters[54] T. Kuhl[48] V. Kukhtin[38] Y. Kulchitsky[37,l] S. Kuleshov[137d,137b] M. Kumar[33g] N. Kumari[48]
A. Kupco[131] T. Kupfer[49] A. Kupich[37] O. Kuprash[54] H. Kurashige[85] L. L. Kurchaninov[156a] O. Kurdysh[66]
Y. A. Kurochkin[37] A. Kurova[37] M. Kuze[154] A. K. Kvam[103] J. Kvita[122] T. Kwan[104] N. G. Kyriacou[106]
L. A. O. Laatu[102] C. Lacasta[163] F. Lacava[75a,75b] H. Lacker[18] D. Lacour[127] N. N. Lad[96] E. Ladygin[38]
B. Laforge[127] T. Lagouri[137e] F. Z. Lahbabi[35a] S. Lai[55] I. K. Lakomiec[86a] N. Lalloue[60] J. E. Lambert[165]
S. Lammers[68] W. Lampl[7] C. Lampoudis[152,aa] A. N. Lancaster[115] E. Lançon[29] U. Landgraf[54]
M. P. J. Landon[94] V. S. Lang[54] R. J. Langenberg[103] O. K. B. Langrekken[125] A. J. Lankford[160] F. Lanni[36]
K. Lantzsch[24] A. Lanza[73a] A. Lapertosa[57b,57a] J. F. Laporte[135] T. Lari[71a] F. Lasagni Manghi[23b] M. Lassnig[36]
V. Latonova[131] A. Laudrain[100] A. Laurier[150] S. D. Lawlor[139] Z. Lawrence[101] R. Lazaridou[167]
M. Lazzaroni[71a,71b] B. Le[101] E. M. Le Boulicaut[51] B. Leban[93] A. Lebedev[81] M. LeBlanc[101]
F. Ledroit-Guillon[60] A. C. A. Lee[96] S. C. Lee[148] S. Lee[47a,47b] T. F. Lee[92] L. L. Leeuw[33c] H. P. Lefebvre[95]
M. Lefebvre[165] C. Leggett[17a] G. Lehmann Miotto[36] M. Leigh[56] W. A. Leight[103] W. Leinonen[113]
A. Leisos[152,bb] M. A. L. Leite[83c] C. E. Leitgeb[48] R. Leitner[133] K. J. C. Leney[44] T. Lenz[24] S. Leone[74a]
C. Leonidopoulos[52] A. Leopold[144] C. Leroy[108] R. Les[107] C. G. Lester[32] M. Levchenko[37] J. Levêque[4]
D. Levin[106] L. J. Levinson[169] M. P. Lewicki[87] D. J. Lewis[4] A. Li[5] B. Li[62b] C. Li[62a] C-Q. Li[110] H. Li[62a]
H. Li[62b] H. Li[14c] H. Li[14b] H. Li[62b] J. Li[62c] K. Li[138] L. Li[62c] M. Li[14a,14e] Q. Y. Li[62a] S. Li[14a,14e]

S. Li[62d,62c,cc] T. Li[5] X. Li[104] Z. Li[126] Z. Li[104] Z. Li[92] Z. Li[14a,14e] S. Liang,[14a,14e] Z. Liang[14a]

M. Liberatore[135] B. Liberti[76a] K. Lie[64c] J. Lieber Marin[83b] H. Lien[68] K. Lin[107] R. E. Lindley[7]

J. H. Lindon[2] E. Lipeles[128] A. Lipniacka[16] A. Lister[164] J. D. Little[4] B. Liu[14a] B. X. Liu[142] D. Liu[62d,62c]

J. B. Liu[62a] J. K. K. Liu[32] K. Liu[62d,62c] M. Liu[62a] M. Y. Liu[62a] P. Liu[14a] Q. Liu[62d,138,62c] X. Liu[62a]

Y. Liu[14d,14e] Y. L. Liu[62b] Y. W. Liu[62a] J. Llorente Merino[142] S. L. Lloyd[94] E. M. Lobodzinska[48] P. Loch[7]

T. Lohse[18] K. Lohwasser[139] E. Loiacono[48] M. Lokajicek[131,a] J. D. Lomas[20] J. D. Long[162] I. Longarini[160]

L. Longo[70a,70b] R. Longo[162] I. Lopez Paz[67] A. Lopez Solis[48] N. Lorenzo Martinez[4] A. M. Lory[109]

G. Löschcke Centeno[146] O. Loseva[37] X. Lou[47a,47b] X. Lou[14a,14e] A. Lounis[66] J. Love[6] P. A. Love[91]

G. Lu[14a,14e] M. Lu[80] S. Lu[128] Y. J. Lu[65] H. J. Lubatti[138] C. Luci[75a,75b] F. L. Lucio Alves[14c] A. Lucotte[60]

F. Luehring[68] I. Luise[145] O. Lukianchuk[66] O. Lundberg[144] B. Lund-Jensen[144] N. A. Luongo[6] M. S. Lutz[151]

A. B. Lux[25] D. Lynn[29] H. Lyons[92] R. Lysak[131] E. Lytken[98] V. Lyubushkin[38] T. Lyubushkina[38]

M. M. Lyukova[145] H. Ma[29] K. Ma[62a] L. L. Ma[62b] W. Ma[62a] Y. Ma[121] D. M. Mac Donell[165] G. Maccarrone[53]

J. C. MacDonald[100] P. C. Machado De Abreu Farias[83b] R. Madar[40] W. F. Mader[50] T. Madula[96] J. Maeda[85]

T. Maeno[29] H. Maguire[139] V. Maiboroda[135] A. Maio[130a,130b,130d] K. Maj[86a] O. Majersky[48] S. Majewski[123]

N. Makovec[66] V. Maksimovic[15] B. Malaescu[127] Pa. Malecki[87] V. P. Maleev[37] F. Malek[60] M. Mali[93]

D. Malito[95] U. Mallik[80] S. Maltezos,[10] S. Malyukov,[38] J. Mamuzic[13] G. Mancini[53] G. Manco[73a,73b]

J. P. Mandalia[94] I. Mandić[93] L. Manhaes de Andrade Filho[83a] I. M. Maniatis[169] J. Manjarres Ramos[102,dd]

D. C. Mankad[169] A. Mann[109] B. Mansoulie[135] S. Manzoni[36] L. Mao[62c] X. Mapekula[33c] A. Marantis[152,bb]

G. Marchiori[5] M. Marcisovsky[131] C. Marcon[71a] M. Marinescu[20] S. Marium[48] M. Marjanovic[120]

E. J. Marshall[91] Z. Marshall[17a] S. Marti-Garcia[163] T. A. Martin[167] V. J. Martin[52] B. Martin dit Latour[16]

L. Martinelli[75a,75b] M. Martinez[13,v] P. Martinez Agullo[163] V. I. Martinez Outschoorn[103] P. Martinez Suarez[13]

S. Martin-Haugh[134] V. S. Martoiu[27b] A. C. Martyniuk[96] A. Marzin[36] D. Mascione[78a,78b] L. Masetti[100]

T. Mashimo[153] J. Masik[101] A. L. Maslennikov[37] L. Massa[23b] P. Massarotti[72a,72b] P. Mastrandrea[74a,74b]

A. Mastroberardino[43b,43a] T. Masubuchi[153] T. Mathisen[161] J. Matousek[133] N. Matsuzawa[153] J. Maurer[27b]

B. Maček[93] D. A. Maximov[37] R. Mazini[148] I. Maznas[152] M. Mazza[107] S. M. Mazza[136] E. Mazzeo[71a,71b]

C. Mc Ginn[29] J. P. Mc Gowan[104] S. P. Mc Kee[106] E. F. McDonald[105] A. E. McDougall[114] J. A. Mcfayden[146]

R. P. McGovern[128] G. Mchedlidze[149b] R. P. Mckenzie[33g] T. C. Mclachlan[48] D. J. Mclaughlin[96]

S. J. McMahon[134] C. M. Mcpartland[92] R. A. McPherson[165,p] S. Mehlhase[109] A. Mehta[92] D. Melini[150]

B. R. Mellado Garcia[33g] A. H. Melo[55] F. Meloni[48] A. M. Mendes Jacques Da Costa[101] H. Y. Meng[155]

L. Meng[91] S. Menke[110] M. Mentink[36] E. Meoni[43b,43a] G. Mercado[115] C. Merlassino[69a,69c] L. Merola[72a,72b]

C. Meroni[71a,71b] G. Merz,[106] J. Metcalfe[6] A. S. Mete[6] C. Meyer[68] J-P. Meyer[135] R. P. Middleton[134]

L. Mijović[52] G. Mikenberg[169] M. Mikestikova[131] M. Mikuž[93] H. Mildner[100] A. Milic[36] C. D. Milke[44]

D. W. Miller[39] L. S. Miller[34] A. Milov[169] D. A. Milstead[47a,47b] T. Min,[14c] A. A. Minaenko[37] I. A. Minashvili[149b]

L. Mince[59] A. I. Mincer[117] B. Mindur[86a] M. Mineev[38] Y. Mino[88] L. M. Mir[13] M. Miralles Lopez[163]

M. Mironova[17a] A. Mishima,[153] M. C. Missio[113] A. Mitra[167] V. A. Mitsou[163] Y. Mitsumori[111] O. Miu[155]

P. S. Miyagawa[94] T. Mkrtchyan[63a] M. Mlinarevic[96] T. Mlinarevic[96] M. Mlynarikova[36] S. Mobius[19]

P. Moder[48] P. Mogg[109] M. H. Mohamed Farook[112] A. F. Mohammed[14a,14e] S. Mohapatra[41]

G. Mokgatitswane[33g] L. Moleri[169] B. Mondal[141] S. Mondal[132] K. Mönig[48] E. Monnier[102]

L. Monsonis Romero,[163] J. Montejo Berlingen[13] M. Montella[119] F. Montereali[77a,77b] F. Monticelli[90]

S. Monzani[69a,69c] N. Morange[66] A. L. Moreira De Carvalho[130a] M. Moreno Llácer[163] C. Moreno Martinez[56]

P. Morettini[57b] S. Morgenstern[36] M. Morii[61] M. Morinaga[153] A. K. Morley[36] F. Morodei[75a,75b] L. Morvaj[36]

P. Moschovakos[36] B. Moser[36] M. Mosidze[149b] T. Moskalets[54] P. Moskvitina[113] J. Moss[31,ee]

E. J. W. Moyse[103] O. Mtintsilana[33g] S. Muanza[102] J. Mueller[129] D. Muenstermann[91] R. Müller[19]

G. A. Mullier[161] A. J. Mullin[32] J. J. Mullin[128] D. P. Mungo[155] D. Munoz Perez[163] F. J. Munoz Sanchez[101]

M. Murin[101] W. J. Murray[167,134] A. Murrone[71a,71b] M. Muškinja[17a] C. Mwewa[29] A. G. Myagkov[37,l]

A. J. Myers[8] G. Myers[68] M. Myska[132] B. P. Nachman[17a] O. Nackenhorst[49] A. Nag[50] K. Nagai[126]

K. Nagano[84] J. L. Nagle[29,i] E. Nagy[102] A. M. Nairz[36] Y. Nakahama[84] K. Nakamura[84] K. Nakkalil[5]

H. Nanjo[124] R. Narayan[44] E. A. Narayanan[112] I. Naryshkin[37] M. Naseri[34] S. Nasri[159] C. Nass[24]

G. Navarro[22a] J. Navarro-Gonzalez[163] R. Nayak[151] A. Nayaz[18] P. Y. Nechaeva[37] F. Nechansky[48]

L. Nedic,[126] T. J. Neep,[20] A. Negri,[73a,73b] M. Negrini,[23b] C. Nellist,[114] C. Nelson,[104] K. Nelson,[106] S. Nemecek,[131] M. Nessi,[36,ff] M. S. Neubauer,[162] F. Neuhaus,[100] J. Neundorf,[48] R. Newhouse,[164] P. R. Newman,[20] C. W. Ng,[129] Y. W. Y. Ng,[48] B. Ngair,[35e] H. D. N. Nguyen,[108] R. B. Nickerson,[126] R. Nicolaidou,[135] J. Nielsen,[136] M. Niemeyer,[55] J. Niermann,[55,36] N. Nikiforou,[36] V. Nikolaenko,[37,l] I. Nikolic-Audit,[127] K. Nikolopoulos,[20] P. Nilsson,[29] I. Ninca,[48] H. R. Nindhito,[56] G. Ninio,[151] A. Nisati,[75a] N. Nishu,[2] R. Nisius,[110] J-E. Nitschke,[50] E. K. Nkadimeng,[33g] T. Nobe,[153] D. L. Noel,[32] T. Nommensen,[147] M. B. Norfolk,[139] R. R. B. Norisam,[96] B. J. Norman,[34] M. Noury,[35a] J. Novak,[93] T. Novak,[48] L. Novotny,[132] R. Novotny,[112] L. Nozka,[122] K. Ntekas,[160] N. M. J. Nunes De Moura Junior,[83b] E. Nurse,[96] J. Ocariz,[127] A. Ochi,[85] I. Ochoa,[130a] S. Oerdek,[48,gg] J. T. Offermann,[39] A. Ogrodnik,[133] A. Oh,[101] C. C. Ohm,[144] H. Oide,[84] R. Oishi,[153] M. L. Ojeda,[48] M. W. O'Keefe,[92] Y. Okumura,[153] L. F. Oleiro Seabra,[130a] S. A. Olivares Pino,[137d] D. Oliveira Damazio,[29] D. Oliveira Goncalves,[83a] J. L. Oliver,[160] Ö. O. Öncel,[54] A. P. O'Neill,[19] A. Onofre,[130a,130e] P. U. E. Onyisi,[11] M. J. Oreglia,[39] G. E. Orellana,[90] D. Orestano,[77a,77b] N. Orlando,[13] R. S. Orr,[155] V. O'Shea,[59] L. M. Osojnak,[128] R. Ospanov,[62a] G. Otero y Garzon,[30] H. Otono,[89] P. S. Ott,[63a] G. J. Ottino,[17a] M. Ouchrif,[35d] J. Ouellette,[29] F. Ould-Saada,[125] M. Owen,[59] R. E. Owen,[134] K. Y. Oyulmaz,[21a] V. E. Ozcan,[21a] F. Ozturk,[87] N. Ozturk,[8] S. Ozturk,[82] H. A. Pacey,[126] A. Pacheco Pages,[13] C. Padilla Aranda,[13] G. Padovano,[75a,75b] S. Pagan Griso,[17a] G. Palacino,[68] A. Palazzo,[70a,70b] S. Palestini,[36] J. Pan,[172] T. Pan,[64a] D. K. Panchal,[11] C. E. Pandini,[114] J. G. Panduro Vazquez,[95] H. D. Pandya,[1] H. Pang,[14b] P. Pani,[48] G. Panizzo,[69a,69c] L. Paolozzi,[56] C. Papadatos,[108] S. Parajuli,[44] A. Paramonov,[6] C. Paraskevopoulos,[10] D. Paredes Hernandez,[64b] K. R. Park,[41] T. H. Park,[155] M. A. Parker,[32] F. Parodi,[57b,57a] E. W. Parrish,[115] V. A. Parrish,[52] J. A. Parsons,[41] U. Parzefall,[54] B. Pascual Dias,[108] L. Pascual Dominguez,[151] E. Pasqualucci,[75a] S. Passaggio,[57b] F. Pastore,[95] P. Pasuwan,[47a,47b] P. Patel,[87] U. M. Patel,[51] J. R. Pater,[101] T. Pauly,[36] J. Pearkes,[143] M. Pedersen,[125] R. Pedro,[130a] S. V. Peleganchuk,[37] O. Penc,[36] E. A. Pender,[52] K. E. Penski,[109] M. Penzin,[37] B. S. Peralva,[83d] A. P. Pereira Peixoto,[60] L. Pereira Sanchez,[47a,47b] D. V. Perepelitsa,[29,i] E. Perez Codina,[156a] M. Perganti,[10] L. Perini,[71a,71b,a] H. Pernegger,[36] O. Perrin,[40] K. Peters,[48] R. F. Y. Peters,[101] B. A. Petersen,[36] T. C. Petersen,[42] E. Petit,[102] V. Petousis,[132] C. Petridou,[152,aa] A. Petrukhin,[141] M. Pettee,[17a] N. E. Pettersson,[36] A. Petukhov,[37] K. Petukhova,[133] R. Pezoa,[137f] L. Pezzotti,[36] G. Pezzullo,[172] T. M. Pham,[170] T. Pham,[105] P. W. Phillips,[134] G. Piacquadio,[145] E. Pianori,[17a] F. Piazza,[123] R. Piegaia,[30] D. Pietreanu,[27b] A. D. Pilkington,[101] M. Pinamonti,[69a,69c] J. L. Pinfold,[2] B. C. Pinheiro Pereira,[130a] A. E. Pinto Pinoargote,[100,135] L. Pintucci,[69a,69c] K. M. Piper,[146] A. Pirttikoski,[56] D. A. Pizzi,[34] L. Pizzimento,[64b] A. Pizzini,[114] M.-A. Pleier,[29] V. Plesanovs,[54] V. Pleskot,[133] E. Plotnikova,[38] G. Poddar,[4] R. Poettgen,[98] L. Poggioli,[127] I. Pokharel,[55] S. Polacek,[133] G. Polesello,[73a] A. Poley,[142,156a] R. Polifka,[132] A. Polini,[23b] C. S. Pollard,[167] Z. B. Pollock,[119] V. Polychronakos,[29] E. Pompa Pacchi,[75a,75b] D. Ponomarenko,[113] L. Pontecorvo,[36] S. Popa,[27a] G. A. Popeneciu,[27d] A. Poreba,[36] D. M. Portillo Quintero,[156a] S. Pospisil,[132] M. A. Postill,[139] P. Postolache,[27c] K. Potamianos,[167] P. A. Potepa,[86a] I. N. Potrap,[38] C. J. Potter,[32] H. Potti,[1] T. Poulsen,[48] J. Poveda,[163] M. E. Pozo Astigarraga,[36] A. Prades Ibanez,[163] J. Pretel,[54] D. Price,[101] M. Primavera,[70a] M. A. Principe Martin,[99] R. Privara,[122] T. Procter,[59] M. L. Proffitt,[138] N. Proklova,[128] K. Prokofiev,[64c] G. Proto,[110] S. Protopopescu,[29] J. Proudfoot,[6] M. Przybycien,[86a] W. W. Przygoda,[86b] J. E. Puddefoot,[139] D. Pudzha,[37] D. Pyatiizbyantseva,[37] J. Qian,[106] D. Qichen,[101] Y. Qin,[101] T. Qiu,[52] A. Quadt,[55] M. Queitsch-Maitland,[101] G. Quetant,[56] R. P. Quinn,[164] G. Rabanal Bolanos,[61] D. Rafanoharana,[54] F. Ragusa,[71a,71b] J. L. Rainbolt,[39] J. A. Raine,[56] S. Rajagopalan,[29] E. Ramakoti,[37] I. A. Ramirez-Berend,[34] K. Ran,[48,14e] N. P. Rapheeha,[33g] H. Rasheed,[27b] V. Raskina,[127] D. F. Rassloff,[63a] S. Rave,[100] B. Ravina,[55] I. Ravinovich,[169] M. Raymond,[36] A. L. Read,[125] N. P. Readioff,[139] D. M. Rebuzzi,[73a,73b] G. Redlinger,[29] A. S. Reed,[110] K. Reeves,[26] J. A. Reidelsturz,[171] D. Reikher,[151] A. Rej,[49] C. Rembser,[36] A. Renardi,[48] M. Renda,[27b] M. B. Rendel,[110] F. Renner,[48] A. G. Rennie,[160] A. L. Rescia,[48] S. Resconi,[71a] M. Ressegotti,[57b,57a] S. Rettie,[36] J. G. Reyes Rivera,[107] E. Reynolds,[17a] O. L. Rezanova,[37] P. Reznicek,[133] N. Ribaric,[91] E. Ricci,[78a,78b] R. Richter,[110] S. Richter,[47a,47b] E. Richter-Was,[86b] M. Ridel,[127] S. Ridouani,[35d] P. Rieck,[117] P. Riedler,[36] E. M. Riefel,[47a,47b] J. O. Rieger,[114] M. Rijssenbeek,[145] A. Rimoldi,[73a,73b] M. Rimoldi,[36] L. Rinaldi,[23b,23a] T. T. Rinn,[29] M. P. Rinnagel,[109] G. Ripellino,[161] I. Riu,[13] P. Rivadeneira,[48] J. C. Rivera Vergara,[165] F. Rizatdinova,[121] E. Rizvi,[94] B. A. Roberts,[167] B. R. Roberts,[17a] S. H. Robertson,[104,p] D. Robinson,[32] C. M. Robles Gajardo,[137f]

M. Robles Manzano[100] A. Robson,[59] A. Rocchi,[76a,76b] C. Roda,[74a,74b] S. Rodriguez Bosca,[63a]
Y. Rodriguez Garcia,[22a] A. Rodriguez Rodriguez,[54] A. M. Rodríguez Vera,[156b] S. Roe,[36] J. T. Roemer,[160]
A. R. Roepe-Gier,[136] J. Roggel,[171] O. Røhne,[125] R. A. Rojas,[103] C. P. A. Roland,[127] J. Roloff,[29]
A. Romaniouk,[37] E. Romano,[73a,73b] M. Romano,[23b] A. C. Romero Hernandez,[162] N. Rompotis,[92] L. Roos,[127]
S. Rosati,[75a] B. J. Rosser,[39] E. Rossi,[126] E. Rossi,[72a,72b] L. P. Rossi,[57b] L. Rossini,[54] R. Rosten,[119]
M. Rotaru,[27b] B. Rottler,[54] C. Rougier,[102,dd] D. Rousseau,[66] D. Rousso,[32] A. Roy,[162] S. Roy-Garand,[155]
A. Rozanov,[102] Z. M. A. Rozario,[59] Y. Rozen,[150] X. Ruan,[33g] A. Rubio Jimenez,[163] A. J. Ruby,[92]
V. H. Ruelas Rivera,[18] T. A. Ruggeri,[1] A. Ruggiero,[126] A. Ruiz-Martinez,[163] A. Rummler,[36] Z. Rurikova,[54]
N. A. Rusakovich,[38] H. L. Russell,[165] G. Russo,[75a,75b] J. P. Rutherfoord,[7] S. Rutherford Colmenares,[32]
K. Rybacki,[91] M. Rybar,[133] E. B. Rye,[125] A. Ryzhov,[44] J. A. Sabater Iglesias,[56] P. Sabatini,[163]
H. F-W. Sadrozinski,[136] F. Safai Tehrani,[75a] B. Safarzadeh Samani,[134] M. Safdari,[143] S. Saha,[165] M. Sahinsoy,[110]
A. Saibel,[163] M. Saimpert,[135] M. Saito,[153] T. Saito,[153] D. Salamani,[36] A. Salnikov,[143] J. Salt,[163]
A. Salvador Salas,[151] D. Salvatore,[43b,43a] F. Salvatore,[146] A. Salzburger,[36] D. Sammel,[54] D. Sampsonidis,[152,aa]
D. Sampsonidou,[123] J. Sánchez,[163] A. Sanchez Pineda,[4] V. Sanchez Sebastian,[163] H. Sandaker,[125] C. O. Sander,[48]
J. A. Sandesara,[103] M. Sandhoff,[171] C. Sandoval,[22b] D. P. C. Sankey,[134] T. Sano,[88] A. Sansoni,[53] L. Santi,[75a,75b]
C. Santoni,[40] H. Santos,[130a,130b] S. N. Santpur,[17a] A. Santra,[169] K. A. Saoucha,[116b] J. G. Saraiva,[130a,130d]
J. Sardain,[7] O. Sasaki,[84] K. Sato,[157] C. Sauer,[63b] F. Sauerburger,[54] E. Sauvan,[4] P. Savard,[155,e] R. Sawada,[153]
C. Sawyer,[134] L. Sawyer,[97] I. Sayago Galvan,[163] C. Sbarra,[23b] A. Sbrizzi,[23b,23a] T. Scanlon,[96] J. Schaarschmidt,[138]
P. Schacht,[110] U. Schäfer,[100] A. C. Schaffer,[66,44] D. Schaile,[109] R. D. Schamberger,[145] C. Scharf,[18]
M. M. Schefer,[19] V. A. Schegelsky,[37] D. Scheirich,[133] F. Schenck,[18] M. Schernau,[160] C. Scheulen,[55]
C. Schiavi,[57b,57a] E. J. Schioppa,[70a,70b] M. Schioppa,[43b,43a] B. Schlag,[143,t] K. E. Schleicher,[54] S. Schlenker,[36]
J. Schmeing,[171] M. A. Schmidt,[171] K. Schmieden,[100] C. Schmitt,[100] N. Schmitt,[100] S. Schmitt,[48] L. Schoeffel,[135]
A. Schoening,[63b] P. G. Scholer,[54] E. Schopf,[126] M. Schott,[100] J. Schovancova,[36] S. Schramm,[56] F. Schroeder,[171]
T. Schroer,[56] H-C. Schultz-Coulon,[63a] M. Schumacher,[54] B. A. Schumm,[136] Ph. Schune,[135] A. J. Schuy,[138]
H. R. Schwartz,[136] A. Schwartzman,[143] T. A. Schwarz,[106] Ph. Schwemling,[135] R. Schwienhorst,[107]
A. Sciandra,[136] G. Sciolla,[26] F. Scuri,[74a] C. D. Sebastiani,[92] K. Sedlaczek,[115] P. Seema,[18] S. C. Seidel,[112]
A. Seiden,[136] B. D. Seidlitz,[41] C. Seitz,[48] J. M. Seixas,[83b] G. Sekhniaidze,[72a] S. J. Sekula,[44] L. Selem,[60]
N. Semprini-Cesari,[23b,23a] D. Sengupta,[56] V. Senthilkumar,[163] L. Serin,[66] L. Serkin,[69a,69b] M. Sessa,[76a,76b]
H. Severini,[120] F. Sforza,[57b,57a] A. Sfyrla,[56] E. Shabalina,[55] R. Shaheen,[144] J. D. Shahinian,[128]
D. Shaked Renous,[169] L. Y. Shan,[14a] M. Shapiro,[17a] A. Sharma,[36] A. S. Sharma,[164] P. Sharma,[80] S. Sharma,[48]
P. B. Shatalov,[37] K. Shaw,[146] S. M. Shaw,[101] A. Shcherbakova,[37] Q. Shen,[62c,5] D. J. Sheppard,[142]
P. Sherwood,[96] L. Shi,[96] X. Shi,[14a] C. O. Shimmin,[172] J. D. Shinner,[95] I. P. J. Shipsey,[126] S. Shirabe,[56,ff]
M. Shiyakova,[38,hh] J. Shlomi,[169] M. J. Shochet,[39] J. Shojaii,[105] D. R. Shope,[125] B. Shrestha,[120] S. Shrestha,[119,ii]
E. M. Shrif,[33g] M. J. Shroff,[165] P. Sicho,[131] A. M. Sickles,[162] E. Sideras Haddad,[33g] A. Sidoti,[23b] F. Siegert,[50]
Dj. Sijacki,[15] F. Sili,[90] J. M. Silva,[20] M. V. Silva Oliveira,[29] S. B. Silverstein,[47a] S. Simion,[66] R. Simoniello,[36]
E. L. Simpson,[59] H. Simpson,[146] L. R. Simpson,[106] N. D. Simpson,[98] S. Simsek,[82] S. Sindhu,[55] P. Sinervo,[155]
S. Singh,[155] S. Sinha,[48] S. Sinha,[101] M. Sioli,[23b,23a] I. Siral,[36] E. Sitnikova,[48] S. Yu. Sivoklokov,[37,a]
J. Sjölin,[47a,47b] A. Skaf,[55] E. Skorda,[20] P. Skubic,[120] M. Slawinska,[87] V. Smakhtin,[169] B. H. Smart,[134]
J. Smiesko,[36] S. Yu. Smirnov,[37] Y. Smirnov,[37] L. N. Smirnova,[37,l] O. Smirnova,[98] A. C. Smith,[41] E. A. Smith,[39]
H. A. Smith,[126] J. L. Smith,[92] R. Smith,[143] M. Smizanska,[91] K. Smolek,[132] A. A. Snesarev,[37] S. R. Snider,[155]
H. L. Snoek,[114] S. Snyder,[29] R. Sobie,[165,p] A. Soffer,[151] C. A. Solans Sanchez,[36] E. Yu. Soldatov,[37]
U. Soldevila,[163] A. A. Solodkov,[37] S. Solomon,[26] A. Soloshenko,[38] K. Solovieva,[54] O. V. Solovyanov,[40]
V. Solovyev,[37] P. Sommer,[36] A. Sonay,[13] W. Y. Song,[156b] J. M. Sonneveld,[114] A. Sopczak,[132] A. L. Sopio,[96]
F. Sopkova,[28b] I. R. Sotarriva Alvarez,[154] V. Sothilingam,[63a] O. J. Soto Sandoval,[137c,137b] S. Sottocornola,[68]
R. Soualah,[116b] Z. Soumaimi,[35e] D. South,[48] N. Soybelman,[169] S. Spagnolo,[70a,70b] M. Spalla,[110] D. Sperlich,[54]
G. Spigo,[36] S. Spinali,[91] D. P. Spiteri,[59] M. Spousta,[133] E. J. Staats,[34] A. Stabile,[71a,71b] R. Stamen,[63a]
A. Stampekis,[20] M. Standke,[24] E. Stanecka,[87] M. V. Stange,[50] B. Stanislaus,[17a] M. M. Stanitzki,[48] B. Stapf,[48]
E. A. Starchenko,[37] G. H. Stark,[136] J. Stark,[102,dd] D. M. Starko,[156b] P. Staroba,[131] P. Starovoitov,[63a] S. Stärz,[104]
R. Staszewski,[87] G. Stavropoulos,[46] J. Steentoft,[161] P. Steinberg,[29] B. Stelzer,[142,156a] H. J. Stelzer,[129]

O. Stelzer-Chilton[156a] H. Stenzel[58] T. J. Stevenson[146] G. A. Stewart[36] J. R. Stewart[121] M. C. Stockton[36]
G. Stoicea[27b] M. Stolarski[130a] S. Stonjek[110] A. Straessner[50] J. Strandberg[144] S. Strandberg[47a,47b]
M. Stratmann[171] M. Strauss[120] T. Strebler[102] P. Strizenec[28b] R. Ströhmer[166] D. M. Strom[123]
R. Stroynowski[44] A. Strubig[47a,47b] S. A. Stucci[29] B. Stugu[16] J. Stupak[120] N. A. Styles[48] D. Su[143] S. Su[62a]
W. Su[62d] X. Su[62a,66] K. Sugizaki[153] V. V. Sulin[37] M. J. Sullivan[92] D. M. S. Sultan[78a,78b] L. Sultanaliyeva[37]
S. Sultansoy[3b] T. Sumida[88] S. Sun[106] S. Sun[170] O. Sunneborn Gudnadottir[161] N. Sur[102] M. R. Sutton[146]
H. Suzuki[157] M. Svatos[131] M. Swiatlowski[156a] T. Swirski[166] I. Sykora[28a] M. Sykora[133] T. Sykora[133]
D. Ta[100] K. Tackmann[48,gg] A. Taffard[160] R. Tafirout[156a] J. S. Tafoya Vargas[66] E. P. Takeva[52] Y. Takubo[84]
M. Talby[102] A. A. Talyshev[37] K. C. Tam[64b] N. M. Tamir[151] A. Tanaka[153] J. Tanaka[153] R. Tanaka[66]
M. Tanasini[57b,57a] Z. Tao[164] S. Tapia Araya[137f] S. Tapprogge[100] A. Tarek Abouelfadl Mohamed[107] S. Tarem[150]
K. Tariq[14a] G. Tarna[102,27b] G. F. Tartarelli[71a] P. Tas[133] M. Tasevsky[131] E. Tassi[43b,43a] A. C. Tate[162]
G. Tateno[153] Y. Tayalati[35e,jj] G. N. Taylor[105] W. Taylor[156b] A. S. Tee[170] R. Teixeira De Lima[143]
P. Teixeira-Dias[95] J. J. Teoh[155] K. Terashi[153] J. Terron[99] S. Terzo[13] M. Testa[53] R. J. Teuscher[155,p]
A. Thaler[79] O. Theiner[56] N. Themistokleous[52] T. Theveneaux-Pelzer[102] O. Thielmann[171] D. W. Thomas,[95]
J. P. Thomas[20] E. A. Thompson[17a] P. D. Thompson[20] E. Thomson[128] Y. Tian[55] V. Tikhomirov[37,l]
Yu. A. Tikhonov[37] S. Timoshenko,[37] D. Timoshyn[133] E. X. L. Ting[1] P. Tipton[172] S. H. Tlou[33g] A. Tnourji[40]
K. Todome[154] S. Todorova-Nova[133] S. Todt,[50] M. Togawa[84] J. Tojo[89] S. Tokár[28a] K. Tokushuku[84]
O. Toldaiev[68] R. Tombs[32] M. Tomoto[84,111] L. Tompkins[143,t] K. W. Topolnicki[86b] E. Torrence[123]
H. Torres[102,dd] E. Torró Pastor[163] M. Toscani[30] C. Tosciri[39] M. Tost[11] D. R. Tovey[139] A. Traeet,[16]
I. S. Trandafir[27b] T. Trefzger[166] A. Tricoli[29] I. M. Trigger[156a] S. Trincaz-Duvoid[127] D. A. Trischuk[26]
B. Trocmé[60] C. Troncon[71a] L. Truong[33c] M. Trzebinski[87] A. Trzupek[87] F. Tsai[145] M. Tsai[106]
A. Tsiamis[152,aa] P. V. Tsiareshka[37] S. Tsigaridas[156a] A. Tsirigotis[152,bb] V. Tsiskaridze[155] E. G. Tskhadadze[149a]
M. Tsopoulou[152,aa] Y. Tsujikawa[88] I. I. Tsukerman[37] V. Tsulaia[17a] S. Tsuno[84] K. Tsuri[118] D. Tsybychev[145]
Y. Tu[64b] A. Tudorache[27b] V. Tudorache[27b] A. N. Tuna[61] S. Turchikhin[57b,57a] I. Turk Cakir[3a] R. Turra[71a]
T. Turtuvshin[38,kk] P. M. Tuts[41] S. Tzamarias[152,aa] P. Tzanis[10] E. Tzovara[100] F. Ukegawa[157]
P. A. Ulloa Poblete[137c,137b] E. N. Umaka[29] G. Unal[36] M. Unal[11] A. Undrus[29] G. Unel[160] J. Urban[28b]
P. Urquijo[105] P. Urrejola[137a] G. Usai[8] R. Ushioda[154] M. Usman[108] Z. Uysal[21b] V. Vacek[132] B. Vachon[104]
K. O. H. Vadla[125] T. Vafeiadis[36] A. Vaitkus[96] C. Valderanis[109] E. Valdes Santurio[47a,47b] M. Valente[156a]
S. Valentinetti[23b,23a] A. Valero[163] E. Valiente Moreno[163] A. Vallier[102,dd] J. A. Valls Ferrer[163]
D. R. Van Arneman[114] T. R. Van Daalen[138] A. Van Der Graaf[49] P. Van Gemmeren[6] M. Van Rijnbach[125,36]
S. Van Stroud[96] I. Van Vulpen[114] M. Vanadia[76a,76b] W. Vandelli[36] M. Vandenbroucke[135] E. R. Vandewall[121]
D. Vannicola[151] L. Vannoli[57b,57a] R. Vari[75a] E. W. Varnes[7] C. Varni[17b] T. Varol[148] D. Varouchas[66]
L. Varriale[163] K. E. Varvell[147] M. E. Vasile[27b] L. Vaslin,[84] G. A. Vasquez[165] A. Vasyukov[38] F. Vazeille[40]
T. Vazquez Schroeder[36] J. Veatch[31] V. Vecchio[101] M. J. Veen[103] I. Veliscek[126] L. M. Veloce[155]
F. Veloso[130a,130c] S. Veneziano[75a] A. Ventura[70a,70b] S. Ventura Gonzalez[135] A. Verbytskyi[110] M. Verducci[74a,74b]
C. Vergis[24] M. Verissimo De Araujo[83b] W. Verkerke[114] J. C. Vermeulen[114] C. Vernieri[143] M. Vessella[103]
M. C. Vetterli[142,e] A. Vgenopoulos[152,aa] N. Viaux Maira[137f] T. Vickey[139] O. E. Vickey Boeriu[139]
G. H. A. Viehhauser[126] L. Vigani[63b] M. Villa[23b,23a] M. Villaplana Perez[163] E. M. Villhauer,[52] E. Vilucchi[53]
M. G. Vincter[34] G. S. Virdee[20] A. Vishwakarma[52] A. Visibile,[114] C. Vittori[36] I. Vivarelli[146] E. Voevodina[110]
F. Vogel[109] J. C. Voigt[50] P. Vokac[132] Yu. Volkotrub[86a] J. Von Ahnen[48] E. Von Toerne[24] B. Vormwald[36]
V. Vorobel[133] K. Vorobev[37] M. Vos[163] K. Voss[141] J. H. Vossebeld[92] M. Vozak[114] L. Vozdecky[94]
N. Vranjes[15] M. Vranjes Milosavljevic[15] M. Vreeswijk[114] R. Vuillermet[36] O. Vujinovic[100] I. Vukotic[39]
S. Wada[157] C. Wagner,[103] J. M. Wagner[17a] W. Wagner[171] S. Wahdan[171] H. Wahlberg[90] M. Wakida[111]
J. Walder[134] R. Walker[109] W. Walkowiak[141] A. Wall[128] T. Wamorkar[6] A. Z. Wang[136] C. Wang[100]
C. Wang[62c] H. Wang[17a] J. Wang[64a] R.-J. Wang[100] R. Wang[61] R. Wang[6] S. M. Wang[148] S. Wang[62b]
T. Wang[62a] W. T. Wang[80] W. Wang[14a] X. Wang[14c] X. Wang[162] X. Wang[62c] Y. Wang[62d] Y. Wang[14c]
Z. Wang[106] Z. Wang[62d,51,62c] Z. Wang[106] A. Warburton[104] R. J. Ward[20] N. Warrack[59] A. T. Watson[20]
H. Watson[59] M. F. Watson[20] E. Watton[59,134] G. Watts[138] B. M. Waugh[96] C. Weber[29] H. A. Weber[18]
M. S. Weber[19] S. M. Weber[63a] C. Wei[62a] Y. Wei[126] A. R. Weidberg[126] E. J. Weik[117] J. Weingarten[49]

M. Weirich,[100] C. Weiser,[54] C. J. Wells,[48] T. Wenaus,[29] B. Wendland,[49] T. Wengler,[36] N. S. Wenke,[110]
N. Wermes,[24] M. Wessels,[63a] A. M. Wharton,[91] A. S. White,[61] A. White,[8] M. J. White,[1] D. Whiteson,[160]
L. Wickremasinghe,[124] W. Wiedenmann,[170] C. Wiel,[50] M. Wielers,[134] C. Wiglesworth,[42] D. J. Wilbern,[120]
H. G. Wilkens,[36] D. M. Williams,[41] H. H. Williams,[128] S. Williams,[32] S. Willocq,[103] B. J. Wilson,[101]
P. J. Windischhofer,[39] F. I. Winkel,[30] F. Winklmeier,[123] B. T. Winter,[54] J. K. Winter,[101] M. Wittgen,[143]
M. Wobisch,[97] Z. Wolffs,[114] J. Wollrath,[160] M. W. Wolter,[87] H. Wolters,[130a,130c] A. F. Wongel,[48]
E. L. Woodward,[41] S. D. Worm,[48] B. K. Wosiek,[87] K. W. Woźniak,[87] S. Wozniewski,[55] K. Wraight,[59] C. Wu,[20]
J. Wu,[14a,14e] M. Wu,[64a] M. Wu,[113] S. L. Wu,[170] X. Wu,[56] Y. Wu,[62a] Z. Wu,[135] J. Wuerzinger,[110,w]
T. R. Wyatt,[101] B. M. Wynne,[52] S. Xella,[42] L. Xia,[14c] M. Xia,[14b] J. Xiang,[64c] M. Xie,[62a] X. Xie,[62a]
S. Xin,[14a,14e] A. Xiong,[123] J. Xiong,[17a] D. Xu,[14a] H. Xu,[62a] L. Xu,[62a] R. Xu,[128] T. Xu,[106] Y. Xu,[14b] Z. Xu,[52]
Z. Xu,[14c] B. Yabsley,[147] S. Yacoob,[33a] Y. Yamaguchi,[154] E. Yamashita,[153] H. Yamauchi,[157] T. Yamazaki,[17a]
Y. Yamazaki,[85] J. Yan,[62c] S. Yan,[126] Z. Yan,[25] H. J. Yang,[62c,62d] H. T. Yang,[62a] S. Yang,[62a] T. Yang,[64c]
X. Yang,[36] X. Yang,[14a] Y. Yang,[44] Y. Yang,[62a] Z. Yang,[62a] W-M. Yao,[17a] Y. C. Yap,[48] H. Ye,[14c] H. Ye,[55]
J. Ye,[14a] S. Ye,[29] X. Ye,[62a] Y. Yeh,[96] I. Yeletskikh,[38] B. K. Yeo,[17b] M. R. Yexley,[96] P. Yin,[41] K. Yorita,[168]
S. Younas,[27b] C. J. S. Young,[36] C. Young,[143] C. Yu,[14a,14e,ll] Y. Yu,[62a] M. Yuan,[106] R. Yuan,[62b] L. Yue,[96]
M. Zaazoua,[62a] B. Zabinski,[87] E. Zaid,[52] Z. K. Zak,[87] T. Zakareishvili,[149b] N. Zakharchuk,[34] S. Zambito,[56]
J. A. Zamora Saa,[137d,137b] J. Zang,[153] D. Zanzi,[54] O. Zaplatilek,[132] C. Zeitnitz,[171] H. Zeng,[14a] J. C. Zeng,[162]
D. T. Zenger Jr.,[26] O. Zenin,[37] T. Ženiš,[28a] S. Zenz,[94] S. Zerradi,[35a] D. Zerwas,[66] M. Zhai,[14a,14e] B. Zhang,[14c]
D. F. Zhang,[139] J. Zhang,[62b] J. Zhang,[6] K. Zhang,[14a,14e] L. Zhang,[14c] P. Zhang,[14a,14e] R. Zhang,[170] S. Zhang,[106]
S. Zhang,[44] T. Zhang,[153] X. Zhang,[62c] X. Zhang,[62b] Y. Zhang,[62c,5] Y. Zhang,[96] Y. Zhang,[14c] Z. Zhang,[17a]
Z. Zhang,[66] H. Zhao,[138] T. Zhao,[62b] Y. Zhao,[136] Z. Zhao,[62a] A. Zhemchugov,[38] J. Zheng,[14c] K. Zheng,[162]
X. Zheng,[62a] Z. Zheng,[143] D. Zhong,[162] B. Zhou,[106] H. Zhou,[7] N. Zhou,[62c] Y. Zhou,[7] C. G. Zhu,[62b] J. Zhu,[106]
Y. Zhu,[62c] Y. Zhu,[62a] X. Zhuang,[14a] K. Zhukov,[37] V. Zhulanov,[37] N. I. Zimine,[38] J. Zinsser,[63b]
M. Ziolkowski,[141] L. Živković,[15] A. Zoccoli,[23b,23a] K. Zoch,[61] T. G. Zorbas,[139] O. Zormpa,[46]
W. Zou,[41] and L. Zwalinski[36]

(ATLAS Collaboration)

[1]*Department of Physics, University of Adelaide, Adelaide, Australia*
[2]*Department of Physics, University of Alberta, Edmonton, Alberta, Canada*
[3a]*Department of Physics, Ankara University, Ankara, Türkiye*
[3b]*Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye*
[4]*LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France*
[5]*APC, Université Paris Cité, CNRS/IN2P3, Paris, France*
[6]*High Energy Physics Division, Argonne National Laboratory, Argonne, Illinois, USA*
[7]*Department of Physics, University of Arizona, Tucson, Arizona, USA*
[8]*Department of Physics, University of Texas at Arlington, Arlington, Texas, USA*
[9]*Physics Department, National and Kapodistrian University of Athens, Athens, Greece*
[10]*Physics Department, National Technical University of Athens, Zografou, Greece*
[11]*Department of Physics, University of Texas at Austin, Austin, Texas, USA*
[12]*Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
[13]*Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain*
[14a]*Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
[14b]*Physics Department, Tsinghua University, Beijing, China*
[14c]*Department of Physics, Nanjing University, Nanjing, China*
[14d]*School of Science, Shenzhen Campus of Sun Yat-sen University, China*
[14e]*University of Chinese Academy of Science (UCAS), Beijing, China*
[15]*Institute of Physics, University of Belgrade, Belgrade, Serbia*
[16]*Department for Physics and Technology, University of Bergen, Bergen, Norway*
[17a]*Physics Division, Lawrence Berkeley National Laboratory, Berkeley, California, USA*
[17b]*University of California, Berkeley, California, USA*
[18]*Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany*

[19]*Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland*

[20]*School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*

[21a]*Department of Physics, Bogazici University, Istanbul, Türkiye*

[21b]*Department of Physics Engineering, Gaziantep University, Gaziantep, Türkiye*

[21c]*Department of Physics, Istanbul University, Istanbul, Türkiye*

[22a]*Facultad de Ciencias y Centro de Investigaciónes, Universidad Antonio Nariño, Bogotá, Colombia*

[22b]*Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia*

[23a]*Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy*

[23b]*INFN Sezione di Bologna, Italy*

[24]*Physikalisches Institut, Universität Bonn, Bonn, Germany*

[25]*Department of Physics, Boston University, Boston, Massachusetts, USA*

[26]*Department of Physics, Brandeis University, Waltham, Massachusetts, USA*

[27a]*Transilvania University of Brasov, Brasov, Romania*

[27b]*Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania*

[27c]*Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania*

[27d]*National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca, Romania*

[27e]*National University of Science and Technology Politechnica, Bucharest, Romania*

[27f]*West University in Timisoara, Timisoara, Romania*

[27g]*Faculty of Physics, University of Bucharest, Bucharest, Romania*

[28a]*Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic*

[28b]*Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic*

[29]*Physics Department, Brookhaven National Laboratory, Upton, New York, USA*

[30]*Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina*

[31]*California State University, California, USA*

[32]*Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*

[33a]*Department of Physics, University of Cape Town, Cape Town, South Africa*

[33b]*iThemba Labs, Western Cape, South Africa*

[33c]*Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa*

[33d]*National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines*

[33e]*University of South Africa, Department of Physics, Pretoria, South Africa*

[33f]*University of Zululand, KwaDlangezwa, South Africa*

[33g]*School of Physics, University of the Witwatersrand, Johannesburg, South Africa*

[34]*Department of Physics, Carleton University, Ottawa, Ontario, Canada*

[35a]*Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies - Université Hassan II, Casablanca, Morocco*

[35b]*Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco*

[35c]*Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco*

[35d]*LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco*

[35e]*Faculté des sciences, Université Mohammed V, Rabat, Morocco*

[35f]*Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco*

[36]*CERN, Geneva, Switzerland*

[37]*Affiliated with an institute covered by a cooperation agreement with CERN*

[38]*Affiliated with an international laboratory covered by a cooperation agreement with CERN*

[39]*Enrico Fermi Institute, University of Chicago, Chicago, Illinois, USA*

[40]*LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France*

[41]*Nevis Laboratory, Columbia University, Irvington, New York, USA*

[42]*Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*

[43a]*Dipartimento di Fisica, Università della Calabria, Rende, Italy*

[43b]*INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy*

[44]*Physics Department, Southern Methodist University, Dallas, Texas, USA*

[45]*Physics Department, University of Texas at Dallas, Richardson, Texas, USA*

[46]*National Centre for Scientific Research "Demokritos", Agia Paraskevi, Greece*

[47a]*Department of Physics, Stockholm University, Sweden*

[47b]*Oskar Klein Centre, Stockholm, Sweden*

[48]*Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany*

[49]*Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany*

[50]Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany

[51]Department of Physics, Duke University, Durham, North Carolina, USA

[52]SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom

[53]INFN e Laboratori Nazionali di Frascati, Frascati, Italy

[54]Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany

[55]II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany

[56]Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland

[57a]Dipartimento di Fisica, Università di Genova, Genova, Italy

[57b]INFN Sezione di Genova, Italy

[58]II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany

[59]SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom

[60]LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France

[61]Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, Massachusetts, USA

[62a]Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics,
University of Science and Technology of China, Hefei, China

[62b]Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE),
Shandong University, Qingdao, China

[62c]School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE),
SKLPPC, Shanghai, China

[62d]Tsung-Dao Lee Institute, Shanghai, China

[62e]School of Physics and Microelectronics, Zhengzhou University, China

[63a]Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[63b]Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany

[64a]Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China

[64b]Department of Physics, University of Hong Kong, Hong Kong, China

[64c]Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology,
Clear Water Bay, Kowloon, Hong Kong, China

[65]Department of Physics, National Tsing Hua University, Hsinchu, Taiwan

[66]IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France

[67]Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain

[68]Department of Physics, Indiana University, Bloomington, Indiana, USA

[69a]INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy

[69b]ICTP, Trieste, Italy

[69c]Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy

[70a]INFN Sezione di Lecce, Italy

[70b]Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy

[71a]INFN Sezione di Milano, Italy

[71b]Dipartimento di Fisica, Università di Milano, Milano, Italy

[72a]INFN Sezione di Napoli, Italy

[72b]Dipartimento di Fisica, Università di Napoli, Napoli, Italy

[73a]INFN Sezione di Pavia, Italy

[73b]Dipartimento di Fisica, Università di Pavia, Pavia, Italy

[74a]INFN Sezione di Pisa, Italy

[74b]Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy

[75a]INFN Sezione di Roma, Italy

[75b]Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy

[76a]INFN Sezione di Roma Tor Vergata, Italy

[76b]Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy

[77a]INFN Sezione di Roma Tre, Italy

[77b]Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy

[78a]INFN-TIFPA, Italy

[78b]Università degli Studi di Trento, Trento, Italy

[79]Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria

[80]University of Iowa, Iowa City, Iowa, USA

[81]Department of Physics and Astronomy, Iowa State University, Ames, Iowa, USA

[82]Istinye University, Sariyer, Istanbul, Türkiye

[83a]Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil

[83b]Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil

[83c]Instituto de Física, Universidade de São Paulo, São Paulo, Brazil

[83d]Rio de Janeiro State University, Rio de Janeiro, Brazil

[84]*KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*
[85]*Graduate School of Science, Kobe University, Kobe, Japan*
[86a]*AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*
[86b]*Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*
[87]*Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
[88]*Faculty of Science, Kyoto University, Kyoto, Japan*
[89]*Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*
[90]*Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*
[91]*Physics Department, Lancaster University, Lancaster, United Kingdom*
[92]*Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
[93]*Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*
[94]*School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*
[95]*Department of Physics, Royal Holloway University of London, Egham, United Kingdom*
[96]*Department of Physics and Astronomy, University College London, London, United Kingdom*
[97]*Louisiana Tech University, Ruston, Louisiana, USA*
[98]*Fysiska institutionen, Lunds universitet, Lund, Sweden*
[99]*Departamento de Física Teorica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*
[100]*Institut für Physik, Universität Mainz, Mainz, Germany*
[101]*School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
[102]*CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*
[103]*Department of Physics, University of Massachusetts, Amherst, Massachusetts, USA*
[104]*Department of Physics, McGill University, Montreal, Québec, Canada*
[105]*School of Physics, University of Melbourne, Victoria, Australia*
[106]*Department of Physics, University of Michigan, Ann Arbor, Michigan, USA*
[107]*Department of Physics and Astronomy, Michigan State University, East Lansing, Michigan, USA*
[108]*Group of Particle Physics, University of Montreal, Montreal, Québec, Canada*
[109]*Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
[110]*Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
[111]*Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*
[112]*Department of Physics and Astronomy, University of New Mexico, Albuquerque, New Mexico, USA*
[113]*Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands*
[114]*Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*
[115]*Department of Physics, Northern Illinois University, DeKalb, Illinois, USA*
[116a]*New York University Abu Dhabi, Abu Dhabi, United Arab Emirates*
[116b]*University of Sharjah, Sharjah, United Arab Emirates*
[117]*Department of Physics, New York University, New York, New York, USA*
[118]*Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*
[119]*The Ohio State University, Columbus, Ohio, USA*
[120]*Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, Oklahoma, USA*
[121]*Department of Physics, Oklahoma State University, Stillwater, Oklahoma, USA*
[122]*Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*
[123]*Institute for Fundamental Science, University of Oregon, Eugene, Oregon, USA*
[124]*Graduate School of Science, Osaka University, Osaka, Japan*
[125]*Department of Physics, University of Oslo, Oslo, Norway*
[126]*Department of Physics, Oxford University, Oxford, United Kingdom*
[127]*LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*
[128]*Department of Physics, University of Pennsylvania, Philadelphia, Pennsylvania, USA*
[129]*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, Pennsylvania, USA*
[130a]*Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa, Portugal*
[130b]*Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal*
[130c]*Departamento de Física, Universidade de Coimbra, Coimbra, Portugal*
[130d]*Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal*
[130e]*Departamento de Física, Universidade do Minho, Braga, Portugal*
[130f]*Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain*
[130g]*Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*
[131]*Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*
[132]*Czech Technical University in Prague, Prague, Czech Republic*
[133]*Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
[134]*Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*

[135]*IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*

[136]*Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, California, USA*

[137a]*Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*

[137b]*Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile*

[137c]*Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile*

[137d]*Universidad Andres Bello, Department of Physics, Santiago, Chile*

[137e]*Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile*

[137f]*Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*

[138]*Department of Physics, University of Washington, Seattle, Washington State, USA*

[139]*Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*

[140]*Department of Physics, Shinshu University, Nagano, Japan*

[141]*Department Physik, Universität Siegen, Siegen, Germany*

[142]*Department of Physics, Simon Fraser University, Burnaby, British Columbia, Canada*

[143]*SLAC National Accelerator Laboratory, Stanford, California, USA*

[144]*Department of Physics, Royal Institute of Technology, Stockholm, Sweden*

[145]*Departments of Physics and Astronomy, Stony Brook University, Stony Brook, New York, USA*

[146]*Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*

[147]*School of Physics, University of Sydney, Sydney, Australia*

[148]*Institute of Physics, Academia Sinica, Taipei, Taiwan*

[149a]*E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi, Georgia*

[149b]*High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*

[149c]*University of Georgia, Tbilisi, Georgia*

[150]*Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*

[151]*Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*

[152]*Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*

[153]*International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*

[154]*Department of Physics, Tokyo Institute of Technology, Tokyo, Japan*

[155]*Department of Physics, University of Toronto, Toronto, Ontario, Canada*

[156a]*TRIUMF, Vancouver, British Columbia, Canada*

[156b]*Department of Physics and Astronomy, York University, Toronto, Ontario, Canada*

[157]*Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*

[158]*Department of Physics and Astronomy, Tufts University, Medford, Massachusetts, USA*

[159]*United Arab Emirates University, Al Ain, United Arab Emirates*

[160]*Department of Physics and Astronomy, University of California Irvine, Irvine, California, USA*

[161]*Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*

[162]*Department of Physics, University of Illinois, Urbana, Illinois, USA*

[163]*Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*

[164]*Department of Physics, University of British Columbia, Vancouver, British Columbia, Canada*

[165]*Department of Physics and Astronomy, University of Victoria, Victoria, British Columbia, Canada*

[166]*Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*

[167]*Department of Physics, University of Warwick, Coventry, United Kingdom*

[168]*Waseda University, Tokyo, Japan*

[169]*Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*

[170]*Department of Physics, University of Wisconsin, Madison, Wisconsin, USA*

[171]*Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*

[172]*Department of Physics, Yale University, New Haven, Connecticut, USA*

[a]Deceased.

[b]Also at Department of Physics, King's College London, London, United Kingdom.

[c]Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

[d]Also at Lawrence Livermore National Laboratory, Livermore, USA.

[e]Also at TRIUMF, Vancouver, British Columbia, Canada.

[f]Also at Department of Physics, University of Thessaly, Greece.

[g]Also at An-Najah National University, Nablus, Palestine.

[h]Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.

[i]Also at University of Colorado Boulder, Department of Physics, Colorado, USA.

[j]Also at Department of Physics, Westmont College, Santa Barbara, USA.

[k]Also at Departament de Fisica de la Universitat Autonoma de Barcelona, Barcelona, Spain.

[l]Also at Affiliated with an institute covered by a cooperation agreement with CERN.

[m]Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.

[n]Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva, Israel.

[o]Also at Università di Napoli Parthenope, Napoli, Italy.

[p]Also at Institute of Particle Physics (IPP), Canada.

[q]Also at Borough of Manhattan Community College, City University of New York, New York, New York, USA.

[r]Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines.

[s]Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.

[t]Also at Department of Physics, Stanford University, Stanford, California, USA.

[u]Also at Centro Studi e Ricerche Enrico Fermi, Italy.

[v]Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.

[w]Also at Technical University of Munich, Munich, Germany.

[x]Also at Yeditepe University, Physics Department, Istanbul, Türkiye.

[y]Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.

[z]Also at CERN, Geneva, Switzerland.

[aa]Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece.

[bb]Also at Hellenic Open University, Patras, Greece.

[cc]Also at Center for High Energy Physics, Peking University, China.

[dd]Also at L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France.

[ee]Also at Department of Physics, California State University, Sacramento, USA.

[ff]Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland.

[gg]Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.

[hh]Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.

[ii]Also at Washington College, Chestertown, Maryland, USA.

[jj]Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco.

[kk]Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia.

[ll]Also at University of Chinese Academy of Sciences (UCAS), Beijing, China.