

This is a repository copy of Changing public perceptions of alcohol, alcohol harms and alcohol policies: a multi-methods study to develop novel framing approaches.

White Rose Research Online URL for this paper: <u>https://eprints.whiterose.ac.uk/221271/</u>

Version: Published Version

Article:

Fitzgerald, N. orcid.org/0000-0002-3643-8165, Angus, K., Howell, R. et al. (10 more authors) (2025) Changing public perceptions of alcohol, alcohol harms and alcohol policies: a multi-methods study to develop novel framing approaches. Addiction, 120 (4). pp. 655-668. ISSN 0965-2140

https://doi.org/10.1111/add.16743

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here: https://creativecommons.org/licenses/

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk https://eprints.whiterose.ac.uk/ DOI: 10.1111/add.16743

RESEARCH REPORT

ADDICTION

SSA

Changing public perceptions of alcohol, alcohol harms and alcohol policies: A multi-methods study to develop novel framing approaches

Niamh Fitzgerald¹[©] | Kathryn Angus¹ | Rebecca Howell¹ | Heather Labhart¹ | James Morris²[©] | Laura Fenton³ | Nicholas Woodrow³ | Maria Castellina⁴ | Melissa Oldham⁵ | Claire Garnett^{5,6} | John Holmes³[©] | Jamie Brown⁵[©] | Rachel O'Donnell¹[©]

¹Institute for Social Marketing and Health, University of Stirling, Stirling, UK

²Centre for Addictive Behaviours Research, London South Bank University, London, UK ³Sheffield Centre for Health and Related Research, University of Sheffield, Sheffield, UK

⁴FrameWorks UK, London, UK

⁵Tobacco and Alcohol Research Group, University College London, London, UK

⁶School of Psychological Science, University of Bristol, Bristol, UK

Correspondence

Niamh Fitzgerald, Institute for Social Marketing and Health, University of Stirling, Stirling, FK9 4LA, UK. Email: niamh.fitzgerald@stir.ac.uk

Funding information

The work reported here was commissioned and funded by Alcohol Change UK.

Abstract

Background and aims: Public perceptions of alcohol and its related harms and policies are shaped by multiple discourses and can influence behaviour and policy support. As part of a FrameWorks-informed project to test framing approaches to improve public understanding and support for evidence-based alcohol policies in the UK, this research aimed to (i) summarise relevant evidence; (ii) compare how public understanding of alcohol harms differs from those of academic and charity experts; and (iii) develop novel framing approaches.

Methods: (1) a literature review including systematic, scoping and targeted components to understand previous evidence on effective framing from behaviour change, UK alcohol policy and FrameWorks literatures; (2) comparison of public views of alcohol harms and policies from four focus groups (n = 20) with those of public health experts; (3) an iterative process involving workshops and stakeholder consultation to develop 12 novel framing approaches.

Results: We found no previous study that directly tested framing approaches for alcohol policy advocacy. Our narrative summary of 35 studies found that explaining diverse harms may be important, whereas framing that engenders empathy, emphasises dependence or invokes a sense of crisis may be less effective. In focus groups, the public linked alcohol to pleasure/socialising, whilst understandings of harm focused on severe alcohol problems and individual deficits of biology or personality, with policy proposals focused mainly on treatment/support services. Public health experts highlighted more diverse harms and solutions, emphasising environmental and commercial causes. Comparison of public and expert views yielded six tasks for novel framing approaches to deepen public understanding. The team co-developed initial framing ideas (n = 31), before finalising 12 narrative framing approaches based on values (n = 5), metaphors (n = 3) and explanation (n = 4).

© 2024 The Author(s). Addiction published by John Wiley & Sons Ltd on behalf of Society for the Study of Addiction.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

SSA

Conclusions: In the United Kingdom, public and expert understandings of alcoholrelated harms, causes and solutions differ. Along with prior evidence, these differences can inform novel framing approaches designed to deepen public understanding.

KEYWORDS

alcohol, alcohol advocacy, alcohol industry, commercial determinants, communications, framing, policy advocacy, public health, public opinion, qualitative

INTRODUCTION

Alcohol harms place a huge burden on society globally including physical and mental ill-health and premature death, violence and disorder, low productivity, relationship breakdown and child maltreatment [1-3]. The most effective policies to reduce harm involve higher prices for alcohol, restrictions on marketing and reduced availability [4-6], but comprehensive policies are rarely enacted, in part because of opposition by commercial stakeholders and neoliberal ideologies [7-11].

Public opinion of alcohol policies varies between nations and over time [12, 13], but studies often find that younger people, males and heavier alcohol consumers are less likely to support government intervention [14-18]. Studies often find majority support for most policies, although price or availability measures seem less popular than marketing controls or enforcement around alcohol sales [15, 16, 19-21]. Public knowledge and beliefs about alcohol are important influences on behaviour, stigma and efforts to cut down [22-24] as well as attitudes to government action. Knowledge that alcohol consumption causes cancer is associated with support for alcohol policies [21, 25, 26], whereas a few studies show policy support increasing following exposure to cancer warning labels [27] or campaigns explaining cancer risk [28]. Deliberative approaches to gauging public opinion, such as citizens' juries, have become popular, including in alcohol policy [29]. Public opinion influences policy decisions, alongside dominant ideas and ideologies [30, 31].

Underpinning this article is the idea that public opinion is grounded in ways of understanding or 'framing' alcohol as a policy problem, and that public opinion can be changed if exposed to new ways of framing. Put simply, framing is about the ideas we have about a topic and how we share them. It is a process of making sense of an issue, expressing that sense by naming selected features of the problem (and excluding others), and weaving them into a narrative (or story) [32, 33]. Individual members of the public often engage in framing unconsciously, and framing is accepted as central to policymaking [34-36]. Alcohol policy may be understood as an 'intractable policy controversy' [33] in which competing stakeholders engage in a battle of ideas, hoping that their ways of framing the problem and the policy solutions they favour, dominate thinking [34, 37]. Framing has been identified as important in United Kingdom (UK) and international alcohol policy processes including in pricing [38], licensing [39] and marketing [9, 40, 41] and more generally [42-46]. Alcohol industry actors deploy preferred framing approaches consistently over time in multiple channels [47-53], for example, emphasizing 'responsible

drinking' to shift responsibility away from companies or governments and onto individuals and their choices [54, 55]. Framing alcohol policy as a broad, multi-sectoral, public health issue that requires a wholepopulation approach was considered crucial to enabling policymakers to seriously consider minimum unit pricing (MUP) (a policy creating a floor price, below which alcohol cannot legally be sold) in Scotland, and public health advocates intentionally presented alcohol policy in this way [11, 38].

As health stakeholders and charities seek to build recognition of and support for effective, evidence-informed action to reduce alcohol-related harms [44, 56], they must choose what information and concepts to include in public, media and political communications and how to combine them in a convincing narrative. In effect, they must engage in framing, but with little evidence to guide them on what framing approaches (or narratives) are most likely to achieve their goals. There is increasing interest in evidence-based approaches to framing, with the FrameWorks Institute and Frame-Works UK (non-profit communications research 'sister' organisations, hereafter FrameWorks for brevity) prominent in the field. Inspired in part by FrameWorks, Alcohol Change UK (ACUK, a leading alcohol harm prevention charity) commissioned a project to develop and test framing approaches for public communication on alcohol. As part of that project, this study aimed to: understand current evidence on what frames or framing approaches are most effective for deepening public understanding of alcohol-related harms and building support for effective policies to reduce those harms; describe and contrast UK public and expert's (e.g. alcohol charities, public health academics) understandings of alcohol-related harm, causes of, and solutions to such harm; and engage diverse UK alcohol experts and stakeholders in developing framing approaches designed to deepen public understanding and build support for effective policy.

METHODS

Framing research has multiple disciplinary origins and inconsistent terminology, for example, 'frame' can mean 'a package of ideas', an argument or a metaphor [57]. In many policy analyses, 'frames' have been analysed as static, relatively narrow concepts that can be taxonomized, but Van Hulst and Yanow [32] helpfully distinguish 'framing' as a dynamic process of sense making and narrative, in which the roles of policy actors and the policy process itself are conveyed, not just features of the policy problem. In this study, we use the term 'framing' broadly in line with their dynamic conceptualisation: we sought to develop narrative-based framing approaches, highlighting different aspects of alcohol harms as a policy issue and different ways of conveying these aspects.

Our study was conducted in three stages summarised below. Our methods were influenced by, but did not attempt to replicate, a FrameWorks study. Constrained resources and research team expertise resulted in several adaptations, for example, we used focus groups to identify public views on alcohol, whereas FrameWorks usually conduct one to one cognitive interviews to examine thinking patterns.

Stage 1: Rapid review

First, we identified international experimental and gualitative research into how framing of alcohol issues influences behaviour change around alcohol from forward and backward citation searches on Web of Science and Scopus from a list of 16 initial publications known to the team as being relevant. This was supplemented with a handsearch of health communication journals for alcohol studies (conducted in November and December 2021). Second, we used papers from a pre-existing systematic review of framing of alcohol policy [58] for which we updated searches in November 2021 (Figure 1; search strategy in supplementary file). Papers were included if they focused on framing strategies used to advance public health policies for alcohol in the United Kingdom. Third, we consulted with FrameWorks and searched their websites (www.frameworksuk.org; www. frameworksinstitute.org) to identify FrameWorks research reports from any country on relevant social issues. We extracted and narratively summarised the findings from these three literatures on framing approaches found or thought to have been effective, organising them into five deductive categories (values, explanation, gain/loss conditions, issue frames and metaphors) selected pragmatically as common framing elements (Table 1) [59]. We conducted inductive coding of any other findings.

Separately, to identify examples of current framing practices of leading alcohol charities in the United Kingdom, we held informal discussions with three charities (1 English regional, 1 United Kingdom, and 1 Scottish) and drew on 57 documents from six charity websites (Figure 1). This was an informal review to deepen our own understanding and to find examples for illustrative purposes, and was not designed to systematically identify current practices.

Stage 2: Public and expert views

The study was approved by the University of Stirling's General University Ethics Panel (4627). We recruited adults (18+) in the United Kingdom (n = 20) through a market research agency's in-house research panel to take part in four on-line semi-structured focus groups lasting 1 hour. Participants were recruited for diversity (Table S1) in gender, age, social grade [59] and drinking frequency,

ADDICTION

offered a £30 incentive and gave on-line consent. Groups were stratified by age and social grade and moderated by two researchers using a topic guide (Table S2) structured around the terms 'alcohol', 'alcohol harms', 'causes of alcohol harms' and 'solutions to alcohol harms'. Each participant was asked to jot down and report their initial thoughts on these terms, before further discussion with the group. This minimalist questioning, 'write and reveal' method was designed to access individual default thinking and reduce in-group effects. Audio-recordings of each group were transcribed and anonymised. Inductive, open thematic coding was conducted manually for the four topics, reviewed by a second researcher and discussed with the team, before writing thematic summaries under the four headings with quotes. Both dominant and divergent views were coded and reported.

Separately, the research team, comprising public health experts on alcohol and ACUK colleagues took part in a workshop together, several meetings and an iterative written drafting process to develop a description of the nature and causes of, and solutions to alcohol harms in the United Kingdom as they perceived them, which we called an 'expert story' [60].

The expert story content was summarised under the same four headings as for the public focus groups above. Several team meetings were held with ACUK to compare the two summaries and discuss the clearest differences in understanding/views between the two groups. These discussions focused on identifying 'tasks' for novel framing approaches to shift public understanding closer to that of experts.


Stage 3: Development of framing approaches

FrameWorks ran an on-line workshop with the research team to generate framing ideas that could deliver on the identified tasks. These ideas were then discussed in a further workshop with alcohol policy stakeholders and a relevant government official; after which three attendees hosted further workshops with their colleagues. Throughout Stage 3, stakeholders provided feedback on the ideas via a shared on-line document. After this consultation period, framing ideas were longlisted by discussion across the team. Three writing teams (J.M., J.B. and C.G.; J.H., N.W. and L.F.; N.F. and R.O.) expanded on selected ideas in long form text, which was further revised by N.F. and R.O. Feedback from ACUK informed a final selection and the final text of the framing approaches presented here.

RESULTS

Stage 1: Rapid literature review

The extracted documents are summarised in Figure 1. None of these literatures enabled definitive conclusions about effective framing for this study. The behaviour change literature yielded 10 experimental studies from multiple countries [23, 24, 61–68] examining the impact of framing on mediators of behaviour change such as 'problem recognition' or stigmatising beliefs about people with alcohol problems. The



Rapid literature review.

FIGURE 1

TABLE 1 Elements identified in the framing of social issues (definitions and examples).

Frame elements	Description	Example
Values	Values tap into people's shared commitments and priorities to make a case for why an issue matters and we should collectively work to address it.	'No child should go to bed hungry.'
Explanatory framing	Explanations are making causal relationships explicit, helping people to reason about potential solutions.	'Too often, affordable food options are high in sugar and fat—and healthier options are out of reach because of barriers like limited public transport. This leads to poorer health for people living in the areas most affected by poverty.'
Gain/loss conditions	A frame, which describes the impact of an issue in terms of what is gained or lost for society.	'Inaction on children's health costs £5 million a year' (a loss frame) vs. 'action on children's health would save £5 million a year' (a gain frame).
Issue frames	Issue frames foreground one dimension of a topic to establish what it is about. Changing an issue frame can dramatically affect public thinking and policy support	'Homelessness is a public health issue.'
Metaphors	Metaphors compare abstract, unfamiliar ideas to ones that are more straightforward and concrete. They can change the way a topic is understood.	'Our care system should be a scaffold of support around children'.

UK alcohol policy literature (15 studies) included media [53, 69–74] and documentary analyses [38, 75–78], and stakeholder interviews [38, 70, 79, 80]. These studies were retrospective, mostly about MUP in Scotland. Importantly, they did not test the efficacy of framing approaches, but provided expert or author-led hypotheses about help-ful framing for public health policy progress. The 10 FrameWorks studies spanned three countries and used large scale qualitative and experimental methods to develop and test novel framing approaches to diverse social issues [81–93]. These did not examine attitudes to alcohol policy, but many of the gaps in public understanding in these social issues have parallels with alcohol (e.g. a focus on individual rather than structural solutions; feeling that harms affect only a minority group, see below).

Bearing in mind the limitations of the three literatures, we provide a brief summary of the most relevant findings for each element of framing, including illustrative examples of current framing by UK alcohol charities.

ADDICTION

Values-based framing

The idea that 'children should be protected' from alcohol harm was felt to be helpful in policy advocacy [69, 71], while emphasising the public's 'right to know' about the risks of alcohol was a feature of charity communications [94, 95]. Interdependence value frames (a collective responsibility to look out for others and collective benefits from doing so) were helpful in positively shifting public views of various social issues in several countries [81-83, 92, 93]. True stories about people bereaved through alcohol, which engender empathy, were reported as helpful by one alcohol charity. However, previous FrameWorks studies relating to mental health and addiction found that appealing to empathy-based values was unproductive as it led to othering and a narrow focus on the individual and their behaviour, obscuring wider social and environmental causes [83, 93]. Another study found true stories to be effective at increasing the salience of an issue, but for them to increase support for structural solutions they need to be placed in a broader context and not play into existing stereotypes [92, 96].

Explanatory framing

Explaining how low-cost alcohol leads to alcohol problems and the structural, population-level causes of alcohol problems, without hard statistics, were felt helpful in building support for MUP in the United Kingdom [79, 80]. Explanations outlining how structural factors like poverty can drive mental ill-health and foetal alcohol spectrum disorder, or how access to good transport and good education impact on physical health and obesity effectively improved public understanding [81, 83, 84, 87, 91].

Gain- or loss-based framing

Outlining that diverse harms from alcohol could be reduced by MUP was common in United Kingdom advocacy [74, 78], with suggestions that benefits of MUP for specific groups should be discussed along-side population-wide gains [69]. This was echoed in several Frame-Works studies in which framing focussing on societal gains alongside individual gains was effective [82, 83, 86, 88]. The economic costs of alcohol were commonly communicated by charities [97, 98], but this emphasis (e.g. on saving public money) was not found to be an effective approach for public communication in several FrameWorks studies [82, 85, 88, 92], perhaps because it could lead to fatalist thinking. In the case of obesity, it risked people believing that if the National Health Service is a 'limited commodity', patients whose ailments are perceived to be a result of their own choices could be a lower priority for treatment and could increase blame [89].

SSA

Issue-based framing

ADDICTION

This was the most widely discussed framing element across the different literatures. Framing of social issues in individual terms, for example, framing alcohol problems in terms of addiction or biology, is often unhelpful, because it focuses thinking away from structural causes and regulatory interventions [81–85] and is associated with negative stereotypes and stigmatization [68]. In contrast, framing using the concept of a 'continuum' of alcohol problems (emphasizing no clear boundaries between groups), can help people to recognise their drinking as problematic, in part by avoiding the need to identify as part of a stigmatised 'other' group of 'problem drinkers' [23, 24]. The policy literature hypothesises that if alcohol harm is framed as a cultural issue, it may be perceived as intractable [71], leading to fatalism, but that framing alcohol harms as a 'public health' issue may be more effective [11, 69].

Metaphor-based framing

Metaphors can strengthen public understanding on social issues, for example, emphasising how the economy 'restricts and restrains' people in poverty was an effective metaphor for building public understanding of poverty [88]. UK alcohol charities sometimes used metaphor, for example, in crisis messaging about alcohol treatment services being 'on their knees' [99]. FrameWorks found crisis-based metaphors ineffective for several social issues, as it led to fatalist thinking [83–87].

Beyond the above elements, FrameWorks studies suggest that providing clear reasons or motives for social change is important, as well as showing that change is achievable [81, 83, 86, 88, 89].

STAGE 2: IDENTIFYING THE GAP BETWEEN PUBLIC AND EXPERT VIEWS

Focus group participants focused primarily on positive effects of alcohol, 'othering' alcohol harms, and individual causes of and solutions to harm. Table 2 summarises their views with illustrative quotes including both common and divergent views. Their reported first thoughts about alcohol were almost universally positive, with a focus on socialising, sporting occasions, celebrations and stress relief. Negative issues were rarely spontaneously mentioned across the groups, until prompted to think about 'alcohol harms'. Although the term 'alcohol harms' was unfamiliar, it brought to mind physical risks such as liver damage, drink-driving or violence, as well as dependence, all mostly discussed as extreme effects affecting other people. They used metaphors when discussing dependence that emphasised a loss of control like 'slippery slope'. Harms to people other than the drinker, impact on services, the economy or wider society were rarely mentioned.

When asked about 'causes of alcohol harm', participants placed a strong focus on individual-level deficits in personality, biology or behaviour (people drinking alcohol to cope) and sought to differentiate 'other' people as dependent on alcohol, who were viewed as different from themselves. Participants were keen not to directly stigmatise or vilify. They rarely discussed structural drivers of alcohol harms (such as commercial activities) apart from noting the widespread availability of alcohol. Regarding solutions, participants focused on downstream interventions like alcohol treatment services and funding for health care, and much less on (upstream) prevention. Individual agency and self-control were seen as key mechanisms to avoid harm. Participants demonstrated ambivalence about culture change and about restrictions on alcohol advertising and promotion or days/hours of sale on the few occasions these were mentioned, being unsure about their efficacy or fairness. They were similarly ambivalent about the role or responsibilities of alcohol companies.

In contrast, public health experts conceptualised alcohol as an inherently risky and addictive substance that needed to be handled carefully by society. They focused on two main causes of alcohol harm: societal expectations and norms of alcohol consumption that exert pressure on people to drink, and a deficit of regulation to address widespread marketing and availability of alcohol, including cheap alcohol. They saw alcohol harms as being much more diverse than the public, affecting people, services and society beyond individual drinkers and viewed alcohol culture as a dynamic phenomenon, which could be shaped to reduce harms.

Given the contrast between public and expert views, we identified six key communication tasks for novel framing approaches (Table 3). In short, we aimed to build public understanding of alcohol as a toxic drug (task 1) that causes diverse harms for diverse people (task 2), as a result of marketing, policy deficits and commercial activities (tasks 3 and 4), while normalising choices not to drink alcohol (task 5) and creating a collective belief that harms can be reduced (task 6).

STAGE 3: DEVELOPMENT AND CONSULTATION ON POTENTIAL FRAMING APPROACHES TO ADDRESS THE DIFFERENCES FOUND IN STAGE 2

The workshop session generated 31 preliminary framing ideas, which were reduced to a final shortlist of 12 fully developed framing approaches (titles in Table 4; full text in supplementary file). The main considerations in drafting and shortlisting were the review findings (e.g. using narrative and explanation more than statistics, avoiding crisis messaging or a focus on economic costs, emphasising a continuum of alcohol problems rather than a focus on dependence, and using metaphor) and the input of stakeholders involved (e.g. ease of understanding and relatability, avoiding scaremongering/despair, and raising awareness of harms before focusing on solutions). The final shortlist consisted of values-based, metaphor-based and explanation-based framing approaches.

Five values-based approaches included two focusing on 'truth'. Frame 1 suggests that the truth about alcohol has been 'twisted' over time to make it seem essential to diverse social occasions, highlighting TABLE 2 Expert and public views of alcohol, alcohol harms, causes of alcohol harms and solutions.

	Expert views	Public views	Quotes
Alcohol	 Alcohol is inherently dangerous, being intoxicating, gradually addictive, and damaging to the brain and body. It is not like other foods/drinks and needs to be handled carefully by individuals and society. 	 Most participants talked about drinking alcohol as a positive and functional personal experience. They saw alcohol consumption as normal, widespread and expected. Very few mentioned negative impacts. 	'I pretty much drink when I'm socialising with friends or family and just see it as like yeah, something similar to a treat.' (FG1, male) 'Working through the week you look forward to your weekends and I guess having alcohol is a way to release any stress you are holding so you can kind of let go and have more fun than usual.' (FG3, female) 'I feel like any sort of big occasion, especially if you play sports, there's sort of a

- Alcohol harms
 - drinkers, not just a small minority, as well as their families, children and communities, workplaces, public services and society.
 - Harms go beyond early death and illhealth, to accidents, violence, suicides, domestic abuse, relationship breakdown, and lost days of work.
 - The more alcohol people drink, as individuals and as a society, the greater the harms that are caused by alcohol.
- Drinking alcohol leads to harms for many The public noted the risk of embarrassment from 'drinking to excess', but otherwise focused on physical harms, primarily liver damage, violence and drink-driving.
 - Many thought of dependence, which was viewed as arising from a loss of control.
 - Most harms were spoken about as only relevant to other people.

Causes of alcohol harm

Experts focused on structural and societal causes of greater alcohol consumption and related harms:

- Businesses making large profits from selling alcohol, giving them an incentive to normalise and promote alcohol consumption as essential, including by spending large budgets on advertising and marketing.
- social pressures and attitudes that are less accepting of or devalue choices not to drink alcohol.
- Participants predominantly focused on individual causes of alcohol harms such as biology, choices, or personality, or drinking alcohol to cope with something else.
- The widespread availability of alcohol was also mentioned by a few participants; one group mentioned advertising.

hand together.' (FG3, male) 'When you wake up the next day and you do not know what you have done the night before-the social harm where you could have done something embarrassing, you see all these messages on your phone, it can be really embarrassing.' (FG1, male) '[Alcohol harms include] the critical illnesses like liver problems, that kind of stuff, accidents while you are drunk...Addiction,

drinking culture around playing sports. Drinking and sports...like they go hand in

drink driving...kind of using it as a self-harm tool as well.' (FG3, female) 'I think for many people it's a long slippery

slope, some people do not actually realise they are becoming addicted...going from a couple of glasses of wine a night and then needing more to get that same hit.' (FG2, female)

'It can wreck families, fear of domestic abuse-dreading what kind of mood they'll be in when they come home, not just causing harm to the person whose drinking but also to their friends and family...People who are dependent and who drink too much are intoxicated all the time, are not aware of how they are harming themselves and those around them...not carrying out their parental duties.' (FG2, female)

'Someone can have a (greater) potential for addiction; I think people's bodies can handle alcohol differently; I think it might be chemistry, a chemical thing, a chemical imbalance (in the body) that means people cannot stop.' (FG2, male)

'It's down to the individual to moderate it ... you have got to take responsibility for your actions.' (FG2, male)

'Being alcoholic is a personal circumstance and is slightly different from people like myself that like to party at the weekend.' (FG1, male)

'I'd probably say with young guys it's a way of self-medicating to deal with problems outside of their control, these people who do not want to go to the doctor cos their mental health's poor so they turn to alcohol

(Continues)

ADDICTION

	DDICTION SSA -			
	Expert views	Public views	Quotes	
			 'I can get absolutely out of my face and I do not have to think about it', until the next day when they feel worse and it's a never ending cycle.' (FG1, male) 'It's almost too accessibleyou can ring Deliveroo now and get them to go down the local supermarket at 11 o'clock at night and bring a bottle of wine, or a bottle of vodka 10-20 years ago you would not have had the choice.' (FG4, female) 	
Solutions to alcohol harm	 Experts emphasised that harms were not inevitable and could be reduced through effective policies to change culture including: better regulation of where and how alcohol is promoted and sold. removal of industry influence from alcohol policymaking. 	 Public participants tended to emphasise a need for: culture change and greater individual responsibility. better support services for people experiencing alcohol problems. The potential role of stronger policies regulating advertising, availability or pricing or the actions of alcohol companies were less commonly mentioned and attracted mixed support. 	 'I think maybe the culture needs to change but it's not going to be an easy thing to change.' (FG3, male) 'I think just having more options of finding advice on how to deal with it [alcohol dependence] would help.' (FG3, female) 'The government also needs to fund the health and social care. I'm not so sure about the drink companies having a role, they have got to make a profit and nobody's making you want to go out and buy it, if there wasn't a demand for it the drink companies would not be producing it.' (FG2, female) ' regardless of everything you have got to take responsibility for your actions, you cannot use excuses.' (FG2, male) 'I know my limitations, I'm in control of it and I can enjoy myself, why should my enjoyment be at sacrifice because some people you know are addicted to it?' (FG3, female) 'I think it's weird that the government allows you to put something in your body that can seriously harm you and you can endertal series of the series and the series of the series	

FG, Focus Group.

how advertising plays into this. Frame 2 outlines the lack of information for consumers on diverse alcohol harms, problematizes advertising, and emphasises the need for the public to be 'told the truth', including on labels. Frame 3, based on 'ingenuity', outlines that we have the knowledge and ability, as a society, to reduce alcohol harm. Frame 4, a 'fairness'-based approach, suggests that it is not fair that big alcohol companies are allowed to profit from customers suffering alcohol-related harms. Frame 5 is based on the value of 'freedom' and questions the central role of alcohol in society and whether people are really free to choose whether to drink or not.

Three approaches used metaphors. Frame 6 uses a metaphor of shallow/deep water to illustrate the intoxicating and addictive effects of alcohol and lack of warning signs about the dangers. Frame 7 uses a 'disguise' metaphor to suggest that the harms of alcohol are hidden behind a disguise of 'fancy packaging, slick slogans', branding and marketing. Frame 8 suggests that alcohol is too often placed 'centre stage' in our lives and that it could be moved to the side 'without spoiling the show'.

Four approaches were explanation-based, and as these were generally much longer approaches, they have a sub-structure that starts with 'key message', followed by 'explanation', 'final consequence' and 'solution', to aid digestibility. Frame 9 explains in simple terms that alcohol problems exist on a continuum and that many drinkers experience alcohol harms we do not recognise as problematic. Frame 10 explains structural and environmental causes of alcohol harms beyond individual choices or culture. Frame 11 explains a wide range of alcohol harms at different levels of alcohol consumption including pressure on services. Finally, Frame 12 focuses on explaining cancer risks from alcohol, as stakeholders reflected on evidence that such knowledge may have a powerful effect [21, 25–28].

(FG1, male)

restrictions, like there is with smoking."

DISCUSSION

This three-stage study resulted in a set of framing approaches designed to inform communications to change public perceptions

_ _ _ _ _ _ _

TABLE 3 Communication tasks for the novel framing.

Task 1: Build public understanding of alcohol as a toxic drug.

- Build recognition that alcohol is a drug, unlike most other types of food and drink and so needs to be handled more carefully.
- Build understanding of how alcohol negatively affects the body and brain.

Task 2: Build public understanding that alcohol causes diverse harms for a diverse range of people.

- Move the public from a narrow perception of harms relating to a small minority of 'problem' drinkers.
- Move the public toward understanding the diverse harms of alcohol for a large number of people drinking at a range of levels.
- Move the public toward greater understanding of negative impacts of alcohol on our economy, services and society as a whole.

Task 3: Move public understanding away individual-focused explanations of harm, to commercial drivers and policy deficits.

- Move public thinking away from the idea of alcohol problems being the fault of individual choices or biology.
- Increase understanding of the role promotion, easy availability and cheap alcohol play in how much and how often we drink alcohol, and therefore in causing problems and harms.
- Build recognition that we are influenced more than we like to realise.
- Build public support for greater restrictions on the promotion, availability and affordability of alcohol.

Task 4: Build public recognition of the role of alcohol companies in driving alcohol harm and preventing effective action to reduce harm.

- Build public recognition of the role that big companies play in increasing alcohol consumption both directly and indirectly.
- Build awareness of big companies' reliance on heavy drinking for their profits, and their role in actively encouraging drinking (not just responding to demand).
- Increase recognition of the role of big companies in discouraging government action to reduce harms, to avoid barriers to selling more alcohol.

Task 5: Normalise and build public support for choices not to drink alcohol.

- Increase public recognition of societal pressures to drink alcohol and reflect on how well choices not to drink are currently accepted.
- Normalise choices not to drink and reduce the expectation and peer-pressure to drink, especially in social settings.
- Counteract the myth that reducing alcohol consumption means diminishing life or that drinking alcohol is ever essential.

Task 6: Build a sense of collective efficacy that, together, we can prevent and reduce alcohol harms.

- Combat fatalism about the inevitability of current levels of harm.
- Instil a greater belief that societal and policy changes can make a positive difference to our lives.

around alcohol. We identified substantial differences between public and expert understanding, with the public focusing on positive effects of alcohol, 'othering' alcohol harms and individual causes of harm, while experts focused on intrinsic and more diverse harms associated with alcohol as well as regulatory and commercial influences. Using insights gained from a rapid literature review and a stakeholder consultation, we developed 12 framing approaches with potential to enhance and deepen public understanding. The approaches provide explanations of diverse alcohol harms and structural drivers of harm, emphasise values sometimes seen as universal, such as 'truth' and

TABLE 4 Titles of framing approaches developed in this study

THE PLAN INCOMENTATING Approaches developed in this s	luuy
(see full text in supplementary file).	

Category	Title	
Values-based	 The truth is that alcohol is not essential to anything. There are more harms from alcohol, of many different kinds, than we are told. We can reduce harms from alcohol and enjoy life. It is not fair that people suffer to make profit for big alcohol companies. People should be free to make choices about alcohol without expectations or pressure from anyone else. 	
Metaphor- based	 When we drink alcohol, it is hard to stay safe in the shallows. Alcohol is disguised as a ticket to happiness, hiding how harmful it truly is. We can move alcohol away from centre-stage in our lives without spoiling the show. 	
Explanation- based	 9. Anyone who drinks alcohol can experience alcohol harms or problems. 10. The harms from alcohol come about for many reasons beyond individual choices or culture. 11. Alcohol causes a wider range of harms than we often recognise. 12. We now know that if we drink less alcohol, fewer people will suffer and die from cancer. 	

'freedom', focus responsibility away from individuals and onto commercial and government actors, and/or seek to de-normalise alcohol consumption, all while using an inclusive fourth person point of view, and seeking to avoid crisis messaging.

Similar public views have been expressed in prior UK qualitative studies. One found that people tend to base their policy views on perceived impact on problematic 'others', particularly harmful or young drinkers [15] and were more negative toward alcohol regulation (pricing, availability) than educational approaches. Participants had mixed views on investment in treatment services. In a separate focus group study about MUP (n = 105), participants reported that they drank to be 'social', for down-time or to party [100]. They were sceptical about the effectiveness of MUP fearing unintended consequences, again, focusing on its potential effect on others: those with dependence or experiencing homelessness [100]. These studies asked about named policies rather than inviting participants to share their thinking on alcohol more generally. It is likely that our 'write and reveal' methods, which gave them an opportunity to suggest solutions without specific prompting, came closer to accessing participant's individual default thinking, although less so than individual interviews.

The stark gap between public and expert views of alcohol and alcohol-related harms has important implications for alcohol policy. A focus on personal responsibility and lack of control in public views may reflect industry success in establishing these ideas in discourse and thinking over several decades [51, 54, 55]. This way of thinking enables easy criticism of policies aimed at the whole population as being unfair or unnecessary, including opposition led by libertarian politicians, commentators, or media, which may reduce their appeal to ADDICTION

SS

3600433, 0, Downloaded from https://nlinelibrary.wiley.com/doi/10.1111/add.1673 by Test, Wiley Online Library on [1001/2025]. See the Terms and Conditions (https://onlinelibrary.wiley.com/terms-and-conditions) on Wiley Online Library for rules of use; OA articles are governed by the applicable Creative Commons License

policymakers. It also logically points to more downstream interventions such as alcohol treatment and support services, which do not prevent problems and which many people cannot or do not want to access. Our study has identified and applied diverse evidence and expert views to develop framing approaches designed specifically to address these sorts of gaps and limitations in current framing approaches. Our framing approaches were developed for use in general public communication, and efforts to target communication at specific population segments would likely have resulted in different approaches for different groups.

The framing approaches we developed are narratives that express how to make sense of an issue, naming and selecting certain features of the problem (harms, norms and costs), and in some cases, the actors involved (government and industry) and the policy process itself (lobbying). They include several features outlined in policy theory, particularly the Narrative Policy Framework [36]. Several frames portray characters (heroes, victims and villains, e.g. the alcohol industry as a villain hiding the truth from consumers in frame 2), which has been found to increase the influence of policy narratives [101-103]. Others broaden the 'scope of conflict' by emphasising diverse harms and causes of harm from alcohol beyond the individual drinker, to others, services and the economy. This content is typically used by interest groups that perceive that they are 'losing' on a policy issue [103, 104]. Many of our framing approaches also emphasise 'causal mechanisms', typically used to assign responsibility and blame [36], in this case putting responsibility for alcohol harm onto government and industry, most clearly frame 10.

Our work has implications for current communications practice in that it illustrates the challenge facing those seeking to advocate for action to reduce alcohol-related harm. Some of our review findings support current framing practice (emphasis on protecting children, addressing stigma), however, other strategies, such as crisis messaging, are routinely used despite not being well supported by evidence. The most effective framing approaches may not be the most obvious or popular ones. The approaches developed here are based on prior evidence, empirical analysis of gaps in public understanding and input and review by experienced academic and advocacy professionals, but the approaches still need to be tested. In the meantime, it may be prudent to be guided by these approaches rather than using those without similar empirical underpinning.

Strengths and limitations

The framing approaches outlined here have yet to be tested, and our findings should, therefore, be viewed as hypothesis-generating. Although our development process was heavily influenced by Frame-Works thinking, we deviated from typical FrameWorks methods in some important respects. Notably, we ran focus groups with the public rather than individual interviews, and to mitigate the resulting possibility of in-group effects, we developed bespoke questioning techniques. We also used FrameWorks literature on other social issues, the findings of which may differ from what works for alcohol.

An iterative process of co-production of framing ideas with stakeholders and the involvement of a large multidisciplinary team from five institutions was a strength as was the close, constructive collaboration with ACUK throughout. The scope of the study was necessarily influenced by ACUK priorities [6, 105]. Participants recruited from market research panels may hold different views to the general UK population, who may in turn hold different views from those in other countries. Four focus groups provide a relatively small sample for assessing public views, although other UK studies have had similar findings.

Implications for further research

We will explore and test public responses to these framing approaches qualitatively and quantitatively, with effective approaches informing a communications toolkit. Importantly, this will not recommend exact message wording, but focus on ideas and concepts in line with our understanding of framing as a dynamic act, rather than the use of static phrases. Further research could consider (1) the degree of take-up of these frames in United Kingdom advocacy; (2) whether similar or different approaches might be developed (or work) outside of the United Kingdom; (3) whether any approaches identified as effective lead to changes in policy stakeholders' understandings or framing; (4) whether alcohol industry actors adjust their messaging in response to the use of novel framing; (5) how effective framing approaches compare to current framing practice for alcohol and other unhealthy commodities; and (6) which approaches work best with different sub-populations.

CONCLUSION

There is a substantial gulf between current public and expert understandings of alcohol harms, what causes harms and what policies or other changes could reduce or prevent them. This study brings an empirical approach, influenced by the work of FrameWorks, to facilitate bridging this gap. We used prior evidence, qualitative data and stakeholder co-production to develop novel framing approaches, therefore going beyond reliance on the expertise of advocacy or communication professionals. We propose 12 narrative-based framing approaches intended to strengthen public understanding of alcohol issues and increase support for effective policies. These approaches are likely to be more effective than some in common usage such as crisis messaging, but require further testing.

AUTHOR CONTRIBUTIONS

Niamh Fitzgerald: Conceptualization (lead); data curation (equal); formal analysis (supporting); funding acquisition (lead); investigation (lead); methodology (lead); project administration (lead); visualization (supporting); writing-original draft (lead); writing-review & editing (lead). Kathryn Angus: Conceptualization (equal); formal analysis (equal); writing-review & editing (supporting). Rebecca Howell: Conceptualization (supporting); formal analysis (equal); writing-review & editing (supporting). Heather Labhart: Conceptualization (supporting); formal analysis (supporting); writing-review & editing (supporting). James Morris: Conceptualization (equal); data curation (equal); formal analysis (equal); funding acquisition (equal); investigation (equal); methodology (equal); writing-review & editing (supporting). Laura Fenton: Conceptualization (equal); formal analysis (equal); writing-review & editing (supporting). Nicholas Woodrow: Conceptualization (equal); formal analysis (equal); writing-review & editing (supporting). Maria Castellina: Conceptualization (equal); methodology (equal); writing-review & editing (equal). Melissa Oldham: Conceptualization (equal); writing-review & editing (supporting). Claire Garnett: Conceptualization (equal); writing-review & editing (supporting). John Holmes: Conceptualization (equal); supervision (equal); writing-review & editing (lead). Jamie Brown: Conceptualization (equal): supervision (equal); writing-review & editing (supporting). Rachel O'Donnell: Conceptualization (equal); formal analysis (equal); methodology (equal); supervision (equal); writing-review & editing (supporting).

ACKNOWLEDGEMENTS

We acknowledge support and input from all focus group participants, Richard Piper and Ailar Hashemzadeh from Alcohol Change UK (ACUK) at all three stages of the project reported here; all alcohol policy stakeholders who commented on drafts of the framing strategies; the project reference group assembled by ACUK who provided advice; Tamsyn Hyatt and Kate Stanley from FrameWorks UK and Theresa Miller and Andrew Volmert from the FrameWorks Institute who provided advice. We also acknowledge the funding for this study from ACUK.

DECLARATION OF INTERESTS

This project was funded entirely by Alcohol Change UK (ACUK), a leading UK charity, which works for a society free of alcohol-related harm. ACUK was a valued and active partner in the reported research, and they had sight of findings as they emerged, influenced the development of tasks, the expert story and the final framing strategies presented here, but did not review or approve the text of this paper. C.G. and M.O. have done paid consultancy work for the behaviour change and lifestyle organization, 'One Year No Beer', providing fact checking for blog posts.

DATA AVAILABILITY STATEMENT

The literature review data extracts that support the findings of this study are available from the corresponding author upon reasonable request. The focus group data is not available for sharing due to privacy and ethical restrictions.

ORCID

Niamh Fitzgerald D https://orcid.org/0000-0002-3643-8165 James Morris D https://orcid.org/0000-0002-7048-8844 John Holmes D https://orcid.org/0000-0001-9283-2151 Jamie Brown b https://orcid.org/0000-0002-2797-5428 Rachel O'Donnell https://orcid.org/0000-0003-2713-1847

ADDICTION

REFERENCES

- GBD 2016 Alcohol Collaborators, Griswold MG, Fullman N, Hawley C, Arian N, Zimsen SR, et al. Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the global burden of disease study 2016. Lancet. 2018[cited 2019 May 15];392(10152):1015–35. PMID: Available from: http:// www.ncbi.nlm.nih.gov/pubmed/30146330
- Manthey J, Hassan SA, Carr S, Kilian C, Kuitunen-Paul S, Rehm J. What are the economic costs to society attributable to alcohol use? A systematic review and modelling study. Pharmacoeconomics. 2021 [cited 2024 Aug 30];39(7):809–22. PMID: Available from: https:// link.springer.com/article/10.1007/s40273-021-01031-8
- Morojele NK, Dumbili EW, Obot IS, Parry CDH. Alcohol consumption, harms and policy developments in sub-Saharan Africa: the case for stronger national and regional responses. Drug Alcohol Rev. 2021[cited 2024 Aug 30];40(3):402–19. PMID: Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/dar.13247
- 4. World Health Organization WHO. WHO|the SAFER initiative World Health Organization; 2018[cited 2018 Dec 13] Available from: https://www.who.int/substance_abuse/safer/en/
- Babor TF, Casswell S, Graham K, Huckle T, Livingston M, Österberg E, et al. Alcohol: no ordinary commodity: research and public policy 3rd ed. New York, NY: Oxford University Press; 2022.
- Burton R, Henn C, Lavoie D, O'Connor R, Perkins C, Sweeney K, et al. A rapid evidence review of the effectiveness and costeffectiveness of alcohol control policies: an English perspective. Lancet. 2017;389(10078):1558–80.
- Lesch M, McCambridge J. A long-brewing crisis: the historical antecedents of major alcohol policy change in Ireland. Drug Alcohol Rev. 2022;41(1):135–43.
- McCambridge J, Hawkins B, Holden C. Vested interests in addiction research and policy. The challenge corporate lobbying poses to reducing society's alcohol problems: insights from UK evidence on minimum unit pricing. Addiction. 2014[cited 2019 Apr 8];109(2): 199–205. https://doi.org/10.1111/add.12380
- Savell E, Fooks G, Gilmore AB. How does the alcohol industry attempt to influence marketing regulations? A systematic review. Addiction. 2015[cited 2015 Nov 30];111(1):18–32. PMID: Available from: http://www.ncbi.nlm.nih.gov/pubmed/26173765
- O'Brien P, Dwyer R, Gleeson D, Cook M, Room R. Influencing the global governance of alcohol: alcohol industry views in submissions to the WHO consultation for the alcohol action plan 2022-2030. Int J Drug Policy. 2023;1(119):104115.
- Fergie G, Leifeld P, Hawkins B, Hilton S. Mapping discourse coalitions in the minimum unit pricing for alcohol debate: a discourse network analysis of UK newspaper coverage. Addiction. 2019;114(4): 741–53.
- Callinan S, Room R, Livingston M. Changes in Australian attitudes to alcohol policy: 1995–2010. Drug Alcohol Rev. 2014[cited 2024 Aug 30];33(3):227–34. PMID: Available from: https://onlinelibrary.wiley. com/doi/full/10.1111/dar.12106
- Österberg E, Lindeman M, Karlsson T. Changes in alcohol policies and public opinions in Finland 2003–2013. Drug Alcohol Rev. 2014 [cited 2024 Aug 29];33(3):242–8. PMID: Available from: https:// onlinelibrary.wiley.com/doi/full/10.1111/dar.12128
- Hawks D, Lang E, Stockwell T, Rydon P, Lockwood A. Public support for the prevention of alcohol-related problems. Drug Alcohol Rev. 1993[cited 2024 Aug 29];12(3):243–50. PMID: Available from: https://pubmed.ncbi.nlm.nih.gov/16840281/
- 15. Li J, Lovatt M, Eadie D, Dobbie F, Meier P, Holmes J, et al. Public attitudes towards alcohol control policies in Scotland and England:

DDICTION

results from a mixed-methods study. Soc Sci Med. 2017;1(177): 177-89.

- Wilkinson C, Room R, Livingston M. Mapping Australian public opinion on alcohol policies in the new millennium. Drug Alcohol Rev. 2009[cited 2024 Aug 29];28(3):263–74. PMID: Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/j.1465-3362.2009. 00027.x
- Latimer WW, Harwood EM, Newcomb MD, Wagenaar AC. Sociodemographic and individual predictors of alcohol policy attitudes: results from a US probability sample. Alcohol Clin Exp Res. 2001 [cited 2024 Aug 30];25(4):549–56. PMID: Available from: https:// onlinelibrary.wiley.com/doi/full/10.1111/j.1530-0277.2001. tb02249.x
- Greenfield TK, Karriker-Jaffe KJ, Giesbrecht N, Kerr WC, Ye Y, Bond J. Second-hand drinking may increase support for alcohol policies: new results from the 2010 National Alcohol Survey. Drug Alcohol Rev. 2014[cited 2017 Aug 2];33(3):259–67. PMID: Available from: http://doi.wiley.com/10.1111/dar.12131
- Tobin C, Moodie AR, Livingstone C. A review of public opinion towards alcohol controls in Australia. BMC Public Health. 2011[cited 2024 Aug 29];11(1):1–9. PMID: Available from: https://link.springer. com/articles/10.1186/1471-2458-11-58
- Giesbrecht N, Greenfield TK. Public opinions on alcohol policy issues: a comparison of American and Canadian surveys. Addiction. 1999 [cited 2024 Aug 29];94(4):521–31. PMID: Available from: https:// onlinelibrary.wiley.com/doi/full/10.1046/j.1360-0443.1999. 9445217.x
- Buykx P, Li J, Gavens L, Hooper L, Lovatt M, Gomes de Matos E, et al. Public awareness of the link between alcohol and cancer in England in 2015: a population-based survey. BMC Public Health. 2016;16(1):1194. PMID: Available from: http:// bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3855-6
- Morris J, Albery IP, Moss AC, Heather N. Promoting problem recognition amongst harmful drinkers: a conceptual model for problem framing factors. In: Frings D, Albery IP, editorsThe handbook of alcohol use Amsterdam: Academic Press; 2021. p. 221–36.
- Morris J, Moss AC, Albery IP, Heather N. The "alcoholic other": harmful drinkers resist problem recognition to manage identity threat. Addict Behav. 2022;124:107093.
- Morris J, Albery IP, Heather N, Moss AC. Continuum beliefs are associated with higher problem recognition than binary beliefs among harmful drinkers without addiction experience. Addict Behav. 2020; 1(105):106292.
- Buykx P, Gilligan C, Ward B, Kippen R, Chapman K. Public support for alcohol policies associated with knowledge of cancer risk. Int J Drug Policy. 2015;26(4):371–9.
- 26. Bates S, Holmes J, Gavens L, De Matos EG, Li J, Ward B, et al. Awareness of alcohol as a risk factor for cancer is associated with public support for alcohol policies. BMC Public Health. 2018; 4(18):688.
- Weerasinghe A, Schoueri-Mychasiw N, Vallance K, Stockwell T, Hammond D, McGavock J, et al. Improving knowledge that alcohol can cause cancer is associated with consumer support for alcohol policies: findings from a real-world alcohol labelling study. Int J Environ Res Public Health. 2020[cited 2024 Aug 29];17(2):398. PMID: Available from: https://www.mdpi.com/1660-4601/17/2/ 398/htm
- Martin N, Buykx P, Shevills C, Sullivan C, Clark L, Newbury-Birch D. Population level effects of a mass media alcohol and breast cancer campaign: a cross-sectional pre-intervention and post-intervention evaluation. Alcohol Alcohol. 2018;53(1):31–8.
- Ritter A, McLauchlan L. Citizens' juries and their role in improved alcohol policy: damp squib, or useful tool? Drugs (Abingdon Engl). 2023;30(4):413–24.

- Kersbergen I, Buykx P, Brennan A, Brown J, Michie S, Holmes J. Print and online textual news media coverage of UK low-risk drinking guidelines from 2014 to 2017: a review and thematic analysis. Drug Alcohol Rev. 2022;41(5):1161–73.
- Nicholls J, Greenaway J. What is the problem?: evidence, politics and alcohol policy in England and Wales, 2010–2014. Drugs (Abingdon Engl). 2015;22(2):135–42.
- 32. van Hulst M, Yanow D. From policy "frames" to "framing.". Am Rev Public Adm. 2016[cited 2024 Aug 30];46(1):92–112. PMID: Available from: https://journals.sagepub.com/doi/10.1177/ 0275074014533142
- Rein M, Schön D. Frame-critical policy analysis and frame-reflective policy practice. Knowl pol. 1996[cited 2016 Jun 7];9(1):85–104.
 PMID: Available from: http://link.springer.com/10.1007/ BF02832235
- Sabatier PA. An advocacy coalition framework of policy change and the role of policy-oriented learning therein. Pol Sci. 1988;21(2–3): 129–68.
- Cairney P. Standing on the shoulders of giants: how do we combine the insights of multiple theories in public policy studies? Policy Stud J. 2013;41(1):1–21.
- McBeth MK, Jones MD, Shanahan EA. The narrative policy framework. In: Sabatier PA, Weible CM, editorsTheories of the policy process 3rd ed. Boulder, CO: Westview Press; 2014. p. 225-66.
- Cairney P. The politics of evidence-based policy-making London: Palgrave Macmillan; 2016. p. 1–137.
- Katikireddi SV, Bond L, Hilton S. Changing policy framing as a deliberate strategy for public health advocacy: a qualitative policy case study of minimum unit pricing of alcohol. Milbank Q. 2014;92(2): 250–83.
- Greenaway J. How policy framing is as important as the policy content: the story of the English and welsh licensing act 2003. Br Politics. 2011;6(4):408–29.
- 40. Jernigan DH. Framing a public health debate over alcohol advertising: the center on alcohol marketing and youth 2002-2008. J Public Health pol. 2011[cited 2015 Jul 21];32(2):165–79. PMID: Available from: http://www.ncbi.nlm.nih.gov/pubmed/21346788
- Hessari NM, Knai C, Gallopel-Morvan K, Petticrew M, Landreat MG. Stakeholder framing of advertising legislation: an analysis of media and parliamentary representations of the Loi Évin in the United Kingdom. J Stud Alcohol Drugs. 2018;79(4):532–8.
- 42. Hawkins B, Holden C. Framing the alcohol policy debate: industry actors and the regulation of the UK beverage alcohol market. Crit Policy Stud. 2013;7(1):53–71.
- 43. Rinaldi C, van Schalkwyk MCI, Egan M, Petticrew M. A framing analysis of consultation submissions on the WHO global strategy to reduce the harmful use of alcohol: values and interests. Int J Health Policy Manag. 2022;11(8):1550–61.
- Gage R, Connor J, Jackson N, McKerchar C, Signal L. Generating political priority for alcohol policy reform: a framework to guide advocacy and research. Drug Alcohol Rev. 2024[cited 2024 Nov 12]; 43(2):381–92. PMID: Available from: https://onlinelibrary.wiley. com/doi/full/10.1111/dar.13782
- Lesch M, McCambridge J. Coordination, framing and innovation: the political sophistication of public health advocates in Ireland. Addiction. 2021[cited 2024 Nov 12];116(11):3252-60. PMID: Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/add.15404
- Ulucanlar S, Lauber K, Fabbri A, Hawkins B, Mialon M, Hancock L. Corporate political activity: taxonomies and model of corporate influence on public policy. Int J Health Policy Manag. 2023;12(1):1–22.
- Smith KC, Twum D, Gielen AC. Media coverage of celebrity DUIs: teachable moments or problematic social modeling? Alcohol Alcohol. 44(3):256–60.
- 48. Cook M, Wilkinson C. How did live music become central to debates on how to regulate the Victorian night-time economy? A qualitative

12

analysis of Victorian newspaper reporting since 2003. Drugs (Abingdon Engl). 2019;26(3):265-72.

- Barry AE, Bates AM, Olusanya O, Vinal CE, Martin E, Peoples JE, et al. Alcohol marketing on twitter and Instagram: evidence of directly advertising to youth/adolescents. Alcohol Alcohol. 2016; 51(4):487–92.
- Critchlow N, Moodie C. Consumer protection messages in alcohol marketing on twitter in Ireland: a content analysis. Drugs (Abingdon Eng). 2023;30(3):304–11.
- Petticrew M, Maani N, Pettigrew L, Rutter H, Van Schalkwyk MC. Dark nudges and sludge in big alcohol: behavioral economics, cognitive biases, and alcohol industry corporate social responsibility. Milbank Q. 2020;98(4):1290–328.
- Hessari NM, Bertscher A, Critchlow N, Fitzgerald N, Knai C, Stead M, et al. Recruiting the "heavy-using loyalists of tomorrow": an analysis of the aims, effects and mechanisms of alcohol advertising, based on advertising industry evaluations. Int J Environ Res Public Health. 2019;16(21):4092.
- Nicholls J. UK news reporting of alcohol: an analysis of television and newspaper coverage. Drugs (Abingdon Engl). 2011; 18(3):200-6.
- Hessari NM, Petticrew M. What does the alcohol industry mean by "responsible drinking"? A comparative analysis. J Public Health (Oxf). 2018;40(1):90–7.
- 55. Petticrew M, Fitzgerald N, Maani N, Mccambridge J, Pettigrew S, van Schalkwyk MCI. Responsible drinking, conflicts of interest, and the elephant in the room: a commentary on a scoping review of "responsible drinking" interventions by gray. Health Commun. 2020;36(2): 257–9.
- Alcohol health Alliance [internet]; 2023 Available from: https:// ahauk.org/
- Koon AD, Hawkins B, Mayhew SH. Framing and the health policy process: a scoping review. Health Policy Plan. 2016[cited 2016 Oct 12];31(6):801–16. PMID: Available from: http://www.ncbi.nlm.nih. gov/pubmed/26873903
- 58. Fitzgerald N, Critchlow N, Schölin L, Scott S, Angus K, Buykx P. The IDEA project: Identifying and DEscribing Arguments in public health policy debates: a systematic typology and method. In: Cancer research UK - Bupa Foundation Fund innovation award: final report Stirling: Institute for Social Marketing & Health, University of Stirling; 2016.
- UK Geographics Blog. Social grade a, B, C1, C2, D, E UK geographics [internet] [cited 2023 May 25]. Available from: https:// www.ukgeographics.co.uk/blog/social-grade-a-b-c1-c2-d-e
- Fond M, Volmert A. Seeing upstream: mapping the gaps between expert and public understandings of health Washington, DC: Frameworks Institute; 2018.
- Ashford RD, Brown AM, Curtis B. Substance use, recovery, and linguistics: the impact of word choice on explicit and implicit bias. Drug Alcohol Depend. 2018;1(189):131–8.
- 62. Cunningham JA, Godinho A. The impact of describing someone as being in recovery from alcohol problems on the general public's beliefs about their life, use of treatment, and drinking status. Addict Res Theory. 2022;30(3):180–5.
- Dar-Nimrod I, Zuckerman M, Duberstein PR. The effects of learning about one's own genetic susceptibility to alcoholism: a randomized experiment. Genet Med. 2013;15(2):132–8.
- Lebowitz MS, Appelbaum PS. Beneficial and detrimental effects of genetic explanations for addiction. Int J Soc Psychiatry. 2017; 63(8):717.
- Röhm A, Möhring M, Nellen C, Finzi JA, Hastal MR. The influence of moral values on news readers' attitudes toward persons with a substance addiction. Stigma Health. 2022;7(1):45–53.

- Rundle SM, Cunningham JA, Hendershot CS. Implications of addiction diagnosis and addiction beliefs for public stigma: a cross-national experimental study. Drug Alcohol Rev. 2021;40(5):842–6.
- 67. Wakefield MA, Brennan E, Dunstone K, Durkin SJ, Dixon HG, Pettigrew S, et al. Features of alcohol harm reduction advertisements that most motivate reduced drinking among adults: an advertisement response study. BMJ Open. 2017;7(4):e014193.
- Wiens TK, Walker LJ. The chronic disease concept of addiction: helpful or harmful? Addict Res Theory. 2015;23(4):309–21.
- 69. Hilton S, Wood K, Patterson C, Katikireddi SV. Implications for alcohol minimum unit pricing advocacy: what can we learn for public health from UK newsprint coverage of key claim-makers in the policy debate? Soc Sci Med. 2014;102:157–64.
- Katikireddi SV, Hilton S. How did policy actors use mass media to influence the Scottish alcohol minimum unit pricing debate? Comparative analysis of newspapers, evidence submissions and interviews. Drugs (Abingdon Engl). 2014;7637(2):1–10.
- Patterson C, Katikireddi SV, Wood K, Hilton S. Representations of minimum unit pricing for alcohol in UK newspapers: a case study of a public health policy debate. J Public Health (Oxf). 2015;37(1): 40–9.
- Astill Wright L, Golder S, Balkham A, McCambridge J. Understanding public opinion to the introduction of minimum unit pricing in Scotland: a qualitative study using twitter. BMJ Open. 2019;9(6): e029690.
- Hilton S, Buckton CH, Henrichsen T, Fergie G, Leifeld P. Policy congruence and advocacy strategies in the discourse networks of minimum unit pricing for alcohol and the soft drinks industry levy. Addiction. 2020;115(12):2303–14.
- Wood K, Patterson C, Katikireddi SV, Hilton S. Harms to "others" from alcohol consumption in the minimum unit pricing policy debate: a qualitative content analysis of UK newspapers (2005-12). Addiction. 2014;109(4):578-84.
- Hackley C, Bengry-Howell A, Griffin C, Mistral W, Szmigin I. The discursive constitution of the UK alcohol problem in safe, sensible, social: a discussion of policy implications. Drugs (Abingdon Engl). 2008;15(Suppl. 1):61–74.
- Thom B, Herring R, Thickett A, Duke K. The alcohol health Alliance: the emergence of an advocacy coalition to stimulate policy change. Br Politics. 2016;11(3):301–23.
- Hawkins B, McCambridge J. Policy windows and multiple streams: an analysis of alcohol pricing policy in England. Policy Polit. 2020; 48(2):315–33.
- Katikireddi SV, Hilton S, Bonell C, Bond L. Understanding the development of minimum unit pricing of alcohol in Scotland: a qualitative study of the policy process. PLoS ONE. 2014;9(3):e91185.
- Katikireddi SV, Hilton S, Bond L. The role of the Sheffield model on the minimum unit pricing of alcohol debate: the importance of a rhetorical perspective. Evid pol. 2016;12(4):521–39.
- Katikireddi SV, Bond L, Hilton S. Perspectives on econometric modelling to inform policy: a UK qualitative case study of minimum unit pricing of alcohol. Eur J Public Health. 2014;24(3):490–5.
- Fond M, Kendall-Taylor N, Volmert A, Pineau MG, L'Hôte E. Seeing the spectrum: mapping the gaps between expert and public understandings of fetal alcohol spectrum disorder in Manitoba Washington, DC: FrameWorks Institute; 2017.
- Volmert A, Sweetland J, Kendall-Taylor N. Turning down the heat on adolescent substance use: findings from reframing research Washington, DC: FrameWorks Institute; 2018.
- 83. L'Hôte E, Fond M, Volmert A. Beyond awareness of stigma: moving public understanding to the next level. Mapping the gaps between expert and public understandings of mental health in Colorado Washington, DC: FrameWorks Institute; 2017.

ADDICTION

DDICTION

- L'Hôote E, Hawkins N, Levay K. Changing the childhood obesity conversation to improve children's health: a FrameWorks strategic brief Washington, DC: FrameWorks Institute; 2021.
- L'Hôte E, Fond M, Volmert A. Communicating about obesity. A FrameWorks strategic report prepared for Guy's and St. Thomas' charity Washington, DC: FrameWorks Institute; 2018.
- Moira O'N, Nathaniel K-T, Andrew V. New narratives: changing the frame of crime and justice; 2016.
- Elwell-Sutton T, Marshall L, Bibby J, Volmert A. Reframing the conversation on the social determinants of health; 2019.
- O'Neil M, Hawkins N, Levay K, Volmert A, Kendall-Taylor N, Stevens A. How to talk about poverty in the United Kingdom Washington, DC: FrameWorks Institute; 2018.
- L'Hôte E, Castellina M, Volmert A, Conklin L, O'Shea P. A matter of life and death: explaining the wider determinants of health in the UK Washington, DC: FrameWorks Institute; 2022.
- Joseph Rowntree Foundation. Framing toolkit #Talkingaboutpoverty [internet] FrameWorks institute; 2019 [cited 2023 May 25]. Available from: https://frameworksuk.org/wp-content/uploads/jrf_ framing_toolkit-1.pdf
- L'Hôte E, Castellina M, Volmert A, Conklin L, O'Shea P. A matter of life and death: explaining the wider determinants of health in the UK. In: Supplement on research methods and evidence Washington, DC: FrameWorks Institute; 2022.
- Nichols J, Volmert A, Busso D, Pineau MG, O'Neil M, Kendall-Taylor N. Reframing homelessness in the United Kingdom: a Frame-Works message memo Washington, DC: FrameWorks Institute; 2018.
- Simon A. Can redirecting values increase support for addiction policies and related issues: a FrameWorks research report Washington, DC: FrameWorks Institute; 2011.
- 94. Alcohol Health Alliance UK. AHA calls for alcohol labelling overhaul as new research finds current system fails consumers - alcohol health Alliance [internet]; 2020[cited 2024 Mar 1] Available from: https:// ahauk.org/news/aha-calls-for-alcohol-labelling-overhaul/
- 95. Fresh Balance. 2 in 5 drinkers in the north east admit they feel at risk of cancer - fresh balance [internet]; 2022[cited 2024 Mar 1] Available from: https://www.fresh-balance.co.uk/news/2-in-5-drinkersin-the-north-east-admit-they-feel-at-risk-of-cancer/
- Pineau MG, Busso D. Reframing children's care in Scotland research supplement: methods and findings Washington, DC: FrameWorks Institute; 2020.
- Fernandez R, Rylatt A, Keen J. 'It's everywhere' alcohol's public face and private harm The report of the Commission on Alcohol Harm. London: Alcohol Health Alliance UK; 2020.

- Bhattacharya A. Financial headache: the cost of workplace hangovers and intoxication to the UK economy London: Institute of Alcohol Sudies; 2019.
- Alcohol Health Alliance UK. AHA responds to budget 2021 alcohol health Alliance [internet]; 2021 [cited 2024 Mar 1]. Available from: https://ahauk.org/news/aha-responds-to-budget-2021/
- 100. So V, Millard AD, Katikireddi SV, Forsyth R, Allstaff S, Deluca P, et al. Intended and unintended consequences of the implementation of minimum unit pricing of alcohol in Scotland: a natural experiment. Public Health Res. 2021;9(11):1–210.
- 101. Jones MD, Jenkins-Smith HC, Gaddie RK, Kahan D, Krutz G, Spicer P. Cultural characters and climate change: how heroes shape our perception of climate science. Soc Sci Q. 2014[cited 2024 Sep 6];95(1):1–39. PMID: Available from: https://onlinelibrary.wiley. com/doi/full/10.1111/ssqu.12043
- Jones MD, McBeth MK. A narrative policy framework: clear enough to be wrong? Policy Stud J. 2010;38(January):329–53.
- 103. Shanahan EA, Jones MD, Mcbeth MK, Lane RR. An angel on the wind: how heroic policy narratives shape policy realities. Policy Stud J. 2013[cited 2024 Sep 6];41(3):453–83. PMID: Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/psj.12025
- 104. Mcbeth MK, Shanahan EA, Arnell RJ, Hathaway PL. The intersection of narrative policy analysis and policy change theory. Policy Stud J. 2007[cited 2024 Sep 6];35(1):87–108. PMID: Available from: https://onlinelibrary.wiley.com/doi/full/10.1111/j.1541-0072.2007. 00208.x
- 105. Anderson W, Gilmore SI, Bauld L, Bellis M, Brown KA, Drummond C, et al. Health first. An evidence-based alcohol strategy for the UK Stirling: University of Stirling, Alcohol Health Alliance UK, British Liver Trust; 2013.

SUPPORTING INFORMATION

Additional supporting information can be found online in the Supporting Information section at the end of this article.

How to cite this article: Fitzgerald N, Angus K, Howell R, Labhart H, Morris J, Fenton L, et al. Changing public perceptions of alcohol, alcohol harms and alcohol policies: A multi-methods study to develop novel framing approaches. Addiction. 2024. https://doi.org/10.1111/add.16743