



This is a repository copy of *Peto's paradox's relevance is off the scale*.

White Rose Research Online URL for this paper:

<https://eprints.whiterose.ac.uk/227804/>

Version: Published Version

Article:

Simons, M.J.P. orcid.org/0000-0001-7406-7708 (2025) Peto's paradox's relevance is off the scale. *Aging*. ISSN 1945-4589

<https://doi.org/10.18632/aging.206258>

Reuse

This article is distributed under the terms of the Creative Commons Attribution (CC BY) licence. This licence allows you to distribute, remix, tweak, and build upon the work, even commercially, as long as you credit the authors for the original work. More information and the full terms of the licence here:

<https://creativecommons.org/licenses/>

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Peto's paradox's relevance is off the scale

Mirre J.P. Simons¹

¹School of Biosciences, University of Sheffield, Sheffield, South-Yorkshire S10 2TN, UK

Correspondence to: Mirre J.P. Simons; **email:** m.simons@sheffield.ac.uk

Keywords: aging, cancer, evolution

Received: May 1, 2025

Accepted: May 16, 2025

Published: May 29, 2025

Copyright: © 2025 Simons. This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/) (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

ABSTRACT

Peto's paradox is the disconnect between individual risk of cells to develop malignancy and the absence of a strong increase in cancer incidence with body mass across species. Recently small increases of cancer incidence with body mass across species have been interpreted as a falsification of Peto's paradox. I argue this is a misinterpretation as it is the predicted incredible scale of the increase in cancer incidence with body mass that led to Peto's paradox. The relevance for the biology of cancer and ageing of Peto's paradox is off the scale and remains a highly valid paradigm of study.

INTRODUCTION

The biology of cancer and ageing are strongly intertwined. The risk of the large majority of cancers increases with age [1]. Dietary restriction, perhaps the most consistent and best studied anti-ageing intervention [2], dramatically reduces both cancer incidence and progression [3, 4]. Long-lived species, such as elephants and whales, have evolved different cellular anticancer mechanisms [5, 6]. Interestingly, other long-lived animals have evolved very different mechanisms than our own. For example, in comparison bats evolved limited cell-intrinsic barriers to prevent excessive proliferation [7, 8]. The field of comparative biology into ageing and cancer was given a strong impetus when Peto identified that humans have substantially more cells than mice, but do not have substantially larger incidence of cancer [9, 10]. Peto's paradox has subsequently been loosely interpreted as representing the lack of correlation between a species' body mass and their cancer incidence [11–13]. Some of these interpretations go as far as rejecting Peto's paradox based on their recent finding of a small increase of cancer prevalence with species' body mass [14]. Although another recent paper gives a more nuanced interpretation of a similar finding [15].

The original identification of Peto's work presenting a paradox [9, 10, 15] did so by pointing to the lack of a strong positive correlation between cancer incidence

and a species' body mass [10]. The problem posed by Peto's paradox is that if individual cells have the same risk per time to acquire malignancy, then bigger organisms that are composed of more cells should have much higher cancer incidence. Malignancy is predicted to increase dramatically with body size if only one damaged cell is required for a tumour to develop. Detailed modelling and predictions have been made previously [16, 17]. For illustration purposes imagine a chance of one in a million for a cell to develop malignancy per a given time. Predicted cancer incidence is limited for species with low cell count, increases dramatically for species with 10,000 cells, and saturates with all individuals getting cancer at around three million cells (Figure 1). Note, this discrepancy is even bigger as body mass co-evolves strongly with lifespan, over a scale of over hundred-fold in vertebrates [5, 18]. Bigger animals thus both have more cells at risk but also have a longer time to accrue somatic damage that leads to malignancy.

The observation that cancer incidence increases with body mass [15], therefore, in itself does not resolve Peto's paradox, contrary to the conclusions of Butler et al. [14]. Instead, it is the magnitude of increase in cancer incidence scaled by body mass which is critical. The null hypothesis of Peto's paradox of the relationship between a species' body mass and cancer incidence is not that there is no relationship. The paradox is resolved

when cancer incidence would increase dramatically with a species' body mass (Figure 2). Perhaps fitting with this interpretation mistake is that the incidence metric reported in the main text by Butler et al. is without clear units, due to the way count observation data are




Figure 1. Cancer incidence plotted against total somatic cell count (C) of an organism for difference p (chance) of malignancy per cell. Calculation of cancer incidence is the chance of at least one cell becoming malignant: $P_{\text{malignancy}} = 1 - (1-p)^C$.




Figure 2. The relationship between a species' body mass and cancer incidence is not predicted to be flat (dotted line) by Peto's paradox. It is the predicted dramatic relationship with body mass that is the null hypothesis for Peto's paradox (solid line). A comparative relationship (dashed) that has a shallower slope than this null hypothesis is no proof against the validity of Peto's paradox. Note, however, that the exact shape of null prediction of the relationship between a species' body mass and cancer incidence is not known, it is however predicted to be dramatic (as in Figure 1).

modelled. However clearly ~2.5% to ~7% in cancer incidence on a linear scale (Fig S13 in Butler et al. 2025) across 8 (natural log) powers of magnitude in body mass is a small effect and this does not come near the scale of the effect of Peto's paradox (Figure 1). The increase reported in Butler et al. is similar (1.30% slope on \log_{10} scale) to the slopes reported in Compton et al. (0.65% and 2.9% when corrected for gestation time [15]). The future of comparative oncology should not be aimed to refute Peto's paradox [14] but as Compton et al. argue should be aimed at explaining variation in rates of malignancy across animal species. As in human epidemiology of cancer, assessing incidence is data hungry. The different levels of accuracy due to sample size and different levels of bias, may still limit this quest to the species at the extreme ends of this variation.

Another explanation for Peto's paradox is that we do not understand the underlying variables well enough to make an accurate null hypothesis of how cancer incidence should scale with age [19]. Still, the original simplicity of Peto's paradox is its strength. Any adaptation that co-evolves with body mass that changes the susceptibility to cancer is of fundamental and possibly ultimately clinical relevance. Especially relevant and probably clinically relevant is how different species' tissue microenvironment constraints or facilitates malignant growth. Indeed, it is becoming increasingly recognised that somatic mutation is not the sole explanation for carcinogenesis [20]. It is without doubt that Peto's paradox holds. Understanding how large-bodied organisms have evolved resistance to cancer, especially in exceptionally large mammals has the potential to reveal mechanisms that can be harnessed in oncology and biology of ageing research [5].

AUTHOR CONTRIBUTIONS

Writing and figures by MJPS.

CONFLICTS OF INTEREST

The author declares no conflicts of interest.

FUNDING

MJPS is a Sir Henry Dale fellow (Wellcome and Royal Society: 216405/Z/19/Z).

REFERENCES

1. de Magalhães JP. How ageing processes influence cancer. *Nat Rev Cancer*. 2013; 13:357–65.
<https://doi.org/10.1038/nrc3497>
PMID:23612461

2. Simons MJ, Koch W, Verhulst S. Dietary restriction of rodents decreases aging rate without affecting initial mortality rate -- a meta-analysis. *Aging Cell*. 2013; 12:410–4.
<https://doi.org/10.1111/ace.12061> PMID:23438200
3. Weindruch R. Effect of caloric restriction on age-associated cancers. *Exp Gerontol*. 1992; 27:575–81.
[https://doi.org/10.1016/0531-5565\(92\)90012-o](https://doi.org/10.1016/0531-5565(92)90012-o) PMID:1426090
4. Michels KB, Ekblom A. Caloric restriction and incidence of breast cancer. *JAMA*. 2004; 291:1226–30.
<https://doi.org/10.1001/jama.291.10.1226> PMID:15010444
5. Firsanov D, Zacher M, Tian X, Sformo TL, Zhao Y, Tomblin G, Lu JY, Zheng Z, Perelli L, Gurreri E, Zhang L, Guo J, Korotkov A, et al. DNA repair and anti-cancer mechanisms in the long-lived bowhead whale. *bioRxiv*. 2024; 2023.05.07.539748.
<https://doi.org/10.1101/2023.05.07.539748> PMID:39574710
6. Vazquez JM, Sulak M, Chigurupati S, Lynch VJ. A Zombie LIF Gene in Elephants Is Upregulated by TP53 to Induce Apoptosis in Response to DNA Damage. *Cell Rep*. 2018; 24:1765–76.
<https://doi.org/10.1016/j.celrep.2018.07.042> PMID:30110634
7. Athar F, Zheng Z, Riquier S, Zacher M, Lu JY, Zhao Y, Volobaev V, Alcock D, Galazyuk A, Cooper LN, Schountz T, Wang LF, Teeling EC, et al. Limited cell-autonomous anticancer mechanisms in long-lived bats. *Nat Commun*. 2025; 16:4125.
<https://doi.org/10.1038/s41467-025-59403-z> PMID:40319021
8. Vazquez JM, Lauterbur ME, Mottaghinia S, Bucci M, Fraser D, Gray-Sandoval G, Gaucherand L, Haidar ZR, Han M, Kohler W, Lama TM, Le Corf A, Loyer C, et al. Extensive longevity and DNA virus-driven adaptation in nearctic *Myotis* bats. *bioRxiv*. 2024; 2024.10.10.617725.
<https://doi.org/10.1101/2024.10.10.617725> PMID:39416019
9. Peto R. Epidemiology, multistage models, and short-term mutagenicity tests. *Int J Epidemiol*. 2016; 45:621–37.
<https://doi.org/10.1093/ije/dyv199> PMID:27582437
10. Nunney L. Lineage selection and the evolution of multistage carcinogenesis. *Proc Biol Sci*. 1999; 266:493–8.
<https://doi.org/10.1098/rspb.1999.0664> PMID:10189713
11. Abegglen LM, Caulin AF, Chan A, Lee K, Robinson R, Campbell MS, Kiso WK, Schmitt DL, Waddell PJ, Bhaskara S, Jensen ST, Maley CC, Schiffman JD. Potential Mechanisms for Cancer Resistance in Elephants and Comparative Cellular Response to DNA Damage in Humans. *JAMA*. 2015; 314:1850–60.
<https://doi.org/10.1001/jama.2015.13134> PMID:26447779
12. Bulls SE, Platner L, Ayub W, Moreno N, Arditi JP, Dreyer S, McCain S, Wagner P, Burgstaller S, Davis LR, Bruins - van Sonsbeek LGR, Fischer D, Lynch VJ, et al. Unraveling the relationship between cancer and life history traits in vertebrates. *bioRxiv*. 2024; 2022.07.12.499088.
<https://www.biorxiv.org/content/10.1101/2022.07.12.499088v3>
13. Vincze O, Colchero F, Lemaître JF, Conde DA, Pavard S, Bieuville M, Urrutia AO, Ujvari B, Boddy AM, Maley CC, Thomas F, Giraudeau M. Cancer risk across mammals. *Nature*. 2022; 601:263–7.
<https://doi.org/10.1038/s41586-021-04224-5> PMID:34937938
14. Butler G, Baker J, Amend SR, Pienta KJ, Venditti C. No evidence for Peto’s paradox in terrestrial vertebrates. *Proc Natl Acad Sci USA*. 2025; 122:e2422861122.
<https://doi.org/10.1073/pnas.2422861122> PMID:39993196
15. Compton ZT, Mellon W, Harris VK, Rupp S, Mallo D, Kapsetaki SE, Wilmot M, Kennington R, Noble K, Baciuc C, Ramirez LN, Peraza A, Martins B, et al. Cancer Prevalence across Vertebrates. *Cancer Discov*. 2025; 15:227–44.
<https://doi.org/10.1158/2159-8290.CD-24-0573> PMID:39445720
16. Nunney L. Resolving Peto’s paradox: Modeling the potential effects of size-related metabolic changes, and of the evolution of immune policing and cancer suppression. *Evol Appl*. 2020; 13:1581–92.
<https://doi.org/10.1111/eva.12993> PMID:32821274
17. Caulin AF, Graham TA, Wang LS, Maley CC. Solutions to Peto’s paradox revealed by mathematical modelling and cross-species cancer gene analysis. *Philos Trans R Soc Lond B Biol Sci*. 2015; 370:20140222.
<https://doi.org/10.1098/rstb.2014.0222> PMID:26056366
18. de Magalhães JP, Costa J, Church GM. An analysis of the relationship between metabolism, developmental schedules, and longevity using phylogenetic independent contrasts. *J Gerontol A Biol Sci Med Sci*. 2007; 62:149–60.
<https://doi.org/10.1093/gerona/62.2.149> PMID:17339640
19. Ducasse H, Ujvari B, Solary E, Vittecoq M, Arnal A, Bernex F, Pirot N, Misse D, Bonhomme F, Renaud F,

Thomas F, Roche B. Can Peto's paradox be used as the null hypothesis to identify the role of evolution in natural resistance to cancer? A critical review. BMC Cancer. 2015; 15:792.
<https://doi.org/10.1186/s12885-015-1782-z>
PMID:[26499116](https://pubmed.ncbi.nlm.nih.gov/26499116/)

20. Huang S, Soto AM, Sonnenschein C. The end of the genetic paradigm of cancer. PLoS Biol. 2025; 23:e3003052.
<https://doi.org/10.1371/journal.pbio.3003052>
PMID:[40100793](https://pubmed.ncbi.nlm.nih.gov/40100793/)