

This is a repository copy of Extent of disagreement and difference between tissue and swab samples from infected diabetic foot ulcers: the CODIFI Study.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/87221/

Version: Accepted Version

Article:

Nelson, A, Backhouse, M, Wright-Hughes, A et al. (4 more authors) (2014) Extent of disagreement and difference between tissue and swab samples from infected diabetic foot ulcers: the CODIFI Study. DIABETOLOGIA, 57 (1). S471 - S472. ISSN 0012-186X

https://doi.org/10.1007/s00125-014-3355-0

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Extent of disagreement and difference between tissue and swab samples from infected diabetic foot ulcers: the CODIFI Study

A. Nelson1, M. Backhose2, A. Wright-Hughes2, M. Bhogal2, S. Brown2, J. Nixon2, B. Lipsky3; 1Healthcare, 2Medicine, University of Leeds, 3University of Oxford, UK.

Background and aims:

A common complication of diabetic foot ulceration is a wound infection. Treatment with antibiotics is usually started immediately as spreading infection can lead to amputation. At the same time, however, a sample is usually taken for microbiologists to advice on the types of organisms in the wound, and what antibiotics they are sensitive to. Clinical practice guidelines state that tissue samples are the best way to collect samples of wound bacteria for the microbiological analysis, but wound swabs are commonly used. The CODIFI (concordance in diabetic foot infection) study set out to determine whether the results from wound swab and tissue samples taken from the same ulcer 'agree' with each other.

Materials and methods:

Consenting patients with an infected diabetic foot ulcer had both swab and tissue samples taken from their ulcer for microbiological analysis (plating and culture). Agreement was assessed between techniques based upon the reported presence of 'likely pathogens'. We reported overall prevalence, Kappa statistic, and McNemar's test to investigate patterns of disagreement

Results:

We recruited 401 patients from 25 centres (2011 - 2013). They had a median age of 63 years; 79% were male; 85.5% had type 2 diabetes; 27.5% presented with a recurrent ulcer; and 45.5% had a neuro-ischaemic ulcer, 50.5% neuropathic ulceration, and 3.5% ischaemic ulceration. Swab and tissue reports were available for 395 patients. We found many 'likely pathogens' -the most prevalent were Gram Positive Cocci (70.4%), Gram Negative Bacilli (36.5%), Staphylococcus Aureus (35.7%), Anaerobic Cocci (20.5%), Coagulase-Negative Staphylococcus (12.2%), Gram Positive Bacilli (11.1%), Streptococcus (16.7%), Enterococcus (14.9%), Corynebacterium (9.4%), Pseudomonas (8.6%), and Methicillin-resistant S. Aureus (MRSA, 8.1%). With the exception of Staphylococcus Aureus, MRSA and Pseudomonas (for which identical discordance was observed), each isolate was reported in significantly more tissue samples than the swab (p-value <0.05) by between 3.3% (Streptococcus) and 13.4% (Gram Positive Cocci).

Conclusion

Overall, significantly more isolates are reported from tissue samples than swab samples in patients with infected diabetic foot ulcers. This has potential implications for choice of sampling technique in practice.

Clinical Trial Registration Number: ISTRCN 52608451 Supported by: NIHR HTA Programme