

UNIVERSITY OF LEEDS

This is a repository copy of *Progressive environmental deterioration in northwestern Pangea leading to the latest Permian extinction.*

White Rose Research Online URL for this paper:

<http://eprints.whiterose.ac.uk/90235/>

Version: Supplemental Material

---

**Article:**

Grasby, SE, Beauchamp, B, Bond, DPG et al. (6 more authors) (2015) Progressive environmental deterioration in northwestern Pangea leading to the latest Permian extinction. *Geological Society of America Bulletin*, 127 (9-10). 1331 - 1347. ISSN 0016-7606

<https://doi.org/10.1130/B31197.1>



---

**Reuse**

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.


**Takedown**

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing [eprints@whiterose.ac.uk](mailto:eprints@whiterose.ac.uk) including the URL of the record and the reason for the withdrawal request.







Grasby et al. Figure 2




Grasby et al. Figure 3




Grasby et al. Figure 4



Grasby et al. Figure 5




Grasby et al. Figure 6



Grasby et al. Figure 7

West Blind Fiord, Sverdrup Basin



Festningen, Spitzbergen

