

This is a repository copy of Bond of Reinforcement in Concrete Applied to Concrete Quality Control: The Bottle Bond Test.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/91898/

Version: Accepted Version

Article:

Garcia-Taengua, E, Martí-Vargas, JR and Serna-Ros, P (2014) Bond of Reinforcement in Concrete Applied to Concrete Quality Control: The Bottle Bond Test. Strain, 50 (1). pp. 57-67. ISSN 0039-2103

https://doi.org/10.1111/str.12067


Reuse


Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.










Figure 2: Types of bottle considered. 123x82mm (300 x 300 DPI)




Figure 3: General scheme of a BBT specimen. 107x50mm (300 x 300 DPI)






Figure 4: Bottle moulds and rebars prepared and right before casting. 152x49mm~(300~x~300~DPI)






Figure 5: BBT carried out on one BBT specimen. 66x89mm (300 x 300 DPI)




Figure 6: Bond failure modes. 140x182mm (150 x 150 DPI)




Figure 7: Probability of rebar yielding vs rebar diameter for different concrete compressive strength values (rebar not greasy). $193 \times 123 \text{mm} (150 \times 150 \text{ DPI})$




Figure 8: Probability of rebar yielding vs rebar diameter for different concrete compressive strength values (greasy rebar). $196 \times 121 \text{mm} (150 \times 150 \text{ DPI})$




Figure 9: Predicted vs observed values for concrete compressive strength. 155x136mm~(150~x~150~DPI)




Figure 10: Validation with data from a readymix concrete plant (real, as-observed dataset). 167x149mm~(150~x~150~DPI)

