

This is a repository copy of *Teicoplanin allergy - an emerging problem in the anaesthetic allergy clinic*.

White Rose Research Online URL for this paper: http://eprints.whiterose.ac.uk/92200/

Version: Accepted Version

Article:

Savic, LC, Garcez, T, Hopkins, PM et al. (2 more authors) (2015) Teicoplanin allergy - an emerging problem in the anaesthetic allergy clinic. British Journal of Anaesthesia, 115 (4). 595 - 600. ISSN 0007-0912

https://doi.org/10.1093/bja/aev307

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



Table 3 Definite and probable cases of type I hypersensitivity to teicoplanin

Ref	Category	< 15 mins	≥2 features	Clinical features	SPT/IDT/ chal +ve	Details	MCT rise	Alt excluded
M4	Definite	Yes	Yes	Hypotension, tachycardia, bradycardia, bronchospasm and hypoxaemia, flushing	Yes	SPT negative IDT positive	Yes	Yes
M8	Definite	Yes	Yes	Hypotension, tachycardia, flushing	Yes	SPT negative IDT positive	Yes	Yes
M10	Definite	Yes	Yes	Hypotension, bradycardia, PEA arrest, bronchospasm, cyanosis	Yes	SPT positive IDT positive	Yes	Yes
M11	Definite	Yes	Yes	Hypotension, bronchospasm, tachycardia, hypoxaemia	Yes	SPT positive IDT positive	Yes	Yes
L5	Definite	Yes	Yes	Airway compromise and hypoxaemia requiring intubation, facial swelling, nausea	Yes	SPT positive IDT positive.	Yes	Yes.
L9	Definite	Yes	Yes	Hypotension, tachycardia, bronchospasm	Yes	SPT negative IDT positive	Yes	Yes
L6**	Definite	Yes	Yes	Tachycardia, bronchospasm and hypoxaemia, angioedema, flushing	Yes	SPT negative IDT positive	Not Don e	Yes
M2	Probable	Yes	Yes	Hypotension, flushing	Yes	SPT and IDT positive	No	Yes
M6	Probable	Yes	Yes	Hypotension, tachycardia, bronchospasm, hypoxaemia, flushing	No	SPT and IDT negative	Yes	Yes
М7	Probable	Yes	Yes	Hypotension, hypoxaemia, flushing	Yes	SPT positive IDT not performed	Not done	Yes
М9	Probable	Yes	Yes	Bronchospasm, urticaria, angioedema, flushing	No	SPT and IDT initially negative, but positive at 30 mins	No	Yes
L1	Probable	Yes	Yes	Hypotension, loss of consciousness, rash	No	Negative SPT and IDT	Yes	Yes
L2	Probable	Yes	Yes	Hypotension, tachycardia, bronchospasm, hypoxaemia, flushing	No	Negative SPT and IDT	Yes	Yes
L3	Probable	Yes	Yes	Hypotension, bronchospasm, hypoxaemia, urticaria, flushing . challenge: NK. not known: MCT.	No	Negative SPT and IDT	Yes	Yes

SPT, skin prick test; IDT, intradermal test; Chal, challenge; NK, not known; MCT, mast cell tryptase;

Alt excluded, alternative excluded; PEA, pulseless electrical activity. ** Patient L6 was not a perioperative allergy, but was seen in the emergency department following treatment for a dog bite. He had an immediate, severe reaction after administration of teicoplanin (no other drugs administered), with positive skin testing. No MCT was taken, however we have included him in the definite group.