



UNIVERSITY OF LEEDS

This is a repository copy of *Rapid learning of associations between sound and action through observed movement: A TMS study*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/92752/>

Version: Accepted Version

Article:

Launay, J, Dean, RT and Bailes, F (2016) Rapid learning of associations between sound and action through observed movement: A TMS study. *Psychomusicology: Music, Mind, and Brain*, 26 (1). pp. 35-42. ISSN 0275-3987

<https://doi.org/10.1037/pmu0000131>

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Supplementary Material. Details of excluded data and additional analyses with alternative exclusion criteria.

Table S1. Number of MEPs included for each participant in Experiment 1.

Participant	Condition	Timepoint	Time of pulse	Number of MEPs in analysis
1	Human	1	With	16
1	Human	1	Between	14
1	Human	2	With	25
1	Human	2	Between	23
2	Human	1	With	15
2	Human	1	Between	14
2	Human	2	With	23
2	Human	2	Between	25
3	Computer	1	With	14
3	Computer	1	Between	12
3	Computer	2	With	28
3	Computer	2	Between	28
4	Computer	1	With	17
4	Computer	1	Between	20
4	Computer	2	With	15
4	Computer	2	Between	13
5	Human	1	With	15
5	Human	1	Between	14
5	Human	2	With	24
5	Human	2	Between	28
6	Computer	1	With	8
6	Computer	1	Between	16
6	Computer	2	With	12
6	Computer	2	Between	8
7	Computer	1	With	17
7	Computer	1	Between	14
7	Computer	2	With	20
7	Computer	2	Between	23
8	Human	1	With	11
8	Human	1	Between	9
8	Human	2	With	10
8	Human	2	Between	5

Table S2. Summary of number of MEPs included in Experiment 1.

Condition	Timepoint	Number of MEPs in analysis
Human	1	108
Human	2	163
Computer	1	118
Computer	2	147

Table S3. Number of MEPs included for each participant in Experiment 2.

Participant	Condition	Timepoint	Time of pulse	Number of MEPs in analysis
1	Human	1	With	18
1	Human	1	Between	20
1	Human	2	With	12
1	Human	2	Between	17
2	Human	1	With	29
2	Human	1	Between	27
2	Human	2	With	30
2	Human	2	Between	28
3	Human	1	With	19
3	Human	1	Between	22
3	Human	2	With	5
3	Human	2	Between	8
4	Human	1	With	7
4	Human	1	Between	8
4	Human	2	With	8
4	Human	2	Between	8
5	Computer	1	With	11
5	Computer	1	Between	14
5	Computer	2	With	29
5	Computer	2	Between	28
6	Computer	1	With	21
6	Computer	1	Between	18
6	Computer	2	With	30
6	Computer	2	Between	30
7	Computer	1	With	5
7	Computer	1	Between	15
7	Computer	2	With	4
7	Computer	2	Between	5
8	Computer	1	With	13
8	Computer	1	Between	10
8	Computer	2	With	13
8	Computer	2	Between	12

Table S4. Summary of number of MEPs included in Experiment 2.

Condition	Timepoint	Number of MEPs
Human	1	150
Human	2	116
Computer	1	107
Computer	2	151

Additional Analyses

No exclusion criteria

Using analysis identical to that reported in the manuscript the main effect of condition is not significant ($b = 0.28$, $se = 0.12$, $t(6) = 2.3$, $p = .058$), and there is no main effect of pulse timing ($b = -0.02$, $se = 0.03$, $t(469) = 0.63$, $p = 0.53$). There is also no significant interaction between the two ($b = -0.06$, $se = 0.03$, $t(469) = 1.9$, $p = 0.059$). Figure S1 gives the averaged data with exclusion based on visual inspection as reported in the manuscript. Figure S2 is the same graph using all the data as reported here.

Data exclusion using a cut-off of MEPs > 30 μ V

The main effect of condition is significant ($b = 0.20$, $se = 0.04$, $t(4.8) = 4.6$, $p = .006$), and there is no main effect of pulse timing ($b = -0.03$, $se = 0.03$, $t(316) = 1.14$, $p = 0.26$). There is a significant interaction between the condition and pulse timing ($b = -0.07$, $se = 0.03$, $t(316) = 2.4$, $p = 0.02$). Figure S3 gives the averaged data with this exclusion criterion.




Figure S1. Change in MEP amplitude (logged) in Experiment 1 the Human and Computer conditions for TMS pulses occurring 120 ms before the test timbre and 370 ms after the test timbre, with data as described in manuscript. Error bars give standard error of the grand mean.




Figure S2. Change in MEP amplitude (logged) in Experiment 1 the Human and Computer conditions for TMS pulses occurring 120 ms before the test timbre and 370 ms after the test timbre, with no data excluded. Error bars give standard error of the grand mean.




Figure S3. Change in MEP amplitude (logged) in Experiment 1 the Human and Computer conditions for TMS pulses occurring 120 ms before the test timbre and 370 ms after the test timbre, with MEPs < 30 μ V excluded. Error bars give standard error of the grand mean.