Article:

White Rose
university consortium
Universities of Leeds, Sheffield & York

eprints@whiterose.ac.uk
https://eprints.whiterose.ac.uk/

1   **<u>Figure captions:</u>**

2

3   Figure 1: Boxplots for age, detailed by dependency category.

4   Figure 2: Percentages of participants disliking fruits (n=392)

5   Figure 3: Percentages of participants disliking vegetables

6   Figure 4: Mean liking score per cooking methods and countries.

7   Figure 5: Mean liking score per cooking methods and countries.

8

9

10

1 Figures

Figure 1: Boxplots for age, detailed by dependency category. Category 1: participants living at home, with help for food purchasing. Category 2: participants living at home, with help for meal preparation or people with meals-on-wheels. Category 3: people living in nursing homes. Inside boxplots, crosses represent means while horizontal bars represent medians. No mean age difference (ANOVA: $F_{(2, 405)}$=2.992, p>0.05)


Figure 2: Percentages of participants disliking fruits (n=392).

**Figure 3: Percentages of participants disliking vegetables (n=392).**


Figure 4: Mean liking score per cooking methods and countries.

31

Figure 5: Mean liking score per cooking methods and countries.

Category 1: participants living at home, with help for food purchasing. Category 2: participants living at home, with help for meal preparation or people with meals-on-wheels. Category 3: people living in nursing homes.