



UNIVERSITY OF LEEDS

This is a repository copy of *Influence of mixed gel structuring with different degrees of matrix inhomogeneity on oral residence time*.

White Rose Research Online URL for this paper:
<http://eprints.whiterose.ac.uk/99941/>

Version: Supplemental Material

Article:

Laguna, L and Sarkar, A orcid.org/0000-0003-1742-2122 (2016) Influence of mixed gel structuring with different degrees of matrix inhomogeneity on oral residence time. *Food Hydrocolloids*, 61. pp. 286-299. ISSN 0268-005X

<https://doi.org/10.1016/j.foodhyd.2016.05.014>

© 2016, Elsevier. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International
<http://creativecommons.org/licenses/by-nc-nd/4.0/>

Reuse

Unless indicated otherwise, fulltext items are protected by copyright with all rights reserved. The copyright exception in section 29 of the Copyright, Designs and Patents Act 1988 allows the making of a single copy solely for the purpose of non-commercial research or private study within the limits of fair dealing. The publisher or other rights-holder may allow further reproduction and re-use of this version - refer to the White Rose Research Online record for this item. Where records identify the publisher as the copyright holder, users can verify any specific terms of use on the publisher's website.

Takedown

If you consider content in White Rose Research Online to be in breach of UK law, please notify us by emailing eprints@whiterose.ac.uk including the URL of the record and the reason for the withdrawal request.



eprints@whiterose.ac.uk
<https://eprints.whiterose.ac.uk/>

Caption of Tables

Table 1. Details of biopolymer gels with different degrees of matrix inhomogeneity.

Table 2. Average size of the calcium alginate beads as measured by static light scattering.

Table 3. Sensory attributes used by the trained panel.

Table 4. Characteristics of young participants for the oral processing study.

Table S1. Penetration test parameters of the biopolymer gels with different degrees of matrix inhomogeneity.

Table S2. Compression test parameters of the biopolymer gels with different degrees of matrix inhomogeneity.