Article:
Bjerke, J.W., Bokhorst, S., Callaghan, T.V. et al. (1 more author) (2017) Persistent reduction of segment growth and photosynthesis in a widespread and important sub-Arctic moss species after cessation of three years of experimental winter warming. Functional Ecology, 31 (1). pp. 127-134. ISSN 0269-8463

https://doi.org/10.1111/1365-2435.12703

Supporting information

Main article: Persistent reduction of segment growth and photosynthesis in a widespread and important sub-Arctic moss species after cessation of three years of experimental winter warming.

Authors: Jarle W. Bjerke, Stef Bokhorst, Terry V. Callaghan & Gareth K. Phoenix

Tables with plot-level data

Table S1. Photosynthetic rates (μmol kg^{-1} s^{-1}). CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, WW = Winter warming.

Treatment code	Pooled treatment code	2007	2008	2009	2012	2013
SCW	WW	6.32	3.03	3.15	3.44	5.05
CW	WW	8.15	6.40	3.30	3.89	3.13
SCW	WW	7.27	6.26	3.81	5.76	4.23
CO	CO	7.30	8.52	6.90	8.76	7.67
SCW	WW	6.91	8.11	2.88	3.44	5.49
CW	WW	2.54	3.62	2.03	5.91	6.16
CO	CO	5.42	7.38	9.78	11.30	7.88
CO	CO	10.90	12.25	3.75	3.77	4.28
CW	WW	6.48	4.63	2.70	6.44	8.46
SCW	WW	5.98	3.86	2.88	5.63	3.92
CO	CO	9.79	8.13	5.53	6.71	7.15
CW	WW	4.98	7.21	4.75	5.68	3.76
CO	CO	6.56	7.49	6.33	7.07	6.96
SCW	WW	3.04	3.30	4.63	4.84	5.33
CW	WW	5.13	1.35	4.38	2.77	3.59
CW	WW	4.04	4.28	2.37	3.08	7.11
SCW	WW	7.44	8.45	4.81	8.31	6.50
CO	CO	10.29	8.92	4.85	5.82	10.56

Table S2. Chlorophyll fluorescence (Fv/Fm). CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, WW = Winter warming, n.m. = not measured.

Treatment code	Pooled treatment code	2007	2008	2009	2012	2013
SCW	WW	n.m.	0.592	0.624	0.556	0.765
CW	WW	0.547	0.608	0.474	0.633	0.713
SCW	WW	n.m.	0.602	0.537	0.707	0.721
CO	CO	0.465	0.597	0.579	0.667	0.716
SCW	WW	0.429	0.613	0.487	0.611	0.705
CW	WW	0.500	0.563	0.563	0.707	0.733
CO	CO	0.462	0.606	0.697	0.740	0.726
CO	CO	0.677	0.606	0.516	0.671	0.760
CW	WW	0.450	0.574	0.668	0.644	0.738
SCW	WW	0.571	0.549	0.571	0.681	0.719
CO	CO	0.525	0.607	0.621	0.683	0.742
CW	WW	0.568	0.532	0.617	0.692	0.741
CO	CO	0.514	0.643	0.607	0.625	0.731
SCW	WW	0.615	0.456	0.585	0.539	0.742
CW	WW	0.563	0.585	0.661	0.680	0.726
CW	WW	0.479	0.628	0.673	0.602	0.703
SCW	WW	0.564	0.634	0.685	0.676	0.730
CO	CO	0.652	0.667	0.713	0.695	0.747

Table S3. Segment length (mm). CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, WW = Winter warming.

Treatment code	Pooled treatment code	2007	2008	2009	2010	2011	2013
SCW	WW	15.64	9.31	7.83	12.10	15.45	12.00
CW	WW	21.17	9.14	12.68	5.65	11.55	14.71
SCW	WW	19.24	8.32	7.80	7.67	13.33	12.55
CO	CO	19.12	11.80	18.48	26.11	19.71	25.08
SCW	WW	18.46	11.64	8.21	11.72	16.31	15.49
CW	WW	17.84	10.44	9.14	14.30	17.17	14.24
CO	CO	19.20	15.18	11.72	18.79	21.99	18.49
CO	CO	16.86	16.25	19.98	15.69	19.63	25.27
CW	WW	23.39	9.87	8.45	14.56	13.55	11.83
SCW	WW	21.07	10.23	8.75	12.66	14.67	13.36
CO	CO	13.80	17.68	15.34	22.51	22.94	11.64
CW	WW	10.71	12.82	10.22	14.14	15.72	16.43
CO	CO	23.51	15.58	12.30	17.63	15.81	25.70
SCW	WW	21.92	10.61	9.40	11.42	10.79	11.22
CW	WW	22.97	7.99	7.55	8.82	9.27	10.65
CW	WW	20.49	13.79	7.53	12.87	10.97	13.80
SCW	WW	14.42	12.37	8.86	14.28	13.23	14.84
CO	CO	14.70	19.05	15.15	18.96	21.85	20.12

Table S4. Segment width (mm). CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, WW = Winter warming.

Treatment code	Pooled treatment code	2007	2008	2009	2010	2011	2013
SCW	WW	10.14	10.04	6.94	12.19	12.15	10.50
CW	WW	14.07	8.22	10.08	8.43	9.22	11.57
SCW	WW	10.86	10.27	6.36	9.61	12.15	9.62
CO	CO	12.43	11.29	17.67	24.22	16.45	15.82
SCW	WW	12.87	14.53	6.84	11.48	13.82	13.58
CW	WW	11.91	12.09	8.72	12.66	13.83	13.63
CO	CO	11.96	13.64	9.14	19.99	19.56	12.37
CO	CO	11.76	14.99	15.45	11.52	15.39	18.85
CW	WW	12.27	10.51	7.72	13.13	12.48	10.09
SCW	WW	13.52	9.12	7.80	11.29	10.28	7.76
CO	CO	10.85	15.35	11.12	18.43	16.58	9.24
CW	WW	8.47	12.70	9.27	13.72	14.23	11.27
CO	CO	15.07	13.58	11.01	16.51	12.89	15.43
SCW	WW	12.72	10.45	10.18	12.11	6.15	10.23
CW	WW	14.31	11.23	6.19	11.26	6.81	10.27
CW	WW	12.97	13.61	5.64	12.16	9.15	10.17
SCW	WW	9.81	14.80	8.50	12.91	11.98	11.28
CO	CO	11.81	22.13	11.28	18.83	15.85	14.42

Table S5. Length-to-width ratio. CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, WW = Winter warming.

Treatment code	Pooled treatment code	2007	2008	2009	2010	2011	2013
SCW	WW	1.590	0.962	1.731	0.983	1.353	1.156
CW	WW	1.641	1.171	1.290	0.699	1.510	1.314
SCW	WW	1.818	0.803	2.671	0.915	1.115	1.335
CO	CO	1.544	1.233	1.050	1.124	1.250	1.765
SCW	WW	1.559	0.858	1.238	1.005	1.205	1.162
CW	WW	1.503	0.892	1.049	1.527	1.256	1.052
CO	CO	1.668	1.157	1.321	0.966	1.283	1.765
CO	CO	1.464	1.080	1.292	1.484	1.291	1.336
CW	WW	1.916	0.953	1.092	1.154	1.064	1.165
SCW	WW	1.561	1.162	1.138	1.166	1.598	1.664
CO	CO	1.198	1.175	1.400	1.216	1.401	1.281
CW	WW	1.274	1.007	1.282	1.106	1.116	1.523
CO	CO	1.588	1.167	1.100	1.126	1.264	1.538
SCW	WW	1.757	1.052	0.975	0.988	1.785	1.120
CW	WW	1.630	0.755	1.980	0.811	1.510	1.060
CW	WW	1.611	1.029	1.749	1.138	1.313	1.379
SCW	WW	1.498	0.857	1.100	1.125	1.114	1.304
CO	CO	1.250	0.892	1.447	1.025	1.419	1.410

Table S6. Length and width of second-year shoot segments. CO = Control, WW = Winter warming. Since there were two winter warming treatments, the number of samples are much larger for WW than for CO.

CO Length (mm)	CO Width (mm)	WW Length (mm)	WW Width (mm)
23.06	18.29	16.39	13.17
26.61	14.87	15.18	10.97
19.66	14.86	14.61	8.68
23.30	14.88	16.04	10.06
24.94	12.47	15.97	7.81
21.92	14.44	15.04	12.00
18.66	12.26	10.35	8.37
23.85	13.18	9.97	8.01
22.31	16.44	9.12	6.24
15.72	8.51	9.05	7.71
17.37	12.90	18.21	10.93
13.50	9.02	23.09	16.09
13.69	7.43	31.66	17.90
10.85	9.94	16.17	8.46
16.71	9.76	20.49	10.23
22.82	14.03	21.68	9.28
18.29	9.61	16.81	8.87
16.61	12.49	25.32	12.26
16.65	13.31	21.60	20.84
13.94	13.80	16.59	9.11
21.47	15.56	18.05	10.95
12.64	14.35	16.06	9.89
20.70	17.26	12.65	10.07
15.89	10.37	21.63	9.42
26.53	18.25	14.51	14.14
17.43	12.08	27.83	14.41
21.23	11.25	23.07	10.96
13.96	10.81	22.40	10.76
18.65	11.26	28.05	15.57
23.83	14.28	24.66	17.87
7.09	8.96	4.70	7.69
8.67	3.35	13.61	11.12
10.83	16.91	8.19	9.88
11.12	12.69	28.79	16.61
12.07	7.36	21.95	10.65
12.46	9.39	24.23	17.22
13.12	12.56	20.07	14.15
13.95	18.58	19.80	12.93
16.92	11.79	13.85	9.41
8.38	9.12	17.99	13.50
12.23	9.05	19.17	16.18
12.75	12.29	11.27	10.53
14.03	15.69	11.23	9.42
14.89	20.57	30.74	13.27

(Table S6 continued)

15.12	12.21	18.59	11.26
15.18	12.22	15.68	10.51
15.66	9.87	22.95	8.88
15.80	16.76	14.55	8.30
15.94	15.21	16.99	11.28
16.57	17.53	18.26	9.56
18.76	14.82	24.63	15.38
22.07	11.97	13.28	8.97
9.18	12.11	16.22	13.67
16.34	12.85	15.53	8.67
18.55	14.75	18.51	13.95
20.94	20.26	20.75	13.52
11.08	15.08	27.06	15.68
14.48	16.08	16.57	9.55
15.31	13.77	4.01	10.81
15.76	13.94	5.68	5.29
16.65	13.33	5.98	5.29
17.06	15.96	6.33	12.81
17.99	10.67	7.32	11.60
19.10	21.54	7.92	7.66
19.37	13.78	10.72	9.19
19.44	14.06	11.41	12.81
28.22	20.60	12.44	10.95
10.20	11.93	14.66	9.36
13.23	10.84	15.92	14.66
14.18	15.43	3.46	4.48
15.05	11.74	6.08	11.03
15.08	15.04	7.22	6.93
17.60	17.07	8.32	10.25
19.40	11.27	9.87	5.84
19.93	15.30	9.93	5.41
10.76	27.44	13.42	12.47
10.86	21.30	14.81	9.34
11.25	24.52	7.48	20.51
15.17	20.02	7.49	6.26
18.84	14.69	9.68	13.63
22.63	23.03	10.56	12.91
25.84	18.22	11.47	13.02
37.07	27.83	12.74	10.65
14.66	12.97	13.33	18.03
15.74	17.88	20.33	21.24
18.43	20.08	6.28	8.38
25.08	19.75	6.77	12.14
9.94	11.86	8.96	9.31
10.54	7.68	10.23	7.59
10.93	8.04	12.53	7.78
12.50	10.60	16.59	9.50
12.93	7.79	5.79	4.27
13.47	8.89	8.62	9.54
10.20	9.27	9.08	13.30
11.98	9.30	9.70	7.86

(Table S6 continued)

14.39	11.74	10.45	11.54
15.22	11.97	10.96	11.41
20.50	17.96	11.13	10.97
21.44	16.64	12.50	13.45
22.02	18.16	17.30	11.71
22.51	22.71	9.33	8.79
26.78	14.59	10.51	16.53
34.76	22.20	13.23	15.01
11.62	10.02	13.31	16.27
12.84	11.76	15.48	17.41
13.19	11.74	2.44	3.90
14.84	13.28	3.87	9.93
15.01	8.70	5.47	5.82
16.18	9.74	6.45	8.09
18.99	10.64	6.93	15.40
20.04	13.06	8.32	8.54
4.42	5.54	10.61	12.24
9.84	10.61	14.96	15.42
11.71	10.89	15.83	13.06
12.39	11.68	7.37	10.77
12.49	11.63	8.34	9.92
13.22	13.51	8.78	14.06
13.65	12.03	9.29	8.45
15.98	12.26	9.33	10.20
16.99	10.97	9.38	7.78
8.67	9.95	12.66	13.74
11.14	8.60	18.38	21.83
14.47	6.66	5.82	10.36
16.48	7.50	6.03	7.99
16.77	13.45	7.62	8.52
19.10	16.18	9.09	13.39
19.39	16.63	10.53	8.04
23.22	17.34	10.93	13.70
26.02	22.97	14.31	11.49
29.09	32.35	14.65	10.59
13.70	15.58	7.63	8.02
16.85	14.32	7.76	12.06
20.54	20.75	11.80	13.19
20.92	20.40	11.83	13.97
21.92	28.92	11.92	15.25
11.00	9.36	12.14	12.13
12.44	5.33	13.17	11.39
14.01	10.05	15.38	13.56
18.98	17.30	15.90	12.80
22.04	15.55	20.65	14.60
10.09	15.92	3.03	3.98
20.22	15.93	4.28	16.84
22.00	14.56	4.76	10.07
25.53	20.26	5.34	4.69
26.20	20.70	7.92	12.89
26.34	20.19	9.32	12.30

(Table S6 continued)

27.19	21.42	11.44	11.20
11.03	25.06	11.99	13.27
12.46	15.36	13.82	15.83
13.20	7.52	8.99	13.75
13.38	10.11	9.84	10.09
13.74	13.16	11.25	12.39
14.06	13.38	11.69	8.50
17.48	17.85	12.87	11.48
17.53	15.46	14.98	15.91
18.12	14.76	17.79	15.59
18.70	21.65	17.81	19.33
29.54	24.39	18.90	15.43
32.27	19.36	3.46	0.57
10.17	17.98	4.44	6.60
13.14	18.80	6.61	5.29
13.90	16.58	7.52	8.95
15.18	22.47	7.64	7.40
15.89	15.35	8.31	4.70
17.56	15.93	8.95	8.69
18.43	13.48	15.74	13.29
20.05	21.47	4.72	8.59
22.08	23.54	4.87	5.63
29.08	24.41	5.26	0.68
33.06	17.10	5.90	5.69
10.53	10.48	6.05	7.14
14.86	10.5	6.34	0.60
15.57	7.69	9.53	8.10
17.05	15.56	9.68	8.78
17.14	18.21	11.54	7.61
19.52	15.67	14.10	10.73
23.20	20.47	4.11	3.07
24.91	21.85	6.76	8.11
34.62	27.66	8.16	6.58
12.38	12.07	9.40	9.53
14.05	12.55	9.64	6.59
15.24	5.22	11.19	7.15
21.44	24.76	4.28	5.46
21.82	13.02	5.14	6.23
22.92	24.55	5.47	7.94
24.34	18.86	7.43	7.90
24.82	26.46	8.41	8.56
26.37	23.16	9.78	4.55
26.61	30.60	13.05	8.96
31.90	23.86	16.40	12.83
13.60	16.18	5.45	10.18
13.70	13.17	6.23	12.23
19.25	12.04	6.50	10.27
23.39	19.94	8.65	8.25
23.45	14.53	10.43	7.15
24.38	16.48	11.18	9.86
13.03	16.83	11.98	7.80

(Table S6 continued)

14.99	9.19	14.78	15.66
20.20	14.43	4.39	11.75
26.54	19.82	5.11	3.88
27.63	19.57	6.51	7.89
28.77	19.86	7.60	7.88
29.43	16.34	8.26	5.16
10.48	6.88	9.32	8.64
12.40	10.55	11.12	7.98
14.44	9.78	11.24	11.42
14.72	14.34	16.20	11.88
18.45	17.14	6.88	8.14
24.34	18.66	10.31	9.48
16.89	15.29	11.18	9.61
18.99	14.98	11.55	7.40
21.98	20.03	11.69	6.67
22.86	13.41	14.09	9.13
23.01	15.92	17.46	14.51
24.48	19.22	18.26	15.70
24.73	12.12	5.09	8.00
19.37	14.61	5.88	5.25
22.48	21.48	7.29	6.32
22.89	15.36	9.60	7.96
23.72	15.18	12.22	11.08
24.28	9.05	14.74	13.71
25.56	15.36	2.11	4.68
25.56	18.88	4.06	5.52
25.75	19.45	4.32	4.37
26.85	19.96	4.83	4.23
34.30	8.90	5.88	5.27
10.72	5.44	6.94	7.16
13.08	9.91	7.85	7.32
15.93	6.28	8.50	4.60
17.02	11.88	10.72	7.98
19.00	8.49	12.44	9.64
35.17	32.19	14.31	12.38
19.25	15.28	19.42	19.48
25.00	19.71	4.08	4.99
25.8	19.18	4.42	2.44
27.22	19.71	8.96	11.37
29.06	20.38	9.09	11.83
7.75	7.91	9.11	6.44
8.26	10.31	9.11	5.93
9.48	8.45	9.38	4.51
9.98	6.69	9.62	4.99
10.06	8.18	11.22	15.67
10.92	7.15	14.10	13.88
11.07	8.06	16.46	18.76
12.79	7.79	17.04	10.44
13.54	9.18	3.58	2.54
13.92	13.66	5.60	2.95
14.92	11.03	6.63	0.71

(Table S6 continued)

17.03	12.51	7.58	4.12
10.98	9.96	7.71	6.94
13.28	11.91	7.83	7.72
13.57	16.26	8.13	7.40
18.56	12.46	8.34	4.57
37.90	15.84	8.46	10.48
59.91	26.14	8.63	10.49
14.34	12.89	9.03	11.22
18.13	14.91	9.13	5.09
18.68	14.56	2.75	1.10
23.33	11.72	2.96	3.99
26.11	18.04	3.73	4.60
		5.51	6.17
		5.52	3.99
		6.47	7.27
		7.01	1.01
		7.39	5.97
		8.22	6.55
		8.58	6.82
		10.63	6.06
		11.63	6.67
		17.43	13.07
		6.21	8.18
		7.37	12.18
		10.31	11.90
		11.54	9.72
		15.59	12.97
		16.73	17.40
		16.94	13.01
		4.70	13.13
		5.36	12.76
		6.93	6.13
		9.34	8.12
		12.04	7.93
		3.84	4.07
		5.15	7.59
		7.53	12.18
		11.53	10.94
		12.31	12.87
		12.53	15.67
		13.18	13.58
		13.21	10.05
		16.28	13.04
		21.61	14.77
		8.61	7.07
		9.75	13.98
		11.16	6.97
		11.52	12.65
		13.01	10.50
		13.26	10.20
		14.93	15.02

(Table S6 continued)

		19.00	13.91
		7.66	11.65
		8.43	14.43
		9.27	10.22
		9.51	8.87
		11.31	7.93
		12.69	9.15
		15.42	12.85
		17.04	21.81
		4.17	19.34
		6.13	8.43
		7.40	13.51
		10.91	11.11
		11.40	7.93
		11.41	10.80
		12.05	9.10
		13.69	10.86
		16.60	12.54
		20.18	13.11
		21.20	15.08
		24.02	17.73
		26.54	18.35
		5.87	11.37
		7.53	8.03
		9.20	14.31
		8.61	12.30
		9.14	2.20
		11.55	17.15
		12.37	10.23
		16.36	13.22
		16.81	21.24
		17.54	6.73
		18.01	16.89
		18.29	14.00
		7.99	8.20
		11.90	17.41
		12.70	7.53
		12.85	11.66
		13.53	11.82
		13.98	12.70
		18.25	20.47
		19.14	13.62
		20.66	14.76
		2.75	8.40
		9.93	9.05
		10.39	22.14
		10.46	4.96
		10.67	11.12
		12.13	16.68
		15.09	10.33
		15.27	11.03

(Table S6 continued)

		15.78	14.03
		16.63	19.02
		18.36	12.25
		19.23	16.95
		19.34	19.72
		21.99	16.40
		2.82	9.19
		3.64	6.33
		3.68	9.03
		6.97	11.52
		7.54	10.64
		7.96	5.30
		8.23	9.89
		9.79	6.69
		10.86	13.45
		11.87	14.84
		12.11	13.06
		12.75	18.64
		16.38	17.80
		5.04	12.06
		8.49	15.48
		9.25	9.83
		10.15	9.01
		10.47	6.18
		10.47	5.46
		10.48	10.08
		10.75	19.11
		11.33	9.89
		11.37	9.85
		11.66	16.17
		13.09	11.43
		13.79	11.20
		13.93	11.72
		14.15	11.67
		14.81	14.72
		16.44	16.80
		16.57	13.48
		16.69	7.59
		16.85	15.87
		24.41	17.66
		12.54	13.32
		14.84	12.67
		17.08	8.14
		17.35	14.46
		7.82	9.43
		7.98	9.03
		9.82	8.74
		13.31	10.86
		13.67	9.10
		19.20	14.51
		21.52	23.37

(Table S6 continued)

		13.78	16.71
		14.30	11.96
		16.66	11.23
		16.93	15.25
		16.94	12.42
		19.24	15.36
		8.20	3.40
		13.80	11.65
		14.58	10.84
		22.10	15.22
		7.67	5.75
		9.84	5.45
		9.92	4.39
		15.72	9.02
		9.15	8.67
		9.68	7.78
		10.91	10.26
		15.17	13.28
		21.22	19.90
		9.71	8.72
		11.05	15.46
		11.52	4.01
		12.36	9.38
		13.10	8.55
		11.53	10.40
		13.73	10.07
		16.24	13.26
		16.67	17.43
		17.50	17.21
		19.49	12.74
		25.03	15.69
		6.86	9.64
		6.90	12.02
		11.67	8.81
		11.89	10.88
		12.42	9.41
		16.71	16.39
		28.41	20.24
		12.71	11.10
		13.21	13.00
		13.95	12.56
		14.03	12.69
		14.63	17.70
		15.36	16.51
		16.58	16.48
		16.61	12.74
		24.43	15.29
		5.41	4.61
		6.79	5.40
		8.12	9.01
		11.68	9.37

(Table S6 continued)

		11.76	3.76
		11.83	8.73
		7.12	11.80
		9.34	10.49
		9.84	7.18
		10.53	5.04
		14.49	8.52
		14.52	11.85
		7.47	8.82
		7.52	7.74
		11.48	8.87
		12.85	11.32
		12.95	10.85
		13.18	15.32
		13.57	11.33
		17.00	9.73
		7.00	9.12
		10.96	6.41
		14.10	9.11
		14.32	12.71
		16.38	10.75
		10.98	11.54
		12.37	13.86
		12.45	8.25
		13.04	12.60
		13.53	15.60
		13.72	12.14
		13.84	12.35
		19.33	14.80
		19.82	18.68
		19.83	11.56
		21.49	17.96
		7.25	6.30
		7.66	6.17
		12.88	6.68
		13.92	8.48
		15.13	8.73
		23.33	10.20
		5.29	11.02
		6.94	6.01
		8.26	6.80
		12.56	14.50
		12.72	9.96
		16.21	10.31
		16.59	13.01
		6.57	7.03
		9.80	9.91
		12.83	14.48
		15.41	11.71
		16.08	11.45
		16.39	12.51

(Table S6 continued)

		19.37	11.45
		22.29	11.71
		10.99	6.62
		13.70	12.05
		14.15	11.94
		19.98	15.68
		8.70	13.99
		10.08	9.45
		11.54	11.09
		15.49	14.13
		16.71	18.25
		16.93	14.66
		20.24	13.81
		6.86	9.02
		10.80	8.73
		11.14	8.38
		14.41	11.41
		15.96	12.90
		12.86	7.03
		13.25	13.66
		16.44	13.73
		18.47	10.93
		21.15	10.98
		6.79	9.19
		9.44	7.04
		12.93	13.93
		13.45	10.92
		19.14	14.27
		11.67	9.51
		12.08	10.93
		12.34	11.64
		12.78	10.20
		13.03	7.85
		13.62	11.55
		17.04	9.14
		17.82	10.57

Table S7. Fluctuating asymmetry (|R-L|/((R+L)/2). CO = Control, CW = Canopy warming, SCW = Soil and canopy warming, n.m. = not measured.

Treatment code	2007	2008	2009	2011
SCW	0.066	0.104	0.269	0.162
CW	0.281	0.316	0.086	0.080
SCW	0.163	0.305	0.169	0.106
CO	0.239	0.184	0.169	0.151
SCW	0.047	0.034	0.170	0.172
CW	0.145	0.189	0.080	0.161
CO	0.067	0.076	0.124	0.097
CO	0.084	0.136	0.130	0.069
CW	0.212	0.219	0.123	0.124
SCW	0.135	0.299	0.183	0.224
CO	0.202	0.153	0.114	0.194
CW	0.357	0.157	0.148	0.221
CO	0.070	0.087	0.167	0.111
SCW	0.084	n.m.	0.157	0.150
CW	0.154	n.m.	0.119	0.280
CW	0.140	0.230	0.117	0.159
SCW	0.129	0.115	0.161	0.138
CO	0.142	0.223	0.065	0.096